20-VIII-2006

CARIG References:

Alija, A. J., Bresgen, N., Sommerburg, O., Langhans, C. D., Siems, W. & Eckl, P. M. (2005) Cyto- and genotoxic potential of beta-carotene and cleavage products under oxidative stress. *Biofactors*. 24: 159-163.

Alos, E., Cercos, M., Rodrigo, M. J., Zacarias, L. & Talon, M. (2006) Regulation of color break in citrus fruits. Changes in pigment profiling and gene expression induced by gibberellins and nitrate, two ripening retardants. *J. Agric. Food Chem.* 54: 4888-4895.

Aman, R., Biehl, J., Carle, J., Beifuss, U. & Schieber, A. (2005) Application of HPLC coupled with DAD, APcI-MS and NMR to the analysis of lutein and zeaxanthin stereoisomers in thermally processed vegetables. *Food Chem.* 92: 753-763.

Austin, J., Singhal, N., Voigt, R., Smaill, F., Gill, M. J., Walmsley, S., Salit, I., Gilmour, J., Schlech, W. F. et al. (2006) A community randomized controlled clinical trial of mixed carotenoids and micronutrient supplementation of patients with acquired immunodeficiency syndrome. *Eur. J. Clin. Nutr.* (in press).

Barclay, M. C., Irvin, S. J., Williams, K. C. & Smith, D. M. (2006) Comparison of diets for the tropical spiny lobster *Panulirus ornatus*: astaxanthin-supplemented feeds and mussel flesh. *Aquaculture Nutrition* 12: 117-125.

Bernhardt, S. & Schlich, E. (2006) Impact of different cooking methods on food quality: Retention of lipophilic vitamins in fresh and frozen vegetables. *J. Food Engineering* 77: 327-333.

Boudries, H., Kefalas, P. & Hornero-Mendez, D. (2006) Carotenoid composition of Algerian date varieties (*Phoenix dactylifera*) at different edible maturation stages. *Food Chem.* (in press).

Breithaupt, D. E. & Schlatterer, J. (2005) Lutein and zeaxanthin in new dietary supplements—analysis and quantification. *Eur. Food Res. Technol.* 220: 648-652.

Caballero-Ortega, H., Pereda-Miranda, R. & Abdullaev, F. I. (2007) HPLC quantification of major active components from 11 different saffron (*Crocus sativus L.*) sources. *Food Chem.* 100: 1126-1131.

Caldwell, C. R. & Britz, S. J. (2006) Effect of supplemental ultraviolet radiation on the carotenoid and chlorophyll composition of green house-grown leaf lettuce (*Lactuca sativa L.*) cultivars. *J. Food Composition and Analysis* 19: 637-644.

Calvo, M. M., Dado, D. & Santa-Maria, G. (2006) Influence of extraction with ethanol or ethyl acetate on the yield of lycopene, beta-carotene, phytoene and phytofluene from tomato peel powder. *Eur. Food Res. Technol.* 223 (in press)

Carmona, M., Zalacain, A., Sanchez, A. M., Novella, J. L. & Alonso, G. L. (2006) Crocetin esters, picrocrocin and its related compounds present in *Crocus sativus* stigmas and *Gardenia jasminoides* fruits. Tentative identification of seven new compounds by LC-ESI-MS. *J. Agric. Food Chem.* 54: 973-979.

Cenkowski, S., Yakimishen, R., Przybylski, R. & Muir, W. E. (2006) Quality of extracted sea buckthorn seed and pulp oil. *Canadian Biosystems Engineering* 48: 3.9-3.16.

Chitchumroonchokchai, C. & Failla, M. L. (2006) Hydrolysis of zeaxanthin esters by carboxyl ester lipase during digestion facilitates micellarization and uptake of the xanthophyll by Caco-2 human intestinal cells. *J. Nutr.* 136: 588-594.

Clark, R. M., Herron, K. L., Waters, D. & Fernandez, M. L. (2006) Hypo- and hyperresponse to egg cholesterol predicts plasma lutein and beta-carotene concentrations in men and women. *J. Nutr*. 136: 601-607.

Collera-Zuniga, O., Garcia Jimenez, F. & Melendez Gordillo, R. (2005) Comparative study of carotenoid composition in three Mexican varieties of *Capsicum annuum L*. *Food Chem.* 90: 109-114.

Cortes, C., Esteve, M. J. & Torregrosa, F. (2005) Changes in carotenoids including geometrical isomers and ascorbic acid content in orange–carrot juice during frozen storage. *Eur. Food Res. Technol.* 221: 125-131.

Criado, M. N., Motilva, M. J., Goni, M. & Romero, M. P. (2006) Comparative study of the effect of the maturation process of the olive fruit on the chlorophyll and carotenoid fractions of drupes and virgin oils from Arbequina and Farga cultivars. *Food Chem.* 100: 748-755.

de Moura, F. F., Ho, C. C., Getachew, G., Hickenbottom, S. & Clifford, A. J. (2005) Kinetics of ^{14}C distribution after tracer dose of ^{14}C-lutein in an adult woman. *Lipids.* 40: 1069-1073.

Deepa, N., Kaur, C., Singh, B. & Kapoor, H. C. (2006) Antioxidant activity in some red sweet pepper cultivars. *J. Food Composition and Analysis* 19: 572-578.

Delcourt, C., Carriere, I., Delage, M., Barberger-Gateau, P. & Schalch, W. (2006) Plasma lutein and zeaxanthin and other carotenoids as modifiable risk factors for age-related maculopathy and cataract: the POLA Study. *Invest Ophthalmol. Vis. Sci.* 47: 2329-2335.

Englberger, L., Aalbersberg, W., Schierle, J., Marks, G. C., Fitzgerald, M. H., Muller, F., Jekkein, A., Alfred, J. & Vander Velde, N. (2006) Carotenoid content of different edible pandanus fruit cultivars of the republic of the Marshall Islands. *J. Food Composition and Analysis* 19: 484-494.

Fanasca, S., Colla, G., Maiani, G., Venneria, E., Rouphael, Y., Azzini, E. & Saccardo, F. (2006) Changes in antioxidant content of tomato fruits in response to cultivar and nutrient solution composition. *J. Agric. Food Chem.* 54: 4319-4325.

Fanciullino, A. L., Dhuique-Mayer, C., Luro, F., Casanova, J., Morillon, R. & Ollitrault, P. (2006) Carotenoid diversity in cultivated citrus is highly influenced by genetic factors. *J. Agric. Food Chem.* 54: 4397-4406.

Faure, H., Preziosi, P., Roussel, A. M., Bertrais, S., Galan, P., Hercberg, S. & Favier, A. (2006) Factors influencing blood concentration of retinol, alpha-tocopherol, vitamin C, and beta-carotene in the French participants of the SU.VI.MAX trial. *Eu. J. Clin. Nutr*. 60: 706-717.

Ferruzzi, M. G., Lumpkin, J. L., Schwartz, S. J. & Failla, M. (2006) Digestive stability, micellarization, and uptake of beta-carotene isomers by Caco-2 human intestinal cells. *J. Agric. Food Chem.* 54: 2780-2785.

Frederiksson, S., Elwinger, K. & Pickova, J. (2006) Fatty acid and carotenoid composition of egg yolk as an effect of microalgae addition to feed formula for laying hens. *Food Chem.* 99: 530-537.

Gajic, M., Zaripheh, S., Sun, F. & Erdman, J. W., Jr. (2006) Apo-8'-lycopenal and apo-12'-lycopenal are metabolic products of lycopene in rat liver. *J. Nutr.* 136: 1552-1557.

Goff, S. A. & Klee, H. J. (2006) Plant volatile compounds: sensory cues for health and nutritional value? *Science.* 311: 815-819.

Goni, I., Serrano, J. & Saura-Calixto, F. (2006) Bioaccessibility of beta-carotene, lutein, and lycopene from fruits and vegetables. *J. Agric. Food Chem.* 54: 5382-5387.

Gouveia, L. & Rema, P. (2005) Effect of microalgal biomass concentration and temperature on ornamental goldfish (*Carassius auratus*) skin pigmentation. *Aquaculture Nutrition* 11: 19-23.

Granado-Lorencio, F., Olmedilla-Alonso, B., Blanco-Navarro, I., Botella-Romero, F. & Simal-Anton, A. (2006) Assessment of carotenoid status and the relation to glycaemic control in type I diabetics: a follow-up study. *Eur. J. Clin. Nutr.* 60:1000-1008.

Greene, C. M., Waters, D., Clark, R. M., Contois, J. H. & Fernandez, M. L. (2006) Plasma LDL and HDL characteristics and carotenoid content are positively influenced by egg consumption in an elderly population. *Nutr. Metab (Lond).* 3: 6 ff.

Halvorsen, B. L., Carlsen, M. H., Phillips, K. M., Bohn, S. K., Holte, K., Jacobs, D. R., Jr. & Blomhoff, R. (2006) Content of redox-active compounds (ie, antioxidants) in foods consumed in the United States. *Am. J. Clin. Nutr.* 84: 95-135.

Hebting, Y., Schaeffer, P., Behrens, A., Adam, P., Schmitt, G., Schneckenburger, P., Bernasconi, S. M. & Albrecht, P. (2006) Biomarker evidence for a major preservation pathway of sedimentary organic carbon. *Science.* 312: 1627-1631.

Herrero-Martinez, J. M., Eeltink, S., Schoenmakers, P. J., Kok, W. T. & Ramis-Ramos, G. (2006) Determination of major carotenoids in vegetables by capillary electrochromatography. *J. Separation Science* 29: 660-665.

Herrero, M., Jaime, L., Martin-Alvarez, P. J., Cifuentes, A. & Ibanez, E. (2006) Optimization of the extraction of antioxidants from *Dunaliella salina* microalga by pressurized liquids. *J. Agric. Food Chem.* 54: 5597-5603.

Herron, K. L., McGrane, M. M., Waters, D., Lofgren, I. E., Clark, R. M., Ordovas, J. M. & Fernandez, M. L. (2006) The ABCG5 polymorphism contributes to individual responses to dietary cholesterol and carotenoids in eggs. *J. Nutr.* 136: 1161-1165.

Hwang, E. S. & Bowen, P. E. (2005) Effects of tomato paste extracts on cell proliferation, cell-cycle arrest and apoptosis in LNCaP human prostate cancer cells. *Biofactors.* 23: 75-84.

Hwang, E. S. & Bowen, P. E. (2005) Effects of lycopene and tomato paste extracts on DNA and lipid oxidation in LNCaP human prostate cancer cells. *Biofactors.* 23: 97-105.

Kelemen, L. E., Cerhan, J. R., Lim, U., Davis, S., Cozen, W., Schenk, M., Colt, J., Hartge, P. & Ward, M. H. (2006) Vegetables, fruit, and antioxidant-related nutrients and risk of non-Hodgkin lymphoma: a National Cancer Institute-Surveillance, Epidemiology, and End Results population-based case-control study. *Am. J. Clin. Nutr.* 83: 1401-1410.

Kidmose, U., Yang, R. Y., Thilsted, S. H., Christensen, L. P. & Brandt, K. (2006) Content of carotenoids in commonly consumed Asian vegetables and stability and extractability during frying. *J. Food Composition and Analysis* 19: 562-571.

Kimura, M., Kobori, C. N., Rodriguez-Amaya, D. B. & Nestel, P. (2007) Screening and HPLC methods for carotenoids in sweetpotato, cassava and maize for plant breeding trials. *Food Chem.* 100: 1734-1746.

Kornsteiner, M., Wagner, K. H. & Elmadfa, I. (2006) Tocopherols and total phenolics in 10 different nut types. *Food Chem.* 98: 381-387.

Koutsos, E. A., Garcia Lopez, J. C. & Klasing, K. C. (2006) Carotenoids from in ovo or dietary sources blunt systemic indices of the inflammatory response in growing chicks (*Gallus gallus*

domesticus). *J. Nutr.* 136: 1027-1031.

Leenhardt, F., Lyan, B., Rock, E., Boussard, A., Potus, J., Chanliaud, E. & Remesy, C. (2006) Wheat lipoxygenase activity induces greater loss of carotenoids than vitamin E during breadmaking. J*. Agric. Food Chem.* 54: 1710-1715.

Lefsrud, M. G., Kopsell, D. A., Kopsell, D. E. & Randle, W. M. (2006) Kale carotenoids are unaffected by, whereas biomass production, elemental concentrations, and selenium accumulation respond to, changes in selenium fertility. *J. Agric. Food Chem.* 54: 1764-1771.

Lenucci, M. S., Cadinu, D., Taurino, M., Piro, G. & Dalessandro, G. (2006) Antioxidant composition in cherry and high-pigment tomato cultivars. *J. Agric. Food Chem.* 54: 2606-2613.

Lima, V. L. A. G., Melo, E. A., Maciel, M. I. S., Prazeres, F. G., Musser, R. S. & Lima, D. E. S. (2005) Total phenolic and carotenoid contents in acerola genotypes harvested at three ripening stages. *Food Chem.* 90: 565-568.

Limpens, J., Schroder, F. H., de Ridder, C. M., Bolder, C. A., Wildhagen, M. F., Obermuller-Jevic, U. C., Kramer, K. & van Weerden, W. M. (2006) Combined lycopene and vitamin E treatment suppresses the growth of PC-346C human prostate cancer cells in nude mice. *J. Nutr.* 136: 1287-1293.

Lin, C. H. & Chen, B. H. (2005) Stability of carotenoids in tomato juice during storage. *Food Chem.* 90: 837-846.

Lin, C. H. & Chen, B. H. (2005) Stability of carotenoids in tomato juice during processing. *Eur. Food Res. Technol.* 221: 274-280.

Liu, C., Russell, R. M. & Wang, X. D. (2006) Lycopene supplementation prevents smoke-induced changes in p53, p53 phosphorylation, cell proliferation, and apoptosis in the gastric mucosa of ferrets. *J. Nutr.* 136: 106-111.

Lopez, A., Montano, A. & Garrido, A. (2005) Provitamin A carotenoids in table olives according to processing styles, cultivars, and commercial presentations. *Eur. Food Res. Technol.* 221: 406-411.

Losso, J. N., Khachatryan, A., Ogawa, M., Godber, J. S. & Shih, F. (2005) Random centroid optimization of phosphatidylglycerol stabilized lutein-enriched oil-in-water emulsions at acidic pH. *Food Chem.* 92: 737-744.

Mantzouridou, F., Tsimidou, M. Z. & Roukas, T. (2006) Performance of crude olive pomace oil and soybean oil during carotenoid production by *Blakeslea trispora* in submerged fermentation. *J. Agric. Food Chem.* 54: 2575-2581.

Marx, M., Schieber, A. & Carle, R. (2000) Quantitative determination of carotene stereoisomers in carrot juices and vitamin supplemented (ATBC) drinks. *Food Chem.* 70: 403-408.

Melendez-Martinez, A. J., Vicario-Romero, I. M. & Heredia, F. J. (2006) Provitamin A carotenoids and ascorbic acid contents of the different types of orange juices marketed in Spain. *Food Chem.* (in press).

Melendez-Martinez, A. J., Britton, G., Vicario, I. M. & Heredia, F. J. (2007) Relationship between the colour and the chemical structure of carotenoid pigments. *Food Chem.* 101:177-184.

Melendez-Martinez, A. J., Britton, G., Vicario, I. M. & Heredia, F. J. (2006) HPLC analysis of geometrical isomers of lutein epoxide isolated from dandelion (*Taraxacum officinale* F. Weber ex Wiggers). *Phytochemistry* 67: 771-777.

Mestre Prates, J. A., Goncalves Quaresma, M. A., Branquinho Bessa, R. J., Andrade Fontes, C. M. G. & Mateus Alfaia, C. M. P. (2006) Simultaneous HPLC quantification of total cholesterol, tocopherols and beta-carotene in Barrosã-PDO veal. *Food Chem.* 94: 469-477.

Mezadri, T., Perez-Galvez, A. & Hornero-Mendez, D. (2005) Carotenoid pigments in acerola fruits (*Malpighia emarginata DC*.) and derived products. *Eur. Food Res. Technol.* 220: 63-69.

Mortensen, A. (2005) Analysis of a complex mixture of carotenes from oil palm (*Elaeis guineensis*) fruit extract. *Food Res. Intl.* 38: 847-853.

Nestel, P., Bouis, H. E., Meenakshi, J. V. & Pfeiffer, W. (2006) Biofortification of staple food crops. *J. Nutr.* 136: 1064-1067.

Neuhouser, M. L., Rock, C. L., Kristal, A. R., Patterson, R. E., Neumark-Sztainer, D., Cheskin, L. J. & Thornquist, M. D. (2006) Olestra is associated with slight reductions in serum carotenoids but does not markedly influence serum fat-soluble vitamin concentrations. *Am. J. Clin. Nutr.* 83: 624-631.

Olives Barba, A. I., Camara Hurtado, M., Sanchez Mata, M. C., Fernandez Ruiz, V. & Lopez Saenz de Tejada, M. (2006) Application of a UV-vis detection-HPLC method for a rapid determination of lycopene and beta-carotene in vegetables. *Food Chem.* 95: 328-336.

Onsekizolu, P., Gokmen, V. & Acar, J. (2005) Degradation of beta-carotene with the effects of light and sulfur dioxide may be responsible for the formation of white spot in dried apricots. *Eur. Food Res. Technol.* 221: 357-360.

Othman, A., Ismail, A., Ghani, N. A. & Adenan, I. (2007) Antioxidant capacity and phenolic content of cocoa beans. *Food Chem.* 100: 1523-1530.

Park, Y. O., Hwang, E. S. & Moon, T. W. (2005) The effect of lycopene on cell growth and oxidative DNA damage of Hep3B human hepatoma cells. *Biofactors.* 23: 129-139.

Perez-Galvez, A., Hornero-Mendez, D. & Minguez-Mosquera, M. I. (2005) Dependence of carotenoid content and temperature-time regimes during the traditional slow drying of red pepper for paprika production at La Vera county. *Eur. Food Res. Technol.* 221: 645-652.

Perkins-Veazie, P., Collins, J. K., Davis, A. R. & Roberts, W. (2006) Carotenoid content of 50 watermelon cultivars. *J. Agric. Food Chem.* 54: 2593-2597.

Plaza, L., Sanchez-Moreno, C., de Ancos, B. & Cano, M. P. (2006) Carotenoid content and antioxidant capacity of Mediterranean vegetable soup (gazpacho) treated by high-pressure/temperature during refrigerated storage. *European Food Research and Technology* 223: 210-215.

Quilez, J., Ruiz, J. A., Brufau, G. & Rafecas, M. (2006) Bakery products enriched with phytosterols, alpha-tocopherol and beta-carotene. Sensory evaluation and chemical comparison with market products. *Food Chem.* 94: 399-405.

Rao, A. R., Sarada, R., Baskaran, V. & Ravishankar, G. A. (2006) Antioxidant activity of *Botryococcus braunii* extract elucidated in vitro models. *J. Agric. Food Chem.* 54: 4593-4599.

Ratnasinghe, D., Forman, M. R., Tangrea, J. A., Qiao, Y., Yao, S. X., Gunter, E. W., Barrett, M. J., Giffen, C. A., Erozan, Y. et al. (2000) Serum carotenoids are associated with increased lung cancer risk among alcohol drinkers, but not among non-drinkers in a cohort of tin miners. *Alcohol Alcohol.* 35: 355-360.

Ray, A. L., Semba, R. D., Walston, J., Ferrucci, L., Cappola, A. R., Ricks, M. O., Xue, Q. L. & Fried, L.

P. (2006) Low serum selenium and total carotenoids predict mortality among older women living in the community: The Women's Health and Aging Studies. *J. Nutr.* 136: 172-176.

Riso, P., Visioli, F., Grande, S., Guarnieri, S., Gardana, C., Simonetti, P. & Porrini, M. (2006) Effect of a tomato-based drink on markers of inflammation, immunomodulation, and oxidative stress. *J. Agric. Food Chem.* 54: 2563-2566.

Rodriguez, E. B. & Rodriguez-Amaya, D. B. (2006) Formation of apocarotenals and epoxycarotenoids from beta-carotene by chemical reactions and by autoxidation in model systems and processed foods. Food Chem. (in press).

Rousseau, A. S., Margaritis, I., Arnaud, J., Faure, H. & Roussel, A. M. (2006) Physical activity alters antioxidant status in exercising elderly subjects. *J. Nutr. Biochem.* 17: 463-470.

Ruhl, R. (2005) Induction of PXR-mediated metabolism by beta-carotene. *Biochim. Biophys. Acta.* 1740: 162-169.

Sabah, E., Cinar, M. & Celik, M. S. (2007) Decolorization of vegetable oils: Adsorption mechanism of beta-carotene on acid-activated sepiolite. *Food Chem.* 100: 1661-1668.

Salerno, C., Crifo, C., Capuozzo, E., Sommerburg, O., Langhans, C. D. & Siems, W. (2005) Effect of carotenoid oxidation products on neutrophil viability and function. *Biofactors.* 24: 185-192.

Sanchez-Moreno, C., Plaza, L., de Ancos, B. & Cano, M. P. (2006) Nutritional characterisation of commercial traditional pasteurised tomato juices: carotenoids, vitamin C and radical-scavenging capacity. *Food Chem.* 98: 749-756.

Schlatterer, J. & Breithaupt, D. E. (2006) Xanthophylls in commercial egg yolks: quantification and identification by HPLC and LC-(APCI)MS using a C30 phase. *J. Agric. Food Chem.* 54: 2267-2273.

Schroeder, M. T., Becker, E. M. & Skibsted, L. H. (2006) Molecular mechanism of antioxidant synergism of tocotrienols and carotenoids in palm oil. *J. Agric. Food Chem.* 54: 3445-3453.

Selvaggini, R., Servili, M., Urbani, S., Esposto, S., Taticchi, A. & Montedoro, G. (2006) Evaluation of phenolic compounds in virgin olive oil by direct injection in high-performance liquid chromatography with fluorometric detection. *J. Agric. Food Chem.* 54: 2832-2838.

Selvaraj, R. K. & Klasing, K. C. (2006) Lutein and eicosapentaenoic acid interact to modify iNOS mRNA levels through the PPAR{gamma}/RXR pathway in chickens and HD11 cell lines. *J. Nutr.* 136: 1610-1616.

Tan, C. P. & Nakajima, M. (2005) beta-Carotene nanodispersions: preparation, characterization and stability evaluation. *Food Chem.* 92: 661-671.

Tiziani, S., Schwartz, S. J. & Vodovotz, Y. (2006) Profiling of carotenoids in tomato juice by one- and two-dimensional NMR. *J. Agric. Food Chem.* 54: 6094-6100.

Tlusty, M. & Hyland, C. (2005) Astaxanthin deposition in the cuticle of juvenile American lobster (*Homarus americanus*): implications for phenotypic and genotypic coloration. *Marine Biology* 147: 113-119.

Tolasa, S., Cakli, S. & Ostermeyer, U. (2005) Determination of astaxanthin and canthaxanthin in salmonid. *Eur. Food Res. Technol.* 221: 787-791.

Toor, R. K. & Savage, G. P. (2006) Changes in major antioxidant components of tomatoes during post-harvest storage. *Food Chem.* 99: 724-727.

Topal, U., Sasaki, M., Goto, M. & Hayakawa, K. (2006) Extraction of lycopene from tomato skin with supercritical carbon dioxide: effect of operating conditions and solubility analysis. *J. Agric. Food Chem.* 54: 5604-5610.

Torres Gama, J. J. & de Sylos, C. M. (2006) Effect of thermal pasteurization and concentration on carotenoid composition of Brazilian Valencia orange juice. *Food Chem.* 100: 1686-1690.

van Jaarsveld, P. J., Marais, D., Harmse, E., Nestel, P. & Rodriguez-Amaya, D. B. (2006) Retention of beta-carotene in boiled, mashed orange-fleshed sweet potato. *J. Food Composition and Analysis* 19: 321-329.

Voutilainen, S., Nurmi, T., Mursu, J. & Rissanen, T. H. (2006) Carotenoids and cardiovascular health. *Am. J. Clin. Nutr.* 83: 1265-1271.

Wall, M. M. (2006) Ascorbic acid, vitamin A, and mineral composition of banana (*Musa* sp.) and papaya (*Carica papaya*) cultivars grown in Hawaii. *J. Food Composition and Analysis* 19: 434-445.

Wang, L., Liu, S., Manson, J. E., Gaziano, J. M., Buring, J. E. & Sesso, H. D. (2006) The consumption of lycopene and tomato-based food products is not associated with the risk of type 2 diabetes in women. *J. Nutr.* 136: 620-625.

Wu, T. H., Liao, J. H., Hou, W. C., Huang, F. Y., Maher, T. J. & Hu, C. C. (2006) Astaxanthin protects against oxidative stress and calcium-induced porcine lens protein degradation. *J. Agric. Food Chem.* 54: 2418-2423.

Xu, C. J., Fraser, P. D., Wang, W. J. & Bramley, P. M. (2006) Differences in the carotenoid content of ordinary citrus and lycopene-accumulating mutants. *J. Agric. Food Chem.* 54: 5474-5481.

Yanar, Y., Buyukcapar, H., Yanar, M. & Gocer, M. (2007) Effect of carotenoids from red pepper and marigold flower on pigmentation, sensory properties and fatty acid composition of rainbow trout. *Food Chem.* 100: 326-330.

Zaripheh, S., Nara, T. Y., Nakamura, M. T. & Erdman, J. W., Jr. (2006) Dietary lycopene downregulates carotenoid 15,15'-monooxygenase and PPAR-gamma in selected rat tissues. *J. Nutr.* 136: 932-938.