19 September 2011

CARIG Literature References: August 2011

Alam, D. S., Van Raaij, J. M., Hautvast, J. G., Yunus, M., Wahed, M. A., & Fuchs, G. J. (2010) Effect of dietary fat supplementation during late pregnancy and first six months of lactation on maternal and infant vitamin A status in rural Bangladesh. J Health Popul.Nutr. 28: 333-342.

Albermann, C. (2011) High versus low level expression of the lycopene biosynthesis genes from *Pantoea ananatis* in *Escherichia coli*. Biotechnol.Lett. 33: 313-319.

Alfonso, H. S., Reid, A., de Klerk, N. H., Olsen, N., Mina, R., Ambrosini, G. L., Beilby, J., Berry, G., & Musk, B. A. (2010) Retinol supplementation and mesothelioma incidence in workers earlier exposed to blue asbestos (Crocidolite) at Wittenoom, Western Australia. Eur.J Cancer Prev. 19: 355-359.

Alkhedir, H., Karlovsky, P., & Vidal, S. (2010) Effect of light intensity on colour morph formation and performance of the grain aphid *Sitobion avenae* F. (Homoptera: *Aphididae*). J Insect Physiol. 56: 1999-2005.

Amengual, J., Lobo, G. P., Golczak, M., Li, H. N., Klimova, T., Hoppel, C. L., Wyss, A., Palczewski, K., & von Lintig, J. (2011) A mitochondrial enzyme degrades carotenoids and protects against oxidative stress. FASEB J. 25: 948-959.

Ananda, N. & Vadlani, P. V. (2010) Production and optimization of carotenoid-enriched dried distiller's grains with solubles by *Phaffia rhodozyma* and *Sporobolomyces roseus* fermentation of whole stillage. J Ind.Microbiol.Biotechnol. 37: 1183-1192.

Ananda, N. & Vadlani, P. V. (2010) Fiber reduction and lipid enrichment in carotenoid-enriched distillers dried grain with solubles produced by secondary fermentation of *Phaffia rhodozyma* and *Sporobolomyces roseus*. J Agric.Food Chem. 58: 12744-12748.

Anastasaki, E. G., Kanakis, C. D., Pappas, C., Maggi, L., Zalacain, A., Carmona, M., Alonso, G. L., & Polissiou, M. G. (2010) Quantification of crocetin esters in saffron (*Crocus sativus* L.) using Raman spectroscopy and chemometrics. J Agric.Food Chem. 58: 6011-6017.

Antonious, G. F., Dennis, S. O., Unrine, J. M., & Snyder, J. C. (2011) Ascorbic acid, beta-carotene, sugars, phenols, and heavy metals in sweet potatoes grown in soil fertilized with municipal sewage sludge. J Environ.Sci.Health B. 46: 112-121.

Ariz, I., Esteban, R., Garcia-Plazaola, J. I., Becerril, J. M., Aparicio-Tejo, P. M., & Moran, J. F. (2010) High irradiance induces photoprotective mechanisms and a positive effect on NH4+ stress in *Pisum sativum* L. J Plant Physiol. 167: 1038-1045.

Arsenault, J. E., Aboud, S., Manji, K. P., Fawzi, W. W., & Villamor, E. (2010) Vitamin supplementation increases risk of subclinical mastitis in HIV-infected women. J Nutr. 140: 1788-1792.

Bajkan, S., Varadi, G., Balogh, M., Domonkos, A., Kiss, G. B., Kovacs, L., & Lehoczki, E. (2010) Conserved structure of the chloroplast-DNA encoded D1 protein is essential for effective photoprotection via non-photochemical thermal dissipation in higher plants. Mol.Genet.Genomics. 284: 55-63.

Baldermann, S., Kato, M., Kurosawa, M., Kurobayashi, Y., Fujita, A., Fleischmann, P., & Watanabe, N. (2010) Functional characterization of a carotenoid cleavage dioxygenase 1 and its relation to the carotenoid accumulation and volatile emission during the floral development of *Osmanthus fragrans* Lour. J Exp.Bot. 61: 2967-2977.

Ballottari, M., Girardon, J., Betterle, N., Morosinotto, T., & Bassi, R. (2010) Identification of the chromophores involved in aggregation-dependent energy quenching of the monomeric photosystem II antenna protein Lhcb5. J Biol.Chem. 285: 28309-28321.

Barrell, P. J., Wakelin, A. M., Gatehouse, M. L., Lister, C. E., & Conner, A. J. (2010) Inheritance and epistasis of loci influencing carotenoid content in petal and pollen color variants of california Poppy (*Eschscholzia californica* Cham.). J Hered. 101: 750-756.

Bartlett, H., Howells, O., & Eperjesi, F. (2010) The role of macular pigment assessment in clinical practice: a review. Clin Exp.Optom. 93: 300-308.

Beck, K., Conlon, C. A., Kruger, R., Coad, J., & Stonehouse, W. (2011) Gold kiwifruit consumed with an iron-fortified breakfast cereal meal improves iron status in women with low iron stores: a 16-week randomised controlled trial. Br.J Nutr. 105: 101-109.

Beilby, J., Ambrosini, G. L., Rossi, E., de Klerk, N. H., & Musk, A. W. (2010) Serum levels of folate, lycopene, beta-carotene, retinol and vitamin E and prostate cancer risk. Eur.J Clin Nutr. 64: 1235-1238.

Belefant-Miller, H. & Grace, S. C. (2010) Variations in bran carotenoid levels within and between rice subgroups. Plant Foods Hum.Nutr. 65: 358-363.

Bi, W., Tian, M., Zhou, J., & Row, K. H. (2010) Task-specific ionic liquid-assisted extraction and separation of astaxanthin from shrimp waste. J Chromatogr.B Analyt.Technol Biomed.Life Sci. 878: 2243-2248.

Bjelakovic, G., Gluud, L. L., Nikolova, D., Bjelakovic, M., Nagorni, A., & Gluud, C. (2011) Antioxidant supplements for liver diseases. Cochrane Database Syst.Rev. 3:CD007749.: CD007749.

Bouilly-Gauthier, D., Jeannes, C., Maubert, Y., Duteil, L., Queille-Roussel, C., Piccardi, N., Montastier, C., Manissier, P., Pierard, G., & Ortonne, J. P. (2010) Clinical evidence of benefits of a dietary supplement containing probiotic and carotenoids on ultraviolet-induced skin damage. Br.J Dermatol. 163: 536-543.

Brandi, F., Bar, E., Mourgues, F., Horvath, G., Turcsi, E., Giuliano, G., Liverani, A., Tartarini, S., Lewinsohn, E., & Rosati, C. (2011) Study of 'Redhaven' peach and its white-fleshed mutant suggests a key role of CCD4 carotenoid dioxygenase in carotenoid and norisoprenoid volatile metabolism.

BMC.Plant Biol. 11:24.: 24.

Bravi, F., Polesel, J., Bosetti, C., Talamini, R., Negri, E., Dal Maso, L., Serraino, D., & La Vecchia, C. (2011) Dietary intake of selected micronutrients and the risk of pancreatic cancer: an Italian case-control study. Ann.Oncol. 22: 202-206.

Burri, B. J., Chang, J. S., & Neidlinger, T. R. (2011) beta-Cryptoxanthin- and alpha-carotene-rich foods have greater apparent bioavailability than beta-carotene-rich foods in Western diets. Br.J Nutr. 105: 212-219.

Burt, A. J., Grainger, C. M., Young, J. C., Shelp, B. J., & Lee, E. A. (2010) Impact of postharvest handling on carotenoid concentration and composition in high-carotenoid maize (*Zea mays* L.) kernels. J Agric.Food Chem. 58: 8286-8292.

Capanoglu, E., Beekwilder, J., Boyacioglu, D., De Vos, R. C., & Hall, R. D. (2010) The effect of industrial food processing on potentially health-beneficial tomato antioxidants. Crit Rev.Food Sci.Nutr. 50: 919-930.

Casagrande, S., Dijkstra, C., Tagliavini, J., Goerlich, V. C., & Groothuis, T. G. (2011) Differential effects of testosterone, dihydrotestosterone and estradiol on carotenoid deposition in an avian sexually selected signal. J Comp Physiol A Neuroethol.Sens.Neural Behav.Physiol. 197: 1-13.

Ceribasi, A. O., Turk, G., Sonmez, M., Sakin, F., & Atessahin, A. (2010) Toxic effect of cyclophosphamide on sperm morphology, testicular histology and blood oxidant-antioxidant balance, and protective roles of lycopene and ellagic acid. Basic Clin Pharmacol Toxicol. 107: 730-736.

Ceron-Garcia, M. C., Campos-Perez, I., Macias-Sanchez, M. D., Bermejo-Roman, R., Fernandez-Sevilla, J. M., & Molina-Grima, E. (2010) Stability of carotenoids in *Scenedesmus almeriensis* biomass and extracts under various storage conditions. J Agric.Food Chem. 58: 6944-6950.

Chan, J. M., Weinberg, V., Magbanua, M. J., Sosa, E., Simko, J., Shinohara, K., Federman, S., Mattie, M., Hughes-Fulford, M., Haqq, C., & Carroll, P. R. (2011) Nutritional supplements, COX-2 and IGF-1 expression in men on active surveillance for prostate cancer. Cancer Causes Control. 22: 141-150.

Chang, C. H., Chen, C. Y., Chiou, J. Y., Peng, R. Y., & Peng, C. H. (2010) Astaxanthin secured apoptotic death of PC12 cells induced by beta-amyloid peptide 25-35: its molecular action targets. J Med.Food. 13: 548-556.

Checkley, W., West, K. P., Jr., Wise, R. A., Baldwin, M. R., Wu, L., LeClerq, S. C., Christian, P., Katz, J., Tielsch, J. M., Khatry, S., & Sommer, A. (2010) Maternal vitamin A supplementation and lung function in offspring. N.Engl.J. Med. 362: 1784-1794.

Chen, S. J., Wang, Q., & Han, J. R. (2010) Influence of oxidative stress and grains on sclerotial biomass and carotenoid yield of *Penicillium* sp. PT95. J Basic Microbiol. 50: 388-391.

Chiplonkar, S. A. & Tupe, R. (2010) Development of a diet quality index with special reference to

micronutrient adequacy for adolescent girls consuming a lacto-vegetarian diet. J Am.Diet.Assoc. 110: 926-931.

Chiste, R. C., Yamashita, F., Gozzo, F. C., & Mercadante, A. Z. (2011) Simultaneous extraction and analysis by high performance liquid chromatography coupled to diode array and mass spectrometric detectors of bixin and phenolic compounds from annatto seeds. J Chromatogr.A. 1218: 57-63.

Chiumarelli, M., Pereira, L. M., Ferrari, C. C., Sarantopoulos, C. I., & Hubinger, M. D. (2010) Cassava starch coating and citric acid to preserve quality parameters of fresh-cut "Tommy Atkins" mango. J Food Sci. 75: E297-E304.

Choi, H. D., Kang, H. E., Yang, S. H., Lee, M. G., & Shin, W. G. (2011) Pharmacokinetics and first-pass metabolism of astaxanthin in rats. Br.J Nutr. 105: 220-227.

Choi, S. H., Lee, S. H., Kim, H. J., Lee, I. S., Kozukue, N., Levin, C. E., & Friedman, M. (2010) Changes in free amino acid, phenolic, chlorophyll, carotenoid, and glycoalkaloid contents in tomatoes during 11 stages of growth and inhibition of cervical and lung human cancer cells by green tomato extracts. J Agric.Food Chem. 58: 7547-7556.

Colle, I. J., Lemmens, L., Tolesa, G. N., Van Buggenhout, S., De Vleeschouwer, K., Van Loey, A. M., & Hendrickx, M. E. (2010) Lycopene degradation and isomerization kinetics during thermal processing of an olive oil/tomato emulsion. J Agric.Food Chem. 58: 12784-12789.

Corrochano, L. M. & Garre, V. (2010) Photobiology in the *Zygomycota*: multiple photoreceptor genes for complex responses to light. Fungal.Genet.Biol. 47: 893-899.

Cote, J., Meylan, S., Clobert, J., & Voituron, Y. (2010) Carotenoid-based coloration, oxidative stress and corticosterone in common lizards. J Exp.Biol. 213: 2116-2124.

Crupi, P., Coletta, A., & Antonacci, D. (2010) Analysis of carotenoids in grapes to predict norisoprenoid varietal aroma of wines from Apulia. J Agric.Food Chem. 58: 9647-9656.

Crupi, P., Milella, R. A., & Antonacci, D. (2010) Simultaneous HPLC-DAD-MS (ESI+) determination of structural and geometrical isomers of carotenoids in mature grapes. J Mass Spectrom. 45: 971-980.

Cruz, S., Goss, R., Wilhelm, C., Leegood, R., Horton, P., & Jakob, T. (2011) Impact of chlororespiration on non-photochemical quenching of chlorophyll fluorescence and on the regulation of the diadinoxanthin cycle in the diatom *Thalassiosira pseudonana*. J Exp.Bot. 62: 509-519.

Cuaresma, M., Casal, C., Forjan, E., & Vilchez, C. (2011) Productivity and selective accumulation of carotenoids of the novel extremophile microalga *Chlamydomonas acidophila* grown with different carbon sources in batch systems. J Ind.Microbiol.Biotechnol. 38: 167-177.

D'Ambrosio, C., Stigliani, A. L., & Giorio, G. (2011) Overexpression of CrtR-b2 (carotene beta hydroxylase 2) from *S. lycopersicum* L. differentially affects xanthophyll synthesis and accumulation in transgenic tomato plants. Transgenic Res. 20: 47-60.

Das, S. K., Ren, R., Hashimoto, T., & Kanazawa, K. (2010) Fucoxanthin induces apoptosis in osteoclast-like cells differentiated from RAW264.7 cells. J Agric.Food Chem. 58: 6090-6095.

De La Fuente, J. L., Rodriguez-Saiz, M., Schleissner, C., Diez, B., Peiro, E., & Barredo, J. L. (2010) High-titer production of astaxanthin by the semi-industrial fermentation of *Xanthophyllomyces dendrorhous*. J Biotechnol. 148: 144-146.

Dias, M. G., Oliveira, L., Camoes, M. F., Nunes, B., Versloot, P., & Hulshof, P. J. (2010) Critical assessment of three high performance liquid chromatography analytical methods for food carotenoid quantification. J Chromatogr.A. 1217: 3494-3502.

Dias, V. M., Pilla, V., Alves, L. P., Oliveira, H. P., & Munin, E. (2011) Optical characterization in annatto and commercial colorific. J Fluoresc. 21: 415-421.

Duffy, C. D., Johnson, M. P., Macernis, M., Valkunas, L., Barford, W., & Ruban, A. V. (2010) A theoretical investigation of the photophysical consequences of major plant light-harvesting complex aggregation within the photosynthetic membrane. J Phys.Chem B. 114: 15244-15253.

Durchan, M., Herbstova, M., Fuciman, M., Gardian, Z., Vacha, F., & Polivka, T. (2010) Carotenoids in energy transfer and quenching processes in Pcb and Pcb-PS I complexes from *Prochlorothrix hollandica*. J Phys.Chem B. 114: 9275-9282.

Eeva, T., Helle, S., Salminen, J. P., & Hakkarainen, H. (2010) Carotenoid composition of invertebrates consumed by two insectivorous bird species. J Chem Ecol. 36: 608-613.

Eeva, T., Ruuskanen, S., Salminen, J. P., Belskii, E., Jarvinen, A., Kerimov, A., Korpimaki, E., Krams, I., Moreno, J., Morosinotto, C., Mand, R., Orell, M., Qvarnstrom, A., Siitari, H., Slater, F. M., Tilgar, V., Visser, M. E., Winkel, W., Zang, H., & Laaksonen, T. (2011) Geographical trends in the yolk carotenoid composition of the pied flycatcher (*Ficedula hypoleuca*). Oecologia. 165: 277-287.

Egea, I., Barsan, C., Bian, W., Purgatto, E., Latche, A., Chervin, C., Bouzayen, M., & Pech, J. C. (2010) Chromoplast differentiation: current status and perspectives. Plant Cell Physiol. 51: 1601-1611.

Ejoh, R. A., Dever, J. T., Mills, J. P., & Tanumihardjo, S. A. (2010) Small quantities of carotenoid-rich tropical green leafy vegetables indigenous to Africa maintain vitamin A status in Mongolian gerbils (*Meriones unguiculatus*). Br.J Nutr. 103: 1594-1601.

El Agamey, A., Fukuzumi, S., Naqvi, K. R., & McGarvey, D. J. (2011) Kinetic studies of retinol addition radicals. Org.Biomol.Chem. 9: 1459-1465.

Engelmann, N. J., Campbell, J. K., Rogers, R. B., Rupassara, S. I., Garlick, P. J., Lila, M. A., & Erdman, J. W., Jr. (2010) Screening and selection of high carotenoid producing *in vitro* tomato cell culture lines for [13C]-carotenoid production. J Agric.Food Chem. 58: 9979-9987.

Enriquez, M. M., Fuciman, M., LaFountain, A. M., Wagner, N. L., Birge, R. R., & Frank, H. A. (2010) The intramolecular charge transfer state in carbonyl-containing polyenes and carotenoids. J Phys.Chem B. 114: 12416-12426.

Fernandez-Ruiz, V., Torrecilla, J. S., Camara, M., Mata, M. C., & Shoemaker, C. (2010) Radial basis network analysis of color parameters to estimate lycopene content on tomato fruits. Talanta. 83: 9-13.

Ferreres, F., Pereira, D. M., Gil-Izquierdo, A., Valentao, P., Botelho, J., Mouga, T., & Andrade, P. B. (2010) HPLC-PAD-atmospheric pressure chemical ionization-MS metabolite profiling of cytotoxic carotenoids from the echinoderm *Marthasterias glacialis* (spiny sea-star). J Sep.Sci. 33: 2250-2257.

Ford, N. A., Clinton, S. K., Von Lintig, J., Wyss, A., & Erdman, J. W., Jr. (2010) Loss of carotene-9',10'-monooxygenase expression increases serum and tissue lycopene concentrations in lycopene-fed mice. J Nutr. 140: 2134-2138.

Franco-Zavaleta, M. E., Jimenez-Pichardo, R., Tomasini-Campocosio, A., & Guerrero-Legarreta, I. (2010) Astaxanthin extraction from shrimp wastes and its stability in 2 model systems. J Food Sci. 75: C394-C399.

Freedman, L. S., Tasevska, N., Kipnis, V., Schatzkin, A., Mares, J., Tinker, L., & Potischman, N. (2010) Gains in statistical power from using a dietary biomarker in combination with self-reported intake to strengthen the analysis of a diet-disease association: an example from CAREDS. Am.J Epidemiol. 172: 836-842.

Frias, J., Penas, E., Ullate, M., & Vidal-Valverde, C. (2010) Influence of drying by convective air dryer or power ultrasound on the vitamin C and beta-carotene content of carrots. J Agric.Food Chem. 58: 10539-10544.

Ganesan, P., Matsubara, K., Ohkubo, T., Tanaka, Y., Noda, K., Sugawara, T., & Hirata, T. (2010) Anti-angiogenic effect of siphonaxanthin from green alga, *Codium fragile*. Phytomedicine. 17: 1140-1144.

Gentili, A. & Caretti, F. (2011) Evaluation of a method based on liquid chromatography-diode array detector-tandem mass spectrometry for a rapid and comprehensive characterization of the fat-soluble vitamin and carotenoid profile of selected plant foods. J Chromatogr.A. 1218: 684-697.

Gonnet, M., Lethuaut, L., & Boury, F. (2010) New trends in encapsulation of liposoluble vitamins. J Control Release. 146: 276-290.

Grune, T., Lietz, G., Palou, A., Ross, A. C., Stahl, W., Tang, G., Thurnham, D., Yin, S. A., & Biesalski, H. K. (2010) Beta-carotene is an important vitamin A source for humans. J Nutr. 140: 2268S-2285S.

Guimaraes, R., Barros, L., Carvalho, A. M., & Ferreira, I. C. (2010) Studies on chemical constituents and bioactivity of *Rosa micrantha*: an alternative antioxidants source for food, pharmaceutical, or cosmetic applications. J Agric.Food Chem. 58: 6277-6284.

Guo, J. J. & Hu, C. H. (2010) Mechanism of chain termination in lipid peroxidation by carotenes: a theoretical study. J Phys.Chem B. 114: 16948-16958.

Gupta, R., Balasubramaniam, V. M., Schwartz, S. J., & Francis, D. M. (2010) Storage stability of lycopene in tomato juice subjected to combined pressure-heat treatments. J Agric.Food Chem. 58: 8305-8313.

Haag, S. F., Bechtel, A., Darvin, M. E., Klein, F., Groth, N., Schafer-Korting, M., Bittl, R., Lademann, J., Sterry, W., & Meinke, M. C. (2010) Comparative study of carotenoids, catalase and radical formation in human and animal skin. Skin Pharmacol Physiol. 23: 306-312.

Haque, R., Ahmed, T., Wahed, M. A., Mondal, D., Rahman, A. S., & Albert, M. J. (2010) Low-dose beta-carotene supplementation and deworming improve serum vitamin A and beta-carotene concentrations in preschool children of Bangladesh. J Health Popul.Nutr. 28: 230-237.

Hariri, A. T., Moallem, S. A., Mahmoudi, M., Memar, B., & Hosseinzadeh, H. (2010) Sub-acute effects of diazinon on biochemical indices and specific biomarkers in rats: protective effects of crocin and safranal. Food Chem Toxicol. 48: 2803-2808.

Hazlewood, L. C., Wood, L. G., Hansbro, P. M., & Foster, P. S. (2011) Dietary lycopene supplementation suppresses Th2 responses and lung eosinophilia in a mouse model of allergic asthma. J Nutr.Biochem. 22: 95-100.

Hernandez-Mijares, A., Banuls, C., Rocha, M., Morillas, C., Martinez-Triguero, M. L., Victor, V. M., Lacomba, R., Alegria, A., Barbera, R., Farre, R., & Lagarda, M. J. (2010) Effects of phytosterol ester-enriched low-fat milk on serum lipoprotein profile in mildly hypercholesterolaemic patients are not related to dietary cholesterol or saturated fat intake. Br.J Nutr. 104: 1018-1025.

Holembiovs'ka, S. L., Tymoshenko, S. H., & Matseliukh, B. P. (2010) [Influence of carbon and nitrogen sources on biosynthesis of lycopene by *Streptomyces globisporus* 4Lcp]. Mikrobiol.Z. 72: 46-51.

Horak, P., Sild, E., Soomets, U., Sepp, T., & Kilk, K. (2010) Oxidative stress and information content of black and yellow plumage coloration: an experiment with greenfinches. J Exp.Biol. 213: 2225-2233.

Hosseini, F., Naseri, M. K., Badavi, M., Ghaffari, M. A., Shahbazian, H., & Rashidi, I. (2010) Effect of beta carotene on lipid peroxidation and antioxidant status following renal ischemia/reperfusion injury in rat. Scand.J Clin Lab Invest. 70: 259-263.

Hou, Z., Gao, Y., Yuan, F., Liu, Y., Li, C., & Xu, D. (2010) Investigation into the physicochemical stability and rheological properties of beta-carotene emulsion stabilized by soybean soluble polysaccharides and chitosan. J Agric.Food Chem. 58: 8604-8611.

Ilioaia, C., Johnson, M. P., Duffy, C. D., Pascal, A. A., van Grondelle, R., Robert, B., & Ruban, A. V. (2011) Origin of absorption changes associated with photoprotective energy dissipation in the absence of zeaxanthin. J Biol.Chem. 286: 91-98.

Imasheva, E. S., Balashov, S. P., Wang, J. M., & Lanyi, J. K. (2011) Removal and reconstitution of the carotenoid antenna of xanthorhodopsin. J Membr.Biol. 239: 95-104.

Jerome-Morais, A., Diamond, A. M., & Wright, M. E. (2011) Dietary supplements and human health: for better or for worse? Mol.Nutr.Food Res. 55: 122-135.

Johnson, E. J., Maras, J. E., Rasmussen, H. M., & Tucker, K. L. (2010) Intake of lutein and zeaxanthin differ with age, sex, and ethnicity. J Am.Diet.Assoc. 110: 1357-1362.

Joshi-Deo, J., Schmidt, M., Gruber, A., Weisheit, W., Mittag, M., Kroth, P. G., & Buchel, C. (2010) Characterization of a trimeric light-harvesting complex in the diatom *Phaeodactylum tricornutum* built of FcpA and FcpE proteins. J Exp.Bot. 61: 3079-3087.

Jucker, W. (2011) Carotenoids. Chimia (Aarau.). 65: 109-110.

Kamffer, Z., Bindon, K. A., & Oberholster, A. (2010) Optimization of a method for the extraction and quantification of carotenoids and chlorophylls during ripening in grape berries (*Vitis vinifera* cv. Merlot). J Agric.Food Chem. 58: 6578-6586.

Kang, E. J., Campbell, R. E., Bastian, E., & Drake, M. A. (2010) Invited review: Annatto usage and bleaching in dairy foods. J Dairy Sci. 93: 3891-3901.

Kaspar, K. L., Park, J. S., Brown, C. R., Mathison, B. D., Navarre, D. A., & Chew, B. P. (2011) Pigmented potato consumption alters oxidative stress and inflammatory damage in men. J Nutr. 141: 108-111.

Khoo, H. E., Prasad, K. N., Kong, K. W., Jiang, Y., & Ismail, A. (2011) Carotenoids and their isomers: color pigments in fruits and vegetables. Molecules. 16: 1710-1738.

Kim, J. K., Lee, S. Y., Chu, S. M., Lim, S. H., Suh, S. C., Lee, Y. T., Cho, H. S., & Ha, S. H. (2010) Variation and correlation analysis of flavonoids and carotenoids in Korean pigmented rice (*Oryza sativa* L.) cultivars. J Agric.Food Chem. 58: 12804-12809.

Kim, K. N., Heo, S. J., Yoon, W. J., Kang, S. M., Ahn, G., Yi, T. H., & Jeon, Y. J. (2010) Fucoxanthin inhibits the inflammatory response by suppressing the activation of NF-kappaB and MAPKs in lipopolysaccharide-induced RAW 264.7 macrophages. Eur.J Pharmacol. 649: 369-375.

Kim, M., Kim, S. C., Song, K. J., Kim, H. B., Kim, I. J., Song, E. Y., & Chun, S. J. (2010) Transformation of carotenoid biosynthetic genes using a micro-cross section method in kiwifruit (*Actinidia deliciosa* cv. Hayward). Plant Cell Rep. 29: 1339-1349.

Kim, Y. H., Koh, H. K., & Kim, D. S. (2010) Down-regulation of IL-6 production by astaxanthin via ERK-, MSK-, and NF-kappaB-mediated signals in activated microglia. Int Immunopharmacol. 10: 1560-1572.

Kirby, M. L., Beatty, S., Stack, J., Harrison, M., Greene, I., McBrinn, S., Carroll, P., & Nolan, J. M. (2011) Changes in macular pigment optical density and serum concentrations of lutein and

zeaxanthin in response to weight loss. Br.J Nutr. 105: 1036-1046.

Koh, J. H., Kim, Y., & Oh, J. H. (2010) Chemical characterization of tomato juice fermented with bifidobacteria. J Food Sci. 75: C428-C432.

Kongkachuichai, R., Charoensiri, R., & Sungpuag, P. (2010) Carotenoid, flavonoid profiles and dietary fiber contents of fruits commonly consumed in Thailand. Int J Food Sci.Nutr. 61: 536-548.

Kurcer, M. A., Kurcer, Z., Koksal, M., Baba, F., Ocak, A. R., Aksoy, N., Atessahin, A., & Sahna, E. (2010) Effect of lycopene on caspase-3 enzyme activation in liver of methanol-intoxicated rats: comparison with fomepizole. J Med.Food. 13: 985-991.

Kwasniewski, M. T., Vanden Heuvel, J. E., Pan, B. S., & Sacks, G. L. (2010) Timing of cluster light environment manipulation during grape development affects C13 norisoprenoid and carotenoid concentrations in Riesling. J Agric.Food Chem. 58: 6841-6849.

Larsen, M. K., Nielsen, J. H., Butler, G., Leifert, C., Slots, T., Kristiansen, G. H., & Gustafsson, A. H. (2010) Milk quality as affected by feeding regimens in a country with climatic variation. J Dairy Sci. 93: 2863-2873.

Lecerf, J. M. & Desmettre, T. (2010) [Nutrition and age-related macular degeneration]. J Fr.Ophtalmol. 33: 749-757.

Ledger, S. E., Janssen, B. J., Karunairetnam, S., Wang, T., & Snowden, K. C. (2010) Modified CAROTENOID CLEAVAGE DIOXYGENASE8 expression correlates with altered branching in kiwifruit (*Actinidia chinensis*). New Phytol. 188: 803-813.

Lee, D. H., Kim, C. S., & Lee, Y. J. (2011) Astaxanthin protects against MPTP/MPP+-induced mitochondrial dysfunction and ROS production *in vivo* and *in vitro*. Food Chem Toxicol. 49: 271-280.

Lee, S. C. & Fang, T. J. (2011) Simultaneous extraction of carotenoids and transfructosylating enzyme from *Xanthophyllomyces dendrorhous* by a bead beater. Biotechnol.Lett. 33: 109-112.

Leite, M. F., De Lima, A., Massuyama, M. M., & Otton, R. (2010) *In vivo* astaxanthin treatment partially prevents antioxidant alterations in dental pulp from alloxan-induced diabetic rats. Int Endod.J. 43: 959-967.

Lemmens, L., Van Buggenhout, S., Van Loey, A. M., & Hendrickx, M. E. (2010) Particle size reduction leading to cell wall rupture is more important for the beta-carotene bioaccessibility of raw compared to thermally processed carrots. J Agric.Food Chem. 58: 12769-12776.

Lemmens, L., De Vleeschouwer, K., Moelants, K. R., Colle, I. J., Van Loey, A. M., & Hendrickx, M. E. (2010) Beta-carotene isomerization kinetics during thermal treatments of carrot puree. J Agric.Food Chem. 58: 6816-6824.

Lenucci, M. S., Caccioppola, A., Durante, M., Serrone, L., Leonardo, R., Piro, G., & Dalessandro, G.

(2010) Optimisation of biological and physical parameters for lycopene supercritical CO2 extraction from ordinary and high-pigment tomato cultivars. J Sci.Food Agric. 90: 1709-1718.

Lesellier, E. (2011) Additional studies on shape selectivity by using the carotenoid test to classify C18 bonded silica. J Chromatogr.A. 1218: 251-257.

Li, S., Nugroho, A., Rocheford, T., & White, W. S. (2010) Vitamin A equivalence of the β-carotene in β-carotene-biofortified maize porridge consumed by women. Am.J Clin Nutr. 92: 1105-1112.

Lii, J. H., Liao, F. X., Hsieh, H. Y., & Hu, C. H. (2010) A theoretical approach for accurate predictions of the enthalpies of formation of carotenes. J Phys.Chem A. 114: 12334-12344.

Lin, T. Y., Lu, C. W., & Wang, S. J. (2010) Astaxanthin inhibits glutamate release in rat cerebral cortex nerve terminals via suppression of voltage-dependent Ca(2+) entry and mitogen-activated protein kinase signaling pathway. J Agric.Food Chem. 58: 8271-8278.

Luvizotto, R. A., Nascimento, A. F., Veeramachaneni, S., Liu, C., & Wang, X. D. (2010) Chronic alcohol intake upregulates hepatic expression of carotenoid cleavage enzymes and PPAR in rats. J Nutr. 140: 1808-1814.

Macedo, R. C., Bolin, A. P., Marin, D. P., & Otton, R. (2010) Astaxanthin addition improves human neutrophils function: *in vitro* study. Eur.J Nutr. 49: 447-457.

Mackinnon, E. S., El Sohemy, A., Rao, A. V., & Rao, L. G. (2010) Paraoxonase 1 polymorphisms 172T-->A and 584A-->G modify the association between serum concentrations of the antioxidant lycopene and bone turnover markers and oxidative stress parameters in women 25-70 years of age. J Nutrigenet.Nutrigenomics. 3: 1-8.

Mackinnon, E. S., Rao, A. V., & Rao, L. G. (2011) Dietary restriction of lycopene for a period of one month resulted in significantly increased biomarkers of oxidative stress and bone resorption in postmenopausal women. J Nutr.Health Aging. 15: 133-138.

Maoka, T., Akimoto, N., Murakoshi, M., Sugiyama, K., & Nishino, H. (2010) Carotenoids in clams, *Ruditapes philippinarum* and *Meretrix petechialis*. J Agric.Food Chem. 58: 5784-5788.

Maoka, T. & Akimoto, N. (2011) Structures of minor carotenoids from the Japanese common catfish, *Silurus asotus*. Chem Pharm.Bull.(Tokyo). 59: 140-145.

Marin, D. P., Bolin, A. P., Macedo, R. C., Sampaio, S. C., & Otton, R. (2011) ROS production in neutrophils from alloxan-induced diabetic rats treated *in vivo* with astaxanthin. Int Immunopharmacol. 11: 103-109.

Martini, S., D'Addario, C., Bonechi, C., Leone, G., Tognazzi, A., Consumi, M., Magnani, A., & Rossi, C. (2010) Increasing photostability and water-solubility of carotenoids: synthesis and characterization of beta-carotene-humic acid complexes. J Photochem.Photobiol.B. 101: 355-361.

Maserejian, N. N., Giovannucci, E. L., McVary, K. T., & McKinlay, J. B. (2011) Dietary, but not

supplemental, intakes of carotenoids and vitamin C are associated with decreased odds of lower urinary tract symptoms in men. J Nutr. 141: 267-273.

Mayne, S. T., Cartmel, B., Scarmo, S., Lin, H., Leffell, D. J., Welch, E., Ermakov, I., Bhosale, P., Bernstein, P. S., & Gellermann, W. (2010) Noninvasive assessment of dermal carotenoids as a biomarker of fruit and vegetable intake. Am.J Clin Nutr. 92: 794-800.

McClean, C. M., Clegg, M., Shafat, A., Murphy, M. H., Trinick, T., Duly, E., McLaughlin, J., Fogarty, M., & Davison, G. W. (2011) The impact of acute moderate intensity exercise on arterial regional stiffness, lipid peroxidation, and antioxidant status in healthy males. Res.Sports Med. 19: 1-13.

Meinke, M. C., Darvin, M. E., Vollert, H., & Lademann, J. (2010) Bioavailability of natural carotenoids in human skin compared to blood. Eur.J Pharm.Biopharm. 76: 269-274.

Meriwether, L. S., Humphrey, B. D., Peterson, D. G., Klasing, K. C., & Koutsos, E. A. (2010) Lutein exposure, in ovo or in the diet, reduces parameters of inflammation in the liver and spleen laying-type chicks (*Gallus gallus domesticus*). J Anim Physiol Anim Nutr.(Berl). 94: e115-e122.

Mohajeri, S. A., Hosseinzadeh, H., Keyhanfar, F., & Aghamohammadian, J. (2010) Extraction of crocin from saffron (*Crocus sativus*) using molecularly imprinted polymer solid-phase extraction. J Sep.Sci. 33: 2302-2309.

Monroy-Ruiz, J., Sevilla, M. A., Carron, R., & Montero, M. J. (2011) Astaxanthin-enriched-diet reduces blood pressure and improves cardiovascular parameters in spontaneously hypertensive rats. Pharmacol Res. 63: 44-50.

Mougeot, F., Martinez-Padilla, J., Bortolotti, G. R., Webster, L. M., & Piertney, S. B. (2010) Oxidative stress and the effect of parasites on a carotenoid-based ornament. Corrigendum. J Evol.Biol. 23: 1579.

Mueller, L. & Boehm, V. (2011) Antioxidant activity of beta-carotene compounds in different *in vitro* assays. Molecules. 16: 1055-1069.

Murillo, E., McLean, R., Britton, G., Agocs, A., Nagy, V., & Deli, J. (2011) Sapotexanthin, an A-provitamin carotenoid from red mamey (*Pouteria sapota*). J Nat.Prod. 74: 283-285.

Nam, K. N., Park, Y. M., Jung, H. J., Lee, J. Y., Min, B. D., Park, S. U., Jung, W. S., Cho, K. H., Park, J. H., Kang, I., Hong, J. W., & Lee, E. H. (2010) Anti-inflammatory effects of crocin and crocetin in rat brain microglial cells. Eur.J Pharmacol. 648: 110-116.

Nambeesan, S., Datsenka, T., Ferruzzi, M. G., Malladi, A., Mattoo, A. K., & Handa, A. K. (2010) Overexpression of yeast spermidine synthase impacts ripening, senescence and decay symptoms in tomato. Plant J. 63: 836-847.

Namboodiri, V., Namboodiri, M., Flachenecker, G., & Materny, A. (2010) Two-photon resonances in femtosecond time-resolved four-wave mixing spectroscopy: beta-carotene. J Chem Phys. 133:

054503.

Namitha, K. K. & Archana, S. N. (2011) Expression of carotenoid biosynthetic pathway genes and changes in carotenoids during ripening in tomato (*Lycopersicon esculentum*). Food and Function 2: 168-173.

Natarajan, L., Pu, M., Fan, J., Levine, R. A., Patterson, R. E., Thomson, C. A., Rock, C. L., & Pierce, J. P. (2010) Measurement error of dietary self-report in intervention trials. Am.J Epidemiol. 172: 819-827.

Neily, M. H., Matsukura, C., Maucourt, M., Bernillon, S., Deborde, C., Moing, A., Yin, Y. G., Saito, T., Mori, K., Asamizu, E., Rolin, D., Moriguchi, T., & Ezura, H. (2011) Enhanced polyamine accumulation alters carotenoid metabolism at the transcriptional level in tomato fruit over-expressing spermidine synthase. J Plant Physiol. 168: 242-252.

Netzer, R., Stafsnes, M. H., Andreassen, T., Goksoyr, A., Bruheim, P., & Brautaset, T. (2010) Biosynthetic pathway for gamma-cyclic sarcinaxanthin in *Micrococcus luteus*: heterologous expression and evidence for diverse and multiple catalytic functions of C(50) carotenoid cyclases. J Bacteriol. 192: 5688-5699.

Neubauer, O., Reichhold, S., Nics, L., Hoelzl, C., Valentini, J., Stadlmayr, B., Knasmuller, S., & Wagner, K. H. (2010) Antioxidant responses to an acute ultra-endurance exercise: impact on DNA stability and indications for an increased need for nutritive antioxidants in the early recovery phase. Br.J Nutr. 104: 1129-1138.

Nicklett, E. J., Szanton, S., Sun, K., Ferrucci, L., Fried, L. P., Guralnik, J. M., & Semba, R. D. (2011) Neighborhood socioeconomic status is associated with serum carotenoid concentrations in older, community-dwelling women. J Nutr. 141: 284-289.

Niedzwiedzki, D. M., Collins, A. M., LaFountain, A. M., Enriquez, M. M., Frank, H. A., & Blankenship, R. E. (2010) Spectroscopic studies of carotenoid-to-bacteriochlorophyll energy transfer in LHRC photosynthetic complex from *Roseiflexus castenholzii*. J Phys.Chem B. 114: 8723-8734.

Nishiyama, Y., Sugimoto, M., Ikeda, S., & Kume, S. (2011) Supplemental beta-carotene increases IgA-secreting cells in mammary gland and IgA transfer from milk to neonatal mice. Br.J Nutr. 105: 24-30.

Nokubi, T., Nokubi, F., Yoshimuta, Y., Ikebe, K., Ono, T., & Maeda, Y. (2010) Measuring masticatory performance using a new device and beta-carotene in test gummy jelly. J Oral Rehabil. 37: 820-826.

O'Doherty, M. G., Gilchrist, S. E., Young, I. S., McKinley, M. C., Yarnell, J. W., Gey, K. F., Evans, A., Skidmore, P. M., & Woodside, J. V. (2010) Effect of supplementation with B vitamins and antioxidants on levels of asymmetric dimethylarginine (ADMA) and C-reactive protein (CRP): a double-blind, randomised, factorial design, placebo-controlled trial. Eur.J Nutr. 49: 483-492.

Okuda, M., Bando, N., Terao, J., Sasaki, S., Sugiyama, S., Kunitsugu, I., & Hobara, T. (2010)

Association of serum carotenoids and tocopherols with atopic diseases in Japanese children and adolescents. Pediatr.Allergy Immunol. 21: e705-e710.

Oliveira, D. S., Lobato, A. L., Ribeiro, S. M., Santana, A. M., Chaves, J. B., & Pinheiro-Sant'Ana, H. M. (2010) Carotenoids and vitamin C during handling and distribution of guava (*Psidium guajava* L.), mango (*Mangifera indica* L.), and papaya (*Carica papaya* L.) at commercial restaurants. J Agric.Food Chem. 58: 6166-6172.

Osawa, A., Ishii, Y., Sasamura, N., Morita, M., Kocher, S., Muller, V., Sandmann, G., & Shindo, K. (2010) Hydroxy-3,4-dehydro-apo-8'-lycopene and methyl hydroxy-3,4-dehydro-apo-8'-lycopenoate, novel C(30) carotenoids produced by a mutant of marine bacterium *Halobacillus halophilus*. J Antibiot.(Tokyo). 63: 291-295.

Ouchi, A., Aizawa, K., Iwasaki, Y., Inakuma, T., Terao, J., Nagaoka, S., & Mukai, K. (2010) Kinetic study of the quenching reaction of singlet oxygen by carotenoids and food extracts in solution. Development of a singlet oxygen absorption capacity (SOAC) assay method. J Agric.Food Chem. 58: 9967-9978.

Pal, J., Ganguly, S., Tahsin, K. S., & Acharya, K. (2010) *In vitro* free radical scavenging activity of wild edible mushroom, *Pleurotus squarrosulus* (Mont.) Singer. Indian J Exp.Biol. 48: 1210-1218.

Payette, M. J., Whalen, J., & Grant-Kels, J. M. (2010) Nutrition and nonmelanoma skin cancers. Clin Dermatol. 28: 650-662.

Pennathur, S., Maitra, D., Byun, J., Sliskovic, I., Abdulhamid, I., Saed, G. M., Diamond, M. P., & Abu-Soud, H. M. (2010) Potent antioxidative activity of lycopene: A potential role in scavenging hypochlorous acid. Free Radic.Biol.Med. 49: 205-213.

Perez-Fons, L., Steiger, S., Khaneja, R., Bramley, P. M., Cutting, S. M., Sandmann, G., & Fraser, P. D. (2011) Identification and the developmental formation of carotenoid pigments in the yellow/orange *Bacillus* spore-formers. Biochim.Biophys.Acta. 1811: 177-185.

Perrot-Minnot, M. J., Gaillard, M., Dodet, R., & Cezilly, F. (2011) Interspecific differences in carotenoid content and sensitivity to UVB radiation in three acanthocephalan parasites exploiting a common intermediate host. Int J Parasitol. 41: 173-181.

Polar-Cabrera, K., Huo, T., Schwartz, S. J., & Failla, M. L. (2010) Digestive stability and transport of norbixin, a 24-carbon carotenoid, across monolayers of Caco-2 cells. J Agric.Food Chem. 58: 5789-5794.

Polivka, T., Frank, H. A., Enriquez, M. M., Niedzwiedzki, D. M., Liaaen-Jensen, S., Hemming, J., Helliwell, J. R., & Helliwell, M. (2010) X-ray crystal structure and time-resolved spectroscopy of the blue carotenoid violerythrin. J Phys.Chem B. 114: 8760-8769.
Polivkova, Z., Smerak, P., Demova, H., & Houska, M. (2010) Antimutagenic effects of lycopene and tomato puree. J Med.Food. 13: 1443-1450.

Polyakov, N. E., Focsan, A. L., Bowman, M. K., & Kispert, L. D. (2010) Free radical formation in

novel carotenoid metal ion complexes of astaxanthin. J Phys.Chem B. 114: 16968-16977.

Poudyal, H., Panchal, S., & Brown, L. (2010) Comparison of purple carrot juice and beta-carotene in a high-carbohydrate, high-fat diet-fed rat model of the metabolic syndrome. Br.J Nutr. 104: 1322-1332.

Prager, M. & Andersson, S. (2010) Convergent evolution of red carotenoid coloration in widowbirds and bishops (*Euplectes* spp.). Evolution. 64: 3609-3619.

Preuss, H. G., Echard, B., Yamashita, E., & Perricone, N. V. (2011) High dose astaxanthin lowers blood pressure and increases insulin sensitivity in rats: are these effects interdependent? Int J Med.Sci. 8: 126-138.

Prieto, A., Pedro, C. J., & Garcia-Gonzalez, M. (2011) Assessment of carotenoid production by *Dunaliella salina* in different culture systems and operation regimes. J Biotechnol. 151: 180-185.

Quilliot, D., Forbes, A., Dubois, F., Gueant, J. L., & Ziegler, O. (2011) Carotenoid deficiency in chronic pancreatitis: the effect of an increase in tomato consumption. Eur.J Clin Nutr. 65: 262-268.

Rakhimberdieva, M. G., Kuzminov, F. I., Elanskaya, I. V., & Karapetyan, N. V. (2011) *Synechocystis* sp. PCC 6803 mutant lacking both photosystems exhibits strong carotenoid-induced quenching of phycobilisome fluorescence. FEBS Lett. 585: 585-589.

Ranga, R. A., Raghunath Reddy, R. L., Baskaran, V., Sarada, R., & Ravishankar, G. A. (2010) Characterization of microalgal carotenoids by mass spectrometry and their bioavailability and antioxidant properties elucidated in rat model. J Agric.Food Chem. 58: 8553-8559.

Rastogi, R. P., Richa, Sinha, R. P., Singh, S. P., & Hader, D. P. (2010) Photoprotective compounds from marine organisms. J Ind.Microbiol.Biotechnol. 37: 537-558.

Rautenbach, F., Faber, M., Laurie, S., & Laurie, R. (2010) Antioxidant capacity and antioxidant content in roots of 4 sweetpotato varieties. J Food Sci. 75: C400-C405.

Reppert, M., Acharya, K., Neupane, B., & Jankowiak, R. (2010) Lowest electronic states of the CP47 antenna protein complex of photosystem II: simulation of optical spectra and revised structural assignments. J Phys.Chem B. 114: 11884-11898.

Reynaud, E., Aydemir, G., Ruhl, R., Dangles, O., & Caris-Veyrat, C. (2011) Organic synthesis of new putative lycopene metabolites and preliminary investigation of their cell-signaling effects. J Agric.Food Chem. 59: 1457-1463.

Reynoso-Camacho, R., Gonzalez-Jasso, E., Ferriz-Martinez, R., Villalon-Corona, B., Loarca-Pina, G. F., Salgado, L. M., & Ramos-Gomez, M. (2011) Dietary supplementation of lutein reduces colon carcinogenesis in DMH-treated rats by modulating K-ras, PKB, and beta-catenin proteins. Nutr.Cancer. 63: 39-45.

Riccioni, G., D'Orazio, N., Speranza, L., Di Ilio, E., Glade, M., Bucciarelli, V., Scotti, L., Martini, F.,

Pennelli, A., & Bucciarelli, T. (2010) Carotenoids and asymptomatic carotid atherosclerosis. J Biol.Regul.Homeost.Agents. 24: 447-452.

Rice, A. L. & Burns, J. B. (2010) Moving from efficacy to effectiveness: red palm oil's role in preventing vitamin A deficiency. J Am.Coll.Nutr. 29: 302S-313S.

Riso, P., Brusamolino, A., Contino, D., Martini, D., Vendrame, S., Del Bo', C., & Porrini, M. (2010) Lycopene absorption in humans after the intake of two different single-dose lycopene formulations. Pharmacol Res. 62: 318-321.

Rivera-Pastrana, D. M., Yahia, E. M., & Gonzalez-Aguilar, G. A. (2010) Phenolic and carotenoid profiles of papaya fruit (*Carica papaya* L.) and their contents under low temperature storage. J Sci.Food Agric. 90: 2358-2365.

Rizwan, M., Rodriguez-Blanco, I., Harbottle, A., Birch-Machin, M. A., Watson, R. E., & Rhodes, L. E. (2011) Tomato paste rich in lycopene protects against cutaneous photodamage in humans in vivo: a randomized controlled trial. Br.J Dermatol. 164: 154-162.

Romagnoli, C., Tirone, C., Persichilli, S., Gervasoni, J., Zuppi, C., Barone, G., & Zecca, E. (2010) Lutein absorption in premature infants. Eur.J Clin Nutr. 64: 760-761.

Rosales, M. A., Cervilla, L. M., Sanchez-Rodriguez, E., Rubio-Wilhelmi, M. M., Blasco, B., Rios, J. J., Soriano, T., Castilla, N., Romero, L., & Ruiz, J. M. (2011) The effect of environmental conditions on nutritional quality of cherry tomato fruits: evaluation of two experimental Mediterranean greenhouses. J Sci.Food Agric. 91: 152-162.

Roswall, N., Olsen, A., Christensen, J., Dragsted, L. O., Overvad, K., & Tjonneland, A. (2010) Micronutrient intake and breast cancer characteristics among postmenopausal women. Eur.J Cancer Prev. 19: 360-365.

Rubio-Diaz, D. E., Santos, A., Francis, D. M., & Rodriguez-Saona, L. E. (2010) Carotenoid stability during production and storage of tomato juice made from tomatoes with diverse pigment profiles measured by infrared spectroscopy. J Agric.Food Chem. 58: 8692-8698.

Saga, G., Giorgetti, A., Fufezan, C., Giacometti, G. M., Bassi, R., & Morosinotto, T. (2010) Mutation analysis of violaxanthin de-epoxidase identifies substrate-binding sites and residues involved in catalysis. J Biol.Chem. 285: 23763-23770.

Sander, L. C., Sharpless, K. E., Wise, S. A., Nelson, B. C., Phinney, K. W., Porter, B. J., Rimmer, C. A., Thomas, J. B., Wood, L. J., Yen, J. H., Duewer, D. L., Atkinson, R., Chen, P., Goldschmidt, R., Wolf, W. R., Ho, I. P., & Betz, J. M. (2011) Certification of vitamins and carotenoids in SRM 3280 multivitamin/multielement tablets. Anal.Chem. 83: 99-108.

Sangeetha, R. K. & Baskaran, V. (2010) Retinol-deficient rats can convert a pharmacological dose of astaxanthin to retinol: antioxidant potential of astaxanthin, lutein, and beta-carotene. Can.J Physiol Pharmacol. 88: 977-985.

Santos, L., Kasper, R., Gil-Serna, J., Marin, S., Sanchis, V., & Ramos, A. J. (2010) Effect of *Capsicum* carotenoids on growth and ochratoxin A production by chilli and paprika *Aspergillus* spp. isolates. Int J Food Microbiol. 142: 354-359.

Sasamoto, Y., Gomi, F., Sawa, M., Sakaguchi, H., Tsujikawa, M., & Nishida, K. (2011) Effect of cataract in evaluation of macular pigment optical density by autofluorescence spectrometry. Invest Ophthalmol.Vis.Sci. 52: 927-932.

Sato, Y., Akiyama, H., Matsuoka, H., Sakata, K., Nakamura, R., Ishikawa, S., Inakuma, T., Totsuka, M., Sugita-Konishi, Y., Ebisawa, M., & Teshima, R. (2010) Dietary carotenoids inhibit oral sensitization and the development of food allergy. J Agric.Food Chem. 58: 7180-7186.

Schmidt, I., Schewe, H., Gassel, S., Jin, C., Buckingham, J., Humbelin, M., Sandmann, G., & Schrader, J. (2011) Biotechnological production of astaxanthin with *Phaffia rhodozyma/ Xanthophyllomyces dendrorhous*. Appl.Microbiol.Biotechnol. 89: 555-571.

Seki, T., Hasegawa, Y., Yamaguchi, J., Kanoh, T., Ishiguro, N., Tsuboi, M., Ito, Y., Hamajima, N., & Suzuki, K. (2010) Association of serum carotenoids, retinol, and tocopherols with radiographic knee osteoarthritis: possible risk factors in rural Japanese inhabitants. J Orthop.Sci. 15: 477-484.

Sepp, T., Karu, U., Sild, E., Manniste, M., & Horak, P. (2011) Effects of carotenoids, immune activation and immune suppression on the intensity of chronic coccidiosis in greenfinches. Exp.Parasitol. 127: 651-657.

Shang, Y. F., Kim, S. M., Lee, W. J., & Um, B. H. (2011) Pressurized liquid method for fucoxanthin extraction from *Eisenia bicyclis* (Kjellman) Setchell. J Biosci.Bioeng. 111: 237-241.

Shimoda, H., Tanaka, J., Shan, S. J., & Maoka, T. (2010) Anti-pigmentary activity of fucoxanthin and its influence on skin mRNA expression of melanogenic molecules. J Pharm.Pharmacol. 62: 1137-1145.

Sindhu, E. R., Preethi, K. C., & Kuttan, R. (2010) Antioxidant activity of carotenoid lutein *in vitro* and *in vivo*. Indian J Exp.Biol. 48: 843-848.

Sindhu, E. R., Firdous, A. P., Preethi, K. C., & Kuttan, R. (2010) Carotenoid lutein protects rats from paracetamol-, carbon tetrachloride- and ethanol-induced hepatic damage. J Pharm.Pharmacol. 62: 1054-1060.

Socha, P., Skorupa, E., Pawlowska, J., Wierzbicka, A., Dhawan, A., Jankowska, I., Karczmarewicz, E., Kubalska, J., Lukaszkiewicz, J., & Lorenc, R. (2010) beta-Carotene deficiency in cholestatic liver disease of childhood is caused by beta-carotene malabsorption. J Pediatr.Gastroenterol.Nutr. 51: 106-109.

Sozer, O., Kis, M., Gombos, Z., & Ughy, B. (2011) Proteins, glycerolipids and carotenoids in the functional photosystem II architecture. Front Biosci. 16:619-43.: 619-643.

Stangl, V., Kuhn, C., Hentschel, S., Jochmann, N., Jacob, C., Bohm, V., Frohlich, K., Muller, L.,

Gericke, C., & Lorenz, M. (2011) Lack of effects of tomato products on endothelial function in human subjects: results of a randomised, placebo-controlled cross-over study. Br.J Nutr. 105: 263-267.

Stockert, J. C., Abasolo, M. I., Blazquez-Castro, A., Horobin, R. W., Revilla, M., & Lombardo, D. M. (2010) Selective labeling of lipid droplets in aldehyde fixed cell monolayers by lipophilic fluorochromes. Biotech.Histochem. 85: 277-283.

Stuetz, W., Prapamontol, T., Hongsibsong, S., & Biesalski, H. K. (2010) Polymethoxylated flavones, flavanone glycosides, carotenoids, and antioxidants in different cultivation types of tangerines (*Citrus reticulata* Blanco cv. Sainampueng) from Northern Thailand. J Agric.Food Chem. 58: 6069-6074.

Suhnel, S., Lagreze, F., Bercht, M., Ferreira, J. F., Carneiro-Schaefer, A. L., Magalhaes, A. R., & Maraschin, M. (2010) Sexual stages of the female portion in the scallop *Nodipecten nodosus* (Linne, 1758) and astaxanthin quantity in each stage. Braz.J Biol. 70: 651-658.

Sun, T. H., Liu, C. Q., Hui, Y. Y., Wu, W. K., Zhou, Z. G., & Lu, S. (2010) Coordinated regulation of gene expression for carotenoid metabolism in *Chlamydomonas reinhardtii*. J Integr.Plant Biol. 52: 868-878.

Suzuki, K., Inoue, T., Hashimoto, S., Ochiai, J., Kusuhara, Y., Ito, Y., & Hamajima, N. (2010) Association of serum carotenoids with high molecular weight adiponectin and inflammation markers among Japanese subjects. Clin Chim.Acta. 411: 1330-1334.

Svelander, C. A., Tiback, E. A., Ahrne, L. M., Langton, M. I., Svanberg, U. S., & Alminger, M. A. (2010) Processing of tomato: impact on *in vitro* bioaccessibility of lycopene and textural properties. J Sci.Food Agric. 90: 1665-1672.

Tadmor, Y., Burger, J., Yaakov, I., Feder, A., Libhaber, S. E., Portnoy, V., Meir, A., Tzuri, G., Sa'ar, U., Rogachev, I., Aharoni, A., Abeliovich, H., Schaffer, A. A., Lewinsohn, E., & Katzir, N. (2010) Genetics of flavonoid, carotenoid, and chlorophyll pigments in melon fruit rinds. J Agric.Food Chem. 58: 10722-10728.

Talvas, J., Caris-Veyrat, C., Guy, L., Rambeau, M., Lyan, B., Minet-Quinard, R., Lobaccaro, J. M., Vasson, M. P., George, S., Mazur, A., & Rock, E. (2010) Differential effects of lycopene consumed in tomato paste and lycopene in the form of a purified extract on target genes of cancer prostatic cells. Am.J Clin Nutr. 91: 1716-1724.

Tao, Z., Wang, G., Xu, X., Yuan, Y., Wang, X., & Li, Y. (2011) Monitoring and rapid quantification of total carotenoids in *Rhodotorula glutinis* cells using laser tweezers Raman spectroscopy. FEMS Microbiol.Lett. 314: 42-48.

Tsai, Y. C., Wu, W. B., & Chen, B. H. (2010) Preparation of carotenoids and chlorophylls from *Gynostemma pentaphyllum* (Thunb.) Makino and their antiproliferation effect on hepatoma cell. J Med.Food. 13: 1431-1442.

Tydeman, E. A., Parker, M. L., Faulks, R. M., Cross, K. L., Fillery-Travis, A., Gidley, M. J., Rich, G. T., & Waldron, K. W. (2010) Effect of carrot (*Daucus carota*) microstructure on carotene bioaccessibility in the upper gastrointestinal tract. 2. In vivo digestions. J Agric.Food Chem. 58: 9855-9860.

Tydeman, E. A., Parker, M. L., Wickham, M. S., Rich, G. T., Faulks, R. M., Gidley, M. J., Fillery-Travis, A., & Waldron, K. W. (2010) Effect of carrot (*Daucus carota*) microstructure on carotene bioaccessibilty in the upper gastrointestinal tract. 1. In vitro simulations of carrot digestion. J Agric.Food Chem. 58: 9847-9854.

van Helden, Y. G., Godschalk, R. W., Swarts, H. J., Hollman, P. C., van Schooten, F. J., & Keijer, J. (2011) Beta-carotene affects gene expression in lungs of male and female Bcmo1 (-/-) mice in opposite directions. Cell Mol.Life Sci. 68: 489-504.

Verlotta, A., De, S., V, Mastrangelo, A. M., Cattivelli, L., Papa, R., & Trono, D. (2010) Insight into durum wheat Lpx-B1: a small gene family coding for the lipoxygenase responsible for carotenoid bleaching in mature grains. BMC.Plant Biol. 10:263.: 263.

Villaca, C. G., Goncalves, d. S., Cardoso, d. M., Abrantes, P. W., Pereira, S. E., Saboya, C. J., D'Almeida, C. A., & Ramalho, A. (2010) Serum retinol and beta-carotene levels and risk factors for cardiovascular disease in morbid obesity. Int J Vitam.Nutr.Res. 80: 159-167.

Villamor, E., Koulinska, I. N., Aboud, S., Murrin, C., Bosch, R. J., Manji, K. P., & Fawzi, W. W. (2010) Effect of vitamin supplements on HIV shedding in breast milk. Am.J Clin Nutr. 92: 881-886.

Vishwanathan, R., Gendron, C. M., Goodrow-Kotyla, E. F., Wilson, T. A., & Nicolosi, R. J. (2010) Increased consumption of dietary cholesterol, lutein, and zeaxanthin as egg yolks does not decrease serum concentrations and lipoprotein distribution of other carotenoids, retinol, and tocopherols. Nutr.Res. 30: 747-755.

Vogel, J. T., Tieman, D. M., Sims, C. A., Odabasi, A. Z., Clark, D. G., & Klee, H. J. (2010) Carotenoid content impacts flavor acceptability in tomato (*Solanum lycopersicum*). J Sci.Food Agric. 90: 2233-2240.

Wahlin, S., Floderus, Y., Stal, P., & Harper, P. (2011) Erythropoietic protoporphyria in Sweden: demographic, clinical, biochemical and genetic characteristics. J Intern.Med. 269: 278-288.

Wakshlag, J. J. & Balkman, C. E. (2010) Effects of lycopene on proliferation and death of canine osteosarcoma cells. Am.J Vet.Res. 71: 1362-1370.

Wang, C., Gong, J., Xing, Q., Li, Y., Liu, F., Zhao, X., Chai, L., Wang, C., & Zheltikov, A. M. (2010) Application of terahertz time-domain spectroscopy in intracellular metabolite detection. J Biophotonics. 3: 641-645.

Wei, S., Yu, B., Gruber, M. Y., Khachatourians, G. G., Hegedus, D. D., & Hannoufa, A. (2010) Enhanced seed carotenoid levels and branching in transgenic *Brassica napus* expressing the Arabidopsis miR156b gene. J Agric.Food Chem. 58: 9572-9578.

Welsch, R., Arango, J., Bar, C., Salazar, B., Al Babili, S., Beltran, J., Chavarriaga, P., Ceballos, H., Tohme, J., & Beyer, P. (2010) Provitamin A accumulation in cassava (*Manihot esculenta*) roots driven by a single nucleotide polymorphism in a phytoene synthase gene. Plant Cell. 22: 3348-3356.

Werner, S. & Bohm, V. (2011) Bioaccessibility of carotenoids and vitamin E from pasta: evaluation of an *in vitro* digestion model. J Agric.Food Chem. 59: 1163-1170.

Wieringa, F. T., Dijkhuizen, M. A., Muhilal, & van der Meer, J. W. (2010) Maternal micronutrient supplementation with zinc and beta-carotene affects morbidity and immune function of infants during the first 6 months of life. Eur.J Clin Nutr. 64: 1072-1079.

Wilhelm, C. & Selmar, D. (2011) Energy dissipation is an essential mechanism to sustain the viability of plants: The physiological limits of improved photosynthesis. J Plant Physiol. 168: 79-87.

Wilson, A., Kinney, J. N., Zwart, P. H., Punginelli, C., d'Haene, S., Perreau, F., Klein, M. G., Kirilovsky, D., & Kerfeld, C. A. (2010) Structural determinants underlying photoprotection in the photoactive orange carotenoid protein of cyanobacteria. J Biol.Chem. 285: 18364-18375.

Wilson, A., Punginelli, C., Couturier, M., Perreau, F., & Kirilovsky, D. (2011) Essential role of two tyrosines and two tryptophans on the photoprotection activity of the Orange Carotenoid Protein. Biochim.Biophys.Acta. 1807: 293-301.

Woerly, E. M., Cherney, A. H., Davis, E. K., & Burke, M. D. (2010) Stereoretentive Suzuki-Miyaura coupling of haloallenes enables fully stereocontrolled access to (-)-peridinin. J Am.Chem Soc. 132: 6941-6943.

Wong, I. Y., Koo, S. C., & Chan, C. W. (2011) Prevention of age-related macular degeneration. Int Ophthalmol. 31: 73-82.

Yamaguchi, M., Hasegawa, I., Yahagi, N., Ishigaki, Y., Takano, F., & Ohta, T. (2010) Carotenoids modulate cytokine production in Peyer's patch cells *ex vivo*. J Agric.Food Chem. 58: 8566-8572.

Yamano, Y., Chary, M. V., & Wada, A. (2010) Carotenoids and related polyenes, part 12. First total synthesis and absolute configuration of 3'-deoxycapsanthin and 3,4-didehydroxy-3'-deoxycapsanthin. Chem Pharm.Bull.(Tokyo). 58: 1362-1365.

Yamauchi, M., Tsuruma, K., Imai, S., Nakanishi, T., Umigai, N., Shimazawa, M., & Hara, H. (2011) Crocetin prevents retinal degeneration induced by oxidative and endoplasmic reticulum stresses via inhibition of caspase activity. Eur.J Pharmacol. 650: 110-119.

Yang, R., Vernon, K., Thomas, A., Morrison, D., Qureshi, N., & Van, W. C., III (2011) Crocetin reduces activation of hepatic apoptotic pathways and improves survival in experimental hemorrhagic shock. JPEN J Parenter.Enteral Nutr. 35: 107-113.

Yin, Y., Li, S., Liao, W., Lu, Q., Wen, X., & Lu, C. (2010) Photosystem II photochemistry, photoinhibition, and the xanthophyll cycle in heat-stressed rice leaves. J Plant Physiol. 167: 959-966.

Yonekura, L., Kobayashi, M., Terasaki, M., & Nagao, A. (2010) Keto-carotenoids are the major metabolites of dietary lutein and fucoxanthin in mouse tissues. J Nutr. 140: 1824-1831.

Yuan, J. P., Peng, J., Yin, K., & Wang, J. H. (2011) Potential health-promoting effects of astaxanthin: a high-value carotenoid mostly from microalgae. Mol.Nutr.Food Res. 55: 150-165.

Zhang, F., He, J., Xia, L., Cai, M., Lin, L., & Guang, Y. (2010) Applying and comparing two chemometric methods in absorption spectral analysis of photopigments from Arctic microalgae. J Microbiol.Methods. 83: 120-126.

Zhang, X., Wang, Q., Neil, B., & Chen, X. (2010) Effect of lycopene on androgen receptor and prostate-specific antigen velocity. Chin Med.J (Engl.). 123: 2231-2236.

Zhu, X., Zhang, Q., Kong, L., Wang, F., & Luo, S. (2010) New hydroquinone diglycoside acyl esters and sesquiterpene and apocarotenoid from *Ecdysanthera rosea*. Fitoterapia. 81: 906-909.