12 August 2014

**CARIG Literature Citations**

*(compiled by Harold Furr, University of Wisconsin - Madison)*

(2013) Macular Carotenoids Conference - Cambridge, United Kingdom, July 10-12, 2013. Eur.J.Ophthalmol. 23: 604-613.

Abbas, A., Brimer, A., Slocik, J. M., Tian, L., Naik, R. R., & Singamaneni, S. (2013) Multifunctional analytical platform on a paper strip: separation, preconcentration, and subattomolar detection. Anal.Chem. 85: 3977-3983.

Abbes, F., Besbes, S., Brahim, B., Kchaou, W., Attia, H., & Blecker, C. (2013) Effect of concentration temperature on some bioactive compounds and antioxidant proprieties of date syrup. Food Sci.Technol.Int. 19: 323-333.

Abney, K. R., Kopsell, D. A., Sams, C. E., Zivanovic, S., & Kopsell, D. E. (2013) UV-B radiation impacts shoot tissue pigment composition in *Allium fistulosum* L. cultigens. Scientific World Journal. 2013:513867. doi: 10.1155/2013/513867. Print 2013.:

Adams, M. C., Zulewska, J., & Barbano, D. M. (2013) Effect of annatto addition and bleaching treatments on ultrafiltration flux during production of 80% whey protein concentrate and 80% serum protein concentrate. J.Dairy Sci. 96: 2035-2047.

Alberts, B., Beachy, R., Baulcombe, D., Blobel, G., Datta, S., Fedoroff, N., Kennedy, D., Khush, G. S., Peacock, J., Rees, M., & Sharp, P. (2013) Standing up for GMOs. Science. 341: 1320.

Alferez, F., Pozo, L. V., Rouseff, R. R., & Burns, J. K. (2013) Modification of carotenoid levels by abscission agents and expression of carotenoid biosynthetic genes in 'valencia' sweet orange. J.Agric.Food Chem. 61: 3082-3089.

Ali, A., Ong, M. K., & Forney, C. F. (2014) Effect of ozone pre-conditioning on quality and antioxidant capacity of papaya fruit during ambient storage. Food Chem. 142: 19-26.

Amagloh, F. K., Brough, L., Weber, J. L., Mutukumira, A. N., Hardacre, A., & Coad, J. (2012) Sweetpotato-based complementary food would be less inhibitory on mineral absorption than a maize-based infant food assessed by compositional analysis. Int.J.Food Sci.Nutr. 63: 957-963.

Amaro, A. L., Fundo, J. F., Oliveira, A., Beaulieu, J. C., Fernandez-Trujillo, J. P., & Almeida, D. P. (2013) 1-methylcyclopropene effects on temporal changes of aroma volatiles and phytochemicals of fresh-cut cantaloupe. J.Sci.Food Agric. 93: 828-837.

Ambrosini, G. L., Bremner, A. P., Reid, A., Mackerras, D., Alfonso, H., Olsen, N. J., Musk, A. W., & de Klerk, N. H. (2013) No dose-dependent increase in fracture risk after long-term exposure to high doses of retinol or beta-carotene. Osteoporos.Int. 24: 1285-1293.

Amengual, J., Widjaja-Adhi, M. A., Rodriguez-Santiago, S., Hessel, S., Golczak, M., Palczewski, K., & Von Lintig, J. (2013) Two carotenoid oxygenases contribute to mammalian provitamin A metabolism. J.Biol.Chem. 288: 34081-34096.

Anarjan, N. & Tan, C. P. (2013) Chemical stability of astaxanthin nanodispersions in orange juice and skimmed milk as model food systems. Food Chem. 139: 527-531.

Anarjan, N. & Tan, C. P. (2013) Physico-chemical stability of astaxanthin nanodispersions prepared with polysaccharides as stabilizing agents. Int.J.Food Sci.Nutr. 64: 744-748.

Anwar, M., Nanda, N., Bhatia, A., Akhtar, R., & Mahmood, S. (2013) Effect of antioxidant supplementation on digestive enzymes in radiation induced intestinal damage in rats. Int.J.Radiat.Biol. 89: 1061-1070.

Armoza, A., Haim, Y., Bashiri, A., Wolak, T., & Paran, E. (2013) Tomato extract and the carotenoids lycopene and lutein improve endothelial function and attenuate inflammatory NF-kappaB signaling in endothelial cells. J.Hypertens. 31: 521-529.

Arunkumar, R., Harish Prashanth, K. V., & Baskaran, V. (2013) Promising interaction between nanoencapsulated lutein with low molecular weight chitosan: characterization and bioavailability of lutein *in vitro* and *in vivo*. Food Chem. 141: 327-337.

Ascenso, A., Pinho, S., Eleuterio, C., Praca, F. G., Bentley, M. V., Oliveira, H., Santos, C., Silva, O., & Simoes, S. (2013) Lycopene from tomatoes: vesicular nanocarrier formulations for dermal delivery. J.Agric.Food Chem. 61: 7284-7293.

Asgard, R. & Hellman, B. (2013) Effect of beta-carotene on catechol-induced genotoxicity *in vitr*o: evidence of both enhanced and reduced DNA damage. Free Radic.Res. 47: 692-698.

Atri, N., Sharma, S. K., Joshi, R., Gulati, A., & Gulati, A. (2013) Nutritional and neutraceutical composition of five wild culinary-medicinal species of genus *Pleurotus* (higher *Basidiomycete*s) from northwest India. Int.J.Med.Mushrooms. 15: 49-56.

Aydemir, G., Kasiri, Y., Birta, E., Beke, G., Garcia, A. L., Bartok, E. M., & Ruhl, R. (2013) Lycopene-derived bioactive retinoic acid receptors/retinoid-X receptors-activating metabolites may be relevant for lycopene's anti-cancer potential. Mol.Nutr.Food Res. 57: 739-747.

Aydin, S., Palabiyik, S. S., Erkekoglu, P., Sahin, G., Basaran, N., & Giray, B. K. (2013) The carotenoid lycopene protects rats against DNA damage induced by Ochratoxin A. Toxicon. 73: 96-103.

Aydin, S., Tokac, M., Taner, G., Arikok, A. T., Dundar, H. Z., Ozkardes, A. B., Taslipinar, M. Y., Kilic, M., Basaran, A. A., & Basaran, N. (2013) Antioxidant and antigenotoxic effects of lycopene in obstructive jaundice. J.Surg.Res. 182: 285-295.

Baieva, S., Ihalainen, J. A., & Toppari, J. J. (2013) Strong coupling between surface plasmon polaritons and beta-carotene in nanolayered system. J.Chem.Phys. 138: 044707.

Baldermann, S., Yang, Z., Sakai, M., Fleischmann, P., Morita, A., Todoroki, Y., & Watanabe, N. (2013) Influence of exogenously applied abscisic acid on carotenoid content and water uptake in flowers of the tea plant (*Camellia sinensis*). J.Sci.Food Agric. 93: 1660-1664.

Baque, M., Viaggiu, E., Scalzi, G., & Billi, D. (2013) Endurance of the endolithic desert cyanobacterium *Chroococcidiopsis* under UVC radiation. Extremophiles. 17: 161-169.

Barnes, S., Prasain, J., & Kim, H. (2013) In nutrition, can we "see" what is good for us? Adv.Nutr. 4: 327S-334S.

Baslam, M., Esteban, R., Garcia-Plazaola, J. I., & Goicoechea, N. (2013) Effectiveness of arbuscular mycorrhizal fungi (AMF) for inducing the accumulation of major carotenoids, chlorophylls and tocopherol in green and red leaf lettuces. Appl.Microbiol.Biotechnol. 97: 3119-3128.

Basu, A., Betts, N. M., Mulugeta, A., Tong, C., Newman, E., & Lyons, T. J. (2013) Green tea supplementation increases glutathione and plasma antioxidant capacity in adults with the metabolic syndrome. Nutr.Res. 33: 180-187.

Bayramoglu, A., Bayramoglu, G., & Senturk, H. (2013) Lycopene partially reverses symptoms of diabetes in rats with streptozotocin-induced diabetes. J.Med.Food. 16: 128-132.

Beatty, S., Nolan, J. M., Muldrew, K. A., Woodside, J., Stevenson, M. R., & Chakravarthy, U. (2013) Visual outcome after antioxidant supplementation. Ophthalmology. 120: 645.

Beppu, F., Hosokawa, M., Yim, M. J., Shinoda, T., & Miyashita, K. (2013) Down-regulation of hepatic stearoyl-CoA desaturase-1 expression by fucoxanthin via leptin signaling in diabetic/obese KK-A(y) mice. Lipids. 48: 449-455.

Berera, R., Gwizdala, M., van Stokkum, I. H., Kirilovsky, D., & van Grondelle, R. (2013) Excited states of the inactive and active forms of the orange carotenoid protein. J.Phys.Chem.B. 117: 9121-9128.

Berg, C. J., LaFountain, A. M., Prum, R. O., Frank, H. A., & Tauber, M. J. (2013) Vibrational and electronic spectroscopy of the retro-carotenoid rhodoxanthin in avian plumage, solid-state films, and solution. Arch.Biochem.Biophys. 539: 142-155.

Berker, K. I., Ozdemir Olgun, F. A., Ozyurt, D., Demirata, B., & Apak, R. (2013) Modified Folin-Ciocalteu antioxidant capacity assay for measuring lipophilic antioxidants. J.Agric.Food Chem. 61: 4783-4791.

Bernal, J. L., Martin, M. T., & Toribio, L. (2013) Supercritical fluid chromatography in food analysis. J.Chromatogr.A. 1313: 24-36.

Bernstein, P. S., Sharifzadeh, M., Liu, A., Ermakov, I., Nelson, K., Sheng, X., Panish, C., Carlstrom, B., Hoffman, R. O., & Gellermann, W. (2013) Blue-light reflectance imaging of macular pigment in infants and children. Invest Ophthalmol.Vis.Sci. 54: 4034-4040.

Berrow, E. J., Bartlett, H. E., Eperjesi, F., & Gibson, J. M. (2013) The effects of a lutein-based supplement on objective and subjective measures of retinal and visual function in eyes with age-related maculopathy -- a randomised controlled trial. Br.J.Nutr. 109: 2008-2014.

Beydoun, M. A., Beydoun, H. A., Boueiz, A., Shroff, M. R., & Zonderman, A. B. (2013) Antioxidant status and its association with elevated depressive symptoms among US adults: National Health and Nutrition Examination Surveys 2005-6. Br.J.Nutr. 109: 1714-1729.

Biddle, M., Moser, D., Song, E. K., Heo, S., Payne-Emerson, H., Dunbar, S. B., Pressler, S., & Lennie, T. (2013) Higher dietary lycopene intake is associated with longer cardiac event-free survival in patients with heart failure. Eur.J.Cardiovasc.Nurs. 12: 377-384.

Biesalski, H. K., Erdman, J. W., Jr., Hathcock, J., Ellwood, K., Beatty, S., Johnson, E., Marchioli, R., Lauritzen, L., Rice, H. B., Shao, A., & Griffiths, J. C. (2013) Nutrient reference values for bioactives: new approaches needed? A conference report. Eur.J.Nutr. 52 Suppl 1: 1-9.

Bijttebier, S. K., D'Hondt, E., Hermans, N., Apers, S., & Voorspoels, S. (2013) Unravelling ionization and fragmentation pathways of carotenoids using orbitrap technology: a first step towards identification of unknowns. J.Mass Spectrom. 48: 740-754.

Biltoft-Jensen, A., Bysted, A., Trolle, E., Christensen, T., Knuthsen, P., Damsgaard, C. T., Andersen, L. F., Brockhoff, P., & Tetens, I. (2013) Evaluation of Web-based Dietary Assessment Software for

Children: comparing reported fruit, juice and vegetable intakes with plasma carotenoid concentration and school lunch observations. Br.J.Nutr. 110: 186-195.

Black, A. P., Vally, H., Morris, P., Daniel, M., Esterman, A., Karschimkus, C. S., & O'Dea, K. (2013) Nutritional impacts of a fruit and vegetable subsidy programme for disadvantaged Australian Aboriginal children. Br.J.Nutr. 110: 2309-2317.

Blanco, G., Hornero-Mendez, D., Lambertucci, S. A., Bautista, L. M., Wiemeyer, G., Sanchez-Zapata, J. A., Garrido-Fernandez, J., Hiraldo, F., & Donazar, J. A. (2013) Need and seek for dietary micronutrients: endogenous regulation, external signalling and food sources of carotenoids in new world vultures. PLoS.ONE. 8: e65562.

Bodiga, V. L., Eda, S. R., Veduruvalasa, V. D., Mididodla, L. D., Parise, P. K., Kodamanchili, S., Jallepalli, S., Inapurapu, S. P., Neerukonda, M., Vemuri, P. K., & Bodiga, S. (2013) Attenuation of non-enzymatic thermal glycation of bovine serum albumin (BSA) using beta-carotene. Int.J.Biol.Macromol. 56: 41-48.

Bohn, T., Blackwood, M., Francis, D., Tian, Q., Schwartz, S. J., & Clinton, S. K. (2013) Bioavailability of phytochemical constituents from a novel soy fortified lycopene rich tomato juice developed for targeted cancer prevention trials. Nutr.Cancer. 65: 919-929.

Bommareddy, A., Eggleston, W., Prelewicz, S., Antal, A., Witczak, Z., McCune, D. F., & Vanwert, A. L. (2013) Chemoprevention of prostate cancer by major dietary phytochemicals. Anticancer Res. 33: 4163-4174.

Borel, P., Lietz, G., Goncalves, A., Szabo, d. E., Lecompte, S., Curtis, P., Goumidi, L., Caslake, M. J., Miles, E. A., Packard, C., Calder, P. C., Mathers, J. C., Minihane, A. M., Tourniaire, F., Kesse-Guyot, E., Galan, P., Hercberg, S., Breidenassel, C., Gonzalez, G. M., Moussa, M., Meirhaeghe, A., & Reboul, E. (2013) CD36 and SR-BI are involved in cellular uptake of provitamin A carotenoids by Caco-2 and HEK cells, and some of their genetic variants are associated with plasma concentrations of these micronutrients in humans. J.Nutr. 143: 448-456.

Borodina, A. V., Maoka, T., & Soldatov, A. A. (2013) [Composition and content of carotenoids in body of the Black Sea gastropod mollusc *Rapana venosa* (Valenciennes, 1846)]. Zh.Evol.Biokhim.Fiziol. 49: 187-194.

Borovsky, Y., Tadmor, Y., Bar, E., Meir, A., Lewinsohn, E., & Paran, I. (2013) Induced mutation in beta-CAROTENE HYDROXYLASE results in accumulation of beta-carotene and conversion of red to orange color in pepper fruit. Theor.Appl.Genet. 126: 557-565.

Bosio, G. N., Breitenbach, T., Parisi, J., Reigosa, M., Blaikie, F. H., Pedersen, B. W., Silva, E. F., Martire, D. O., & Ogilby, P. R. (2013) Antioxidant beta-carotene does not quench singlet oxygen in mammalian cells. J.Am.Chem.Soc. 135: 272-279.

Bovier, E. R., Lewis, R. D., & Hammond, B. R., Jr. (2013) The relationship between lutein and zeaxanthin status and body fat. Nutrients. 5: 750-757.

Brabcova, I., Hlavackova, M., Satinsky, D., & Solich, P. (2013) A rapid HPLC column switching method for sample preparation and determination of beta-carotene in food supplements. Food Chem. 141: 1433-1437.

Braunwald, T., Schwemmlein, L., Graeff-Honninger, S., French, W. T., Hernandez, R., Holmes, W. E., & Claupein, W. (2013) Effect of different C/N ratios on carotenoid and lipid production by *Rhodotorula glutinis*. Appl.Microbiol.Biotechnol. 97: 6581-6588.

Breitenbach, J., Bruns, M., & Sandmann, G. (2013) Contribution of two zeta-carotene desaturases to the poly-*cis* desaturation pathway in the cyanobacterium *Nostoc* PCC 7120. Arch.Microbiol. 195: 491-498.

Bresnahan, K. A., Arscott, S. A., Khanna, H., Arinaitwe, G., Dale, J., Tushemereirwe, W., Mondloch, S., Tanumihardjo, J. P., de Moura, F. F., & Tanumihardjo, S. A. (2012) Cooking enhances but the degree of ripeness does not affect provitamin A carotenoid bioavailability from bananas in Mongolian gerbils. J.Nutr. 142: 2097-2104.

Bresnahan, K. A., Chileshe, J., & Tanumihardjo, S. A. (2014) Quantification of food and nutrient intakes in Zambian children with and without malaria under controlled feeding conditions. Exp.Biol.Med.(Maywood.). 239: 45-51.

Brown, A. C., McGraw, K. J., & Clotfelter, E. D. (2013) Dietary carotenoids increase yellow nonpigment coloration of female convict cichlids (*Amantitlania nigrofasciata*). Physiol Biochem.Zool. 86: 312-322.

Butler, M. W. & McGraw, K. J. (2013) Immune function is related to adult carotenoid and bile pigment levels, but not to dietary carotenoid access during development, in female mallard ducks. J.Exp.Biol. 216: 2632-2640.

Calligaris, S., Manzocco, L., Da Pieve, S., Arrighetti, G., & Nicoli, M. C. (2013) Effect of lipid physical state of palm derivatives on beta-carotene bleaching. J.Food Sci. 78: E549-E554.

Carvalho, E., Fraser, P. D., & Martens, S. (2013) Carotenoids and tocopherols in yellow and red raspberries. Food Chem. 139: 744-752.

Caseli, L., Sousa-Martins, D., Maia, M., Lima-Filho, A. A., Rodrigues, E. B., & Belfort, R., Jr. (2013) An intraocular dye solution based on lutein and zeaxanthin in a surrogate internal limiting membrane model: a Langmuir monolayer study. Colloids Surf.B Biointerfaces. 107: 124-129.

Castro-Puyana, M., Herrero, M., Urreta, I., Mendiola, J. A., Cifuentes, A., Ibanez, E., & Suarez-Alvarez, S. (2013) Optimization of clean extraction methods to isolate carotenoids from the microalga *Neochloris oleoabundans* and subsequent chemical characterization using liquid chromatography tandem mass spectrometry. Anal.Bioanal.Chem. 405: 4607-4616.

Catalano, A., Simone, R. E., Cittadini, A., Reynaud, E., Caris-Veyrat, C., & Palozza, P. (2013) Comparative antioxidant effects of lycopene, apo-10'-lycopenoic acid and apo-14'-lycopenoic acid in human macrophages exposed to $H_2O_2$ and cigarette smoke extract. Food Chem.Toxicol. 51: 71-79.

Cerezo, J., Zuniga, J., Bastida, A., Requena, A., & Ceron-Carrasco, J. P. (2013) Conformational changes of beta-carotene and zeaxanthin immersed in a model membrane through atomistic molecular dynamics simulations. Phys.Chem.Chem.Phys. 15: 6527-6538.

Chai, W., Cooney, R. V., Franke, A. A., & Bostick, R. M. (2013) Effects of calcium and vitamin D supplementation on blood pressure and serum lipids and carotenoids: a randomized, double-blind, placebo-controlled, clinical trial. Ann.Epidemiol. 23: 564-570.

Chakravarthy, S. K., Ramaprasad, E. V., Shobha, E., Sasikala, C., & Ramana, C. (2012) *Rhodoplanes piscinae* sp. nov. isolated from pond water. Int.J.Syst.Evol.Microbiol. 62: 2828-2834.

Chan, G. M., Chan, M. M., Gellermann, W., Ermakov, I., Ermakova, M., Bhosale, P., Bernstein, P., & Rau, C. (2013) Resonance Raman spectroscopy and the preterm infant carotenoid status. J.Pediatr.Gastroenterol.Nutr. 56: 556-559.

Chang, C. S., Chang, C. L., & Lai, G. H. (2013) Reactive oxygen species scavenging activities in a chemiluminescence model and neuroprotection in rat pheochromocytoma cells by astaxanthin, beta-carotene, and canthaxanthin. Kaohsiung.J.Med.Sci. 29: 412-421.

Chang, H. L., Kang, C. Y., & Lee, T. M. (2013) Hydrogen peroxide production protects *Chlamydomonas reinhardtii* against light-induced cell death by preventing singlet oxygen accumulation through enhanced carotenoid synthesis. J.Plant Physiol. 170: 976-986.

Chaves, D. F., Solis, M. Y., Gandin, P., Benatti, F. B., Rodrigues, V. L., Paschoal, V., Naves, A., & Lancha, A. H., Jr. (2013) Acute effects of isocaloric meals with different fiber and antioxidant contents on inflammatory markers in healthy individuals. Ann.Nutr.Metab. 62: 164-168.

Chen, J., Song, Y., & Zhang, L. (2013) Lycopene/tomato consumption and the risk of prostate cancer: a systematic review and meta-analysis of prospective studies. J.Nutr.Sci.Vitaminol.(Tokyo). 59: 213-223.

Chen, J., Song, Y., & Zhang, L. (2013) Effect of lycopene supplementation on oxidative stress: an exploratory systematic review and meta-analysis of randomized controlled trials. J.Med.Food. 16: 361-374.

Chen, J. R., Wu, J. J., Lin, J. C., Wang, Y. C., Young, C. C., Shieh, C. J., Hsu, S. L., & Chang, C. M. (2013) Low density supercritical fluids precipitation of 9-*cis* and all *trans*-beta-carotenes enriched particulates from *Dunaliella salina*. J.Chromatogr.A. 1299: 1-9.

Chen, Y. & Vaidyanathan, S. (2013) Simultaneous assay of pigments, carbohydrates, proteins and lipids in microalgae. Anal.Chim.Acta. 776: 31-40.

Chen, Y. Y., Shen, H. J., Cui, Y. Y., Chen, S. G., Weng, Z. M., Zhao, M., & Liu, J. Z. (2013) Chromosomal evolution of *Escherichia coli* for the efficient production of lycopene. BMC.Biotechnol. 13: 6-13.

Cheung, L. K. & Eaton, A. (2013) Age-related macular degeneration. Pharmacotherapy. 33: 838-855.

Chew, E. Y., Sangiovanni, J. P., Ferris, F. L., Wong, W. T., Agron, E., Clemons, T. E., Sperduto, R., Danis, R., Chandra, S. R., Blodi, B. A., Domalpally, A., Elman, M. J., Antoszyk, A. N., Ruby, A. J., Orth, D., Bressler, S. B., Fish, G. E., Hubbard, G. B., Klein, M. L., Friberg, T. R., Rosenfeld, P. J., Toth, C. A., & Bernstein, P. (2013) Lutein/zeaxanthin for the treatment of age-related cataract: AREDS2 randomized trial report no. 4. JAMA Ophthalmol. 131: 843-850.

Chew, E. Y., Clemons, T. E., Agron, E., Sperduto, R. D., Sangiovanni, J. P., Kurinij, N., & Davis, M. D. (2013) Long-term effects of vitamins C and E, beta-carotene, and zinc on age-related macular degeneration: AREDS report no. 35. Ophthalmology. 120: 1604-1611.

Chimsung, N., Lall, S. P., Tantikitti, C., Verlhac-Trichet, V., & Milley, J. E. (2013) Effects of dietary cholesterol on astaxanthin transport in plasma of Atlantic salmon (*Salmo salar*). Comp Biochem.Physiol B Biochem.Mol.Biol. 165: 73-81.

Choi, S. K., Osawa, A., Maoka, T., Hattan, J., Ito, K., Uchiyama, A., Suzuki, M., Shindo, K., & Misawa, N. (2013) 3-beta-Glucosyl-3'-beta-quinovosyl zeaxanthin, a novel carotenoid glycoside synthesized by *Escherichia coli* cells expressing the *Pantoea ananatis* carotenoid biosynthesis gene cluster. Appl.Microbiol.Biotechnol. 97: 8479-8486.

Chong, M. F., George, T. W., Alimbetov, D., Jin, Y., Weech, M., Macready, A. L., Spencer, J. P., Kennedy, O. B., Minihane, A. M., Gordon, M. H., & Lovegrove, J. A. (2013) Impact of the quantity and flavonoid content of fruits and vegetables on markers of intake in adults with an increased risk of

cardiovascular disease: the FLAVURS trial. Eur.J.Nutr. 52: 361-378.

Christensen, R. L., Enriquez, M. M., Wagner, N. L., Peacock-Villada, A. Y., Scriban, C., Schrock, R. R., Polivka, T., Frank, H. A., & Birge, R. R. (2013) Energetics and dynamics of the low-lying electronic states of constrained polyenes: implications for infinite polyenes. J.Phys.Chem.A. 117: 1449-1465.

Christian, P., Klemm, R., Shamim, A. A., Ali, H., Rashid, M., Shaikh, S., Wu, L., Mehra, S., Labrique, A., Katz, J., & West, K. P., Jr. (2013) Effects of vitamin A and beta-carotene supplementation on birth size and length of gestation in rural Bangladesh: a cluster-randomized trial. Am.J.Clin.Nutr. 97: 188-194.

Chung, T. W., Choi, H. J., Lee, J. Y., Jeong, H. S., Kim, C. H., Joo, M., Choi, J. Y., Han, C. W., Kim, S. Y., Choi, J. S., & Ha, K. T. (2013) Marine algal fucoxanthin inhibits the metastatic potential of cancer cells. Biochem.Biophys.Res.Commun. 439: 580-585.

Ciftci, O. N., Calderon, J., & Temelli, F. (2012) Supercritical carbon dioxide extraction of corn distiller's dried grains with solubles: experiments and mathematical modeling. J.Agric.Food Chem. 60: 12482-12490.

Cohu, C. M., Lombardi, E., Adams, W. W., & Demmig-Adams, B. (2014) Increased nutritional quality of plants for long-duration spaceflight missions through choice of plant variety and manipulation of growth conditions. Acta Astronautica 94: 799-806.

Cossignani, L., Urbani, E., Simonetti, M. S., Maurizi, A., Chiesi, C., & Blasi, F. (2014) Characterisation of secondary metabolites in saffron from central Italy (Cascia, Umbria). Food Chem. 143: 446-451.

Coulson, S., Rao, A., Beck, S. L., Steels, E., Gramotnev, H., & Vitetta, L. (2013) A phase II randomised double-blind placebo-controlled clinical trial investigating the efficacy and safety of ProstateEZE Max: a herbal medicine preparation for the management of symptoms of benign prostatic hypertrophy. Complement Ther.Med. 21: 172-179.

Crawford, A. C. & Francki, M. G. (2013) Chromosomal location of wheat genes of the carotenoid biosynthetic pathway and evidence for a catalase gene on chromosome 7A functionally associated with flour b* colour variation. Mol.Genet.Genomics. 288: 483-493.

Cribb, V. L., Northstone, K., Hopkins, D., & Emmett, P. M. (2013) Sources of vitamin A in the diets of pre-school children in the Avon Longitudinal Study of Parents and Children (ALSPAC). Nutrients. 5: 1609-1621.

Crichton, G. E., Bryan, J., & Murphy, K. J. (2013) Dietary antioxidants, cognitive function and dementia--a systematic review. Plant Foods Hum.Nutr. 68: 279-292.

Crupi, P., Toci, A. T., Mangini, S., Wrubl, F., Rodolfi, L., Tredici, M. R., Coletta, A., & Antonacci, D. (2013) Determination of fucoxanthin isomers in microalgae (*Isochrysis* sp.) by high-performance liquid chromatography coupled with diode-array detector multistage mass spectrometry coupled with positive electrospray ionization. Rapid Commun.Mass Spectrom. 27: 1027-1035.

Cuccolini, S., Aldini, A., Visai, L., Daglia, M., & Ferrari, D. (2013) Environmentally friendly lycopene purification from tomato peel waste: enzymatic assisted aqueous extraction. J.Agric.Food Chem. 61: 1646-1651.

Cui, H., Yu, X., Wang, Y., Cui, Y., Li, X., Liu, Z., & Qin, S. (2013) Evolutionary origins, molecular cloning and expression of carotenoid hydroxylases in eukaryotic photosynthetic algae. BMC.Genomics. 14:457. doi: 10.1186/1471-2164-14-457.

Cui, Y. H., Jing, C. X., & Pan, H. W. (2013) Association of blood antioxidants and vitamins with risk of age-related cataract: a meta-analysis of observational studies. Am.J.Clin.Nutr. 98: 778-786.

Curutchet, A., Dellacassa, E., Ringuelet, J. A., Chaves, A. R., & Vina, S. Z. (2014) Nutritional and sensory quality during refrigerated storage of fresh-cut mints (*Menthaxpiperita* and *M. spicata*). Food Chem. 143: 231-238.

Cutzu, R., Clemente, A., Reis, A., Nobre, B., Mannazzu, I., Roseiro, J., & Lopes, d. S. (2013) Assessment of beta-carotene content, cell physiology and morphology of the yellow yeast *Rhodotorula glutinis* mutant 400A15 using flow cytometry. J.Ind.Microbiol.Biotechnol. 40: 865-875.

Cutzu, R., Coi, A., Rosso, F., Bardi, L., Ciani, M., Budroni, M., Zara, G., Zara, S., & Mannazzu, I. (2013) From crude glycerol to carotenoids by using a *Rhodotorula glutinis* mutant. World J.Microbiol.Biotechnol. 29: 1009-1017.

D'Alessandro, A. M., Mancini, A., Lizzi, A. R., De Simone, A., Marroccella, C. E., Gravina, G. L., Tatone, C., & Festuccia, C. (2013) *Crocus sativus* stigma extract and its major constituent crocin possess significant antiproliferative properties against human prostate cancer. Nutr.Cancer. 65: 930-942.

Dadalt, C., Fagundes, R. L., Moreira, E. A., Wilhelm-Filho, D., de Freitas, M. B., Jordao Junior, A. A., Biscaro, F., Pedrosa, R. C., & Vannucchi, H. (2013) Oxidative stress markers in adults 2 years after Roux-en-Y gastric bypass. Eur.J.Gastroenterol.Hepatol. 25: 580-586.

Dall'Osto, L., Holt, N. E., Kaligotla, S., Fuciman, M., Cazzaniga, S., Carbonera, D., Frank, H. A., Alric, J., & Bassi, R. (2012) Zeaxanthin protects plant photosynthesis by modulating chlorophyll triplet yield in specific light-harvesting antenna subunits. J.Biol.Chem. 287: 41820-41834.

Darvin, M. E., Meinke, M. C., Sterry, W., & Lademann, J. (2013) Optical methods for noninvasive determination of carotenoids in human and animal skin. J.Biomed.Opt. 18: 61230.

Darvin, M. E., Sterry, W., Lademann, J., & Patzelt, A. (2013) Alcohol consumption decreases the protection efficiency of the antioxidant network and increases the risk of sunburn in human skin. Skin Pharmacol.Physiol. 26: 45-51.

de Oliveira, L. N., de Oliveira, V. E., D'avila, S., Edwards, H. G., & de Oliveira, L. F. (2013) Raman spectroscopy as a tool for polyunsaturated compound characterization in gastropod and limnic terrestrial shell specimens. Spectrochim.Acta A Mol.Biomol.Spectrosc. 114: 541-546.

dela Sena, C., Narayanasamy, S., Riedl, K. M., Curley, R. W., Jr., Schwartz, S. J., & Harrison, E. H. (2013) Substrate specificity of purified recombinant human beta-carotene 15,15'-oxygenase (BCO1). J.Biol.Chem. 288: 37094-37103.

Demmig-Adams, B. & Adams, R. B. (2013) Eye nutrition in context: mechanisms, implementation, and future directions. Nutrients. 5: 2483-2501.

Dennison, J. L., Stack, J., Beatty, S., & Nolan, J. M. (2013) Concordance of macular pigment measurements obtained using customized heterochromatic flicker photometry, dual-wavelength autofluorescence, and single-wavelength reflectance. Exp.Eye Res. 116: 190-198.

Devore, E. E., Kang, J. H., Stampfer, M. J., & Grodstein, F. (2013) The association of antioxidants and cognition in the Nurses' Health Study. Am.J.Epidemiol. 177: 33-41.

Di Valentin, M., Meneghin, E., Orian, L., Polimeno, A., Buchel, C., Salvadori, E., Kay, C. W., &

Carbonera, D. (2013) Triplet-triplet energy transfer in fucoxanthin-chlorophyll protein from diatom *Cyclotella meneghiniana*: insights into the structure of the complex. Biochim.Biophys.Acta. 1827: 1226-1234.

Dixon, J. L., Kim, Y. K., Brinker, A., & Quadro, L. (2014) Loss of beta-carotene 15,15'-oxygenase in developing mouse tissues alters esterification of retinol, cholesterol and diacylglycerols. Biochim.Biophys.Acta. 1841: 34-43.

Dona, G., Kozuh, I., Brunati, A. M., Andrisani, A., Ambrosini, G., Bonanni, G., Ragazzi, E., Armanini, D., Clari, G., & Bordin, L. (2013) Effect of astaxanthin on human sperm capacitation. Mar.Drugs. 11: 1909-1919.

Dong, J. Z., Wang, Y., Wang, S. H., Yin, L. P., Xu, G. J., Zheng, C., Lei, C., & Zhang, M. Z. (2013) Selenium increases chlorogenic acid, chlorophyll and carotenoids of *Lycium chinense* leaves. J.Sci.Food Agric. 93: 310-315.

Dong, L. Y., Jin, J., Lu, G., & Kang, X. L. (2013) Astaxanthin attenuates the apoptosis of retinal ganglion cells in db/db mice by inhibition of oxidative stress. Mar.Drugs. 11: 960-974.

Dreher, M. L. & Davenport, A. J. (2013) Hass avocado composition and potential health effects. Crit Rev.Food Sci.Nutr. 53: 738-750.

Drobniak, S. M., Wiejaczka, D., Arct, A., Dubiec, A., Gustafsson, L., & Cichon, M. (2013) Low cross-sex genetic correlation in carotenoid-based plumage traits in the blue tit nestlings (*Cyanistes caeruleus*). PLoS.ONE. 8: e69786.

Du, H., Wu, N., Chang, Y., Li, X., Xiao, J., & Xiong, L. (2013) Carotenoid deficiency impairs ABA and IAA biosynthesis and differentially affects drought and cold tolerance in rice. Plant Mol.Biol. 83: 475-488.

Duffy, C. D., Valkunas, L., & Ruban, A. V. (2013) Quantum mechanical calculations of xanthophyll-chlorophyll electronic coupling in the light-harvesting antenna of photosystem II of higher plants. J.Phys.Chem.B. 117: 7605-7614.

Durchan, M., Fuciman, M., Slouf, V., Kesan, G., & Polivka, T. (2012) Excited-state dynamics of monomeric and aggregated carotenoid 8'-apo-beta-carotenal. J.Phys.Chem.A. 116: 12330-12338.

Durst, R. W. & Weaver, G. W. (2013) Nutritional content of fresh and canned peaches. J.Sci.Food Agric. 93: 593-603.

Ehret, D. L., Usher, K., Helmer, T., Block, G., Steinke, D., Frey, B., Kuang, T., & Diarra, M. (2013) Tomato fruit antioxidants in relation to salinity and greenhouse climate. J.Agric.Food Chem. 61: 1138-1145.

Eliassen, A. H., Hendrickson, S. J., Brinton, L. A., Buring, J. E., Campos, H., Dai, Q., Dorgan, J. F., Franke, A. A., Gao, Y. T., Goodman, M. T., Hallmans, G., Helzlsouer, K. J., Hoffman-Bolton, J., Hulten, K., Sesso, H. D., Sowell, A. L., Tamimi, R. M., Toniolo, P., Wilkens, L. R., Winkvist, A., Zeleniuch-Jacquotte, A., Zheng, W., & Hankinson, S. E. (2012) Circulating carotenoids and risk of breast cancer: pooled analysis of eight prospective studies. J.Natl.Cancer Inst. 104: 1905-1916.

Else, P. L. (2013) Dinosaur lactation? J.Exp.Biol. 216: 347-351.

Elseady, Y. & Zahran, E. (2013) Ameliorating effect of beta-carotene on antioxidant response and hematological parameters of mercuric chloride toxicity in Nile tilapia (*Oreochromis niloticus*).

Fish.Physiol Biochem. 39: 1031-1041.

Ertl, N. G., Elizur, A., Brooks, P., Kuballa, A. V., Anderson, T. A., & Knibb, W. R. (2013) Molecular characterisation of colour formation in the prawn *Fenneropenaeus merguiensis*. PLoS.ONE. 8: e56920.

Escudero-Lopez, B., Cerrillo, I., Herrero-Martin, G., Hornero-Mendez, D., Gil-Izquierdo, A., Medina, S., Ferreres, F., Berna, G., Martin, F., & Fernandez-Pachon, M. S. (2013) Fermented orange juice: source of higher carotenoid and flavanone contents. J.Agric.Food Chem. 61: 8773-8782.

Evans, M., Beck, M., Elliott, J., Etheve, S., Roberts, R., & Schalch, W. (2013) Effects of formulation on the bioavailability of lutein and zeaxanthin: a randomized, double-blind, cross-over, comparative, single-dose study in healthy subjects. Eur.J.Nutr. 52: 1381-1391.

Faisal, W., Ruane-O'Hora, T., O'Driscoll, C. M., & Griffin, B. T. (2013) A novel lipid-based solid dispersion for enhancing oral bioavailability of Lycopene--*in vivo* evaluation using a pig model. Int.J.Pharm. 453: 307-314.

Farges, M. C., Minet-Quinard, R., Walrand, S., Thivat, E., Ribalta, J., Winklhofer-Roob, B., Rock, E., & Vasson, M. P. (2012) Immune status is more affected by age than by carotenoid depletion-repletion in healthy human subjects. Br.J.Nutr. 108: 2054-2065.

Farrokhpour, H. & Ghandehari, M. (2013) Photoelectron spectra of some important biological molecules: symmetry-adapted-cluster configuration interaction study. J.Phys.Chem.B. 117: 6027-6041.

Fernandez-Marin, B., Kranner, I., San Sebastian, M., Artetxe, U., Laza, J. M., Vilas, J. L., Pritchard, H. W., Nadajaran, J., Miguez, F., Becerril, J. M., & Garcia-Plazaola, J. I. (2013) Evidence for the absence of enzymatic reactions in the glassy state. A case study of xanthophyll cycle pigments in the desiccation-tolerant moss *Syntrichia ruralis*. J.Exp.Bot. 64: 3033-3043.

Fernandez-Orozco, R., Gallardo-Guerrero, L., & Hornero-Mendez, D. (2013) Carotenoid profiling in tubers of different potato (*Solanum* sp) cultivars: accumulation of carotenoids mediated by xanthophyll esterification. Food Chem. 141: 2864-2872.

Firdous, A. P., Sindhu, E. R., Ramnath, V., & Kuttan, R. (2013) Anticarcinogenic activity of meso-zeaxanthin in rodents and its possible mechanism of action. Nutr.Cancer. 65: 850-856.

Firdous, A. P., Sindhu, E. R., Ramnath, V., & Kuttan, R. (2013) Amelioration of radiation-induced damages in mice by carotenoid meso-zeaxanthin. Int.J.Radiat.Biol. 89: 171-181.

Fontan, N., Vaz, B., Alvarez, R., & de Lera, A. R. (2013) A conjunctive diiodoheptaene for the synthesis of C2-symmetric carotenoids. Chem.Commun.(Camb.). 49: 2694-2696.

Franke, A. A., Morrison, C. M., Custer, L. J., Li, X., & Lai, J. F. (2013) Simultaneous analysis of circulating 25-hydroxy-vitamin D3, 25-hydroxy-vitamin D2, retinol, tocopherols, carotenoids, and oxidized and reduced coenzyme Q10 by high performance liquid chromatography with photo diode-array detection using C18 and C30 columns alone or in combination. J.Chromatogr.A. 1301: 1-9.

Franke, A. A., Lai, J. F., Morrison, C. M., Pagano, I., Li, X., Halm, B. M., Soon, R., & Custer, L. J. (2013) Coenzyme Q10, carotenoid, tocopherol, and retinol levels in cord plasma from multiethnic subjects in Hawaii. Free Radic.Res. 47: 757-768.

Fratianni, A., Albanese, D., Mignogna, R., Cinquanta, L., Panfili, G., & Di Matteo, M. (2013) Degradation of carotenoids in apricot (*Prunus armeniaca* L.) during drying process. Plant Foods Hum.Nutr. 68: 241-246.

Fu, W., Guethmundsson, O., Paglia, G., Herjolfsson, G., Andresson, O. S., Palsson, B. O., & Brynjolfsson, S. (2013) Enhancement of carotenoid biosynthesis in the green microalga *Dunaliella salina* with light-emitting diodes and adaptive laboratory evolution. Appl.Microbiol.Biotechnol. 97: 2395-2403.

Fu, Z., Chai, Y., Zhou, Y., Yang, X., Warburton, M. L., Xu, S., Cai, Y., Zhang, D., Li, J., & Yan, J. (2013) Natural variation in the sequence of PSY1 and frequency of favorable polymorphisms among tropical and temperate maize germplasm. Theor.Appl.Genet. 126: 923-935.

Fujita, K., Yoshimoto, N., Kato, T., Imada, H., Matsumoto, G., Inakuma, T., Nagata, Y., & Miyachi, E. (2013) Lycopene inhibits ischemia/reperfusion-induced neuronal apoptosis in gerbil hippocampal tissue. Neurochem.Res. 38: 461-469.

Gagne, D., Blanchet, R., Vaissiere, E., Lauziere, J., Vezina, C., Vinet-Lanouette, C., & O'Brien, H. T. (2013) Impact of a childcare centre nutrition program on nutrient intakes in Nunavik Inuit children. Can.J.Diet.Pract.Res. 74: e311-e317.

Gallon, C. Z., Fuller, S. C., Fanning, K. J., Smyth, H. E., Pun, S., Martin, I. F., & O'Hare, T. J. (2013) Increase in beta-ionone, a carotenoid-derived volatile in zeaxanthin-biofortified sweet corn. J.Agric.Food Chem. 61: 7181-7187.

Ganesan, P., Matsubara, K., Sugawara, T., & Hirata, T. (2013) Marine algal carotenoids inhibit angiogenesis by down-regulating FGF-2-mediated intracellular signals in vascular endothelial cells. Mol.Cell Biochem. 380: 1-9.

Gao, Q. H. & Wang, M. (2013) Response to Comment on Effect of drying of jujubes (*Ziziphus jujuba* Mill.) on the contents of sugars, organic acids, alpha-tocopherol, beta-carotene, and phenolic compounds. J.Agric.Food Chem. 61: 4665.

Gao, Y. Y., Xie, Q. M., Ma, J. Y., Zhang, X. B., Zhu, J. M., Shu, D. M., Sun, B. L., Jin, L., & Bi, Y. Z. (2013) Supplementation of xanthophylls increased antioxidant capacity and decreased lipid peroxidation in hens and chicks. Br.J.Nutr. 109: 977-983.

Gao, Z., Liu, Q., Zheng, B., & Chen, Y. (2013) Molecular characterization and primary functional analysis of PeVDE, a violaxanthin de-epoxidase gene from bamboo (*Phyllostachys edulis*). Plant Cell Rep. 32: 1381-1391.

Garcia-Herrera, P., Sanchez-Mata, M. C., Camara, M., Tardio, J., & Olmedilla-Alonso, B. (2013) Carotenoid content of wild edible young shoots traditionally consumed in Spain (*Asparagus acutifolius* L., *Humulus lupulus* L., *Bryonia dioica* Jacq. and *Tamus communis* L.). J.Sci.Food Agric. 93: 1692-1698.

Garrido, M., Gonzalez-Flores, D., Marchena, A. M., Prior, E., Garcia-Parra, J., Barriga, C., & Rodriguez Moratinos, A. B. (2013) A lycopene-enriched virgin olive oil enhances antioxidant status in humans. J.Sci.Food Agric. 93: 1820-1826.

Gassel, S., Schewe, H., Schmidt, I., Schrader, J., & Sandmann, G. (2013) Multiple improvement of astaxanthin biosynthesis in *Xanthophyllomyces dendrorhous* by a combination of conventional mutagenesis and metabolic pathway engineering. Biotechnol.Lett. 35: 565-569.

Ge, X. X., Xing, M. Y., Yu, L. F., & Shen, P. (2013) Carotenoid intake and esophageal cancer risk: a meta-analysis. Asian Pac.J.Cancer Prev. 14: 1911-1918.

Gentili, A., Caretti, F., Bellante, S., Ventura, S., Canepari, S., & Curini, R. (2013) Comprehensive

profiling of carotenoids and fat-soluble vitamins in milk from different animal species by LC-DAD-MS/MS hyphenation. J.Agric.Food Chem. 61: 1628-1639.

George, T. W., Waroonphan, S., Niwat, C., Gordon, M. H., & Lovegrove, J. A. (2013) Effects of acute consumption of a fruit and vegetable puree-based drink on vasodilation and oxidative status. Br.J.Nutr. 109: 1442-1452.

Ghahghaei, A., Bathaie, S. Z., Kheirkhah, H., & Bahraminejad, E. (2013) The protective effect of crocin on the amyloid fibril formation of Abeta42 peptide *in vitro*. Cell Mol.Biol.Lett. 18: 328-339.

Giovannucci, E. (2013) Nutrient biomarkers are not always simple markers of nutrient intake. Am.J.Clin.Nutr. 97: 657-659.

Giuffrida, D., Dugo, P., Torre, G., Bignardi, C., Cavazza, A., Corradini, C., & Dugo, G. (2013) Characterization of 12 *Capsicum* varieties by evaluation of their carotenoid profile and pungency determination. Food Chem. 140: 794-802.

Gleize, B., Tourniaire, F., Depezay, L., Bott, R., Nowicki, M., Albino, L., Lairon, D., Kesse-Guyot, E., Galan, P., Hercberg, S., & Borel, P. (2013) Effect of type of TAG fatty acids on lutein and zeaxanthin bioavailability. Br.J.Nutr. 110: 1-10.

Goltz, S. R., Sapper, T. N., Failla, M. L., Campbell, W. W., & Ferruzzi, M. G. (2013) Carotenoid bioavailability from raw vegetables and a moderate amount of oil in human subjects is greatest when the majority of daily vegetables are consumed at one meal. Nutr.Res. 33: 358-366.

Gong, X., Marisiddaiah, R., & Rubin, L. P. (2013) beta-Carotene regulates expression of beta-carotene 15,15'-monoxygenase in human alveolar epithelial cells. Arch.Biochem.Biophys. 539: 230-238.

Gonzalez-Delgado, J. A., Arteaga, J. F., Herrador, M. M., & Barrero, A. F. (2013) First total synthesis of (+)-apotrisporin E and (+)-apotrientriols A-B: a cyclization approach to apocarotenoids. Org.Biomol.Chem. 11: 5404-5408.

Gonzalez, A. M., Tracanna, M. I., Amani, S. M., Schuff, C., Poch, M. J., Bach, H., & Catalan, C. A. (2012) Chemical composition, antimicrobial and antioxidant properties of the volatile oil and methanol extract of *Xenophyllum poposum*. Nat.Prod.Commun. 7: 1663-1666.

Gouveia, C., Kreusch, M., Schmidt, E. C., Felix, M. R., Osorio, L. K., Pereira, D. T., dos, S. R., Ouriques, L. C., Martins, R. P., Latini, A., Ramlov, F., Carvalho, T. J., Chow, F., Maraschin, M., & Bouzon, Z. L. (2013) The effects of lead and copper on the cellular architecture and metabolism of the red alga *Gracilaria domingensis*. Microsc.Microanal. 19: 513-524.

Guadagno, C. R., Della, G. M., Virzo, D. S., & D'Ambrosio, N. (2013) NMR ((1)H) analysis of crude extracts detects light stress in *Beta vulgaris* and *Spinacia oleracea* leaves. Photosynth.Res. 115: 115-122.

Gulyas-Fekete, G., Murillo, E., Kurtan, T., Papp, T., Illyes, T. Z., Drahos, L., Visy, J., Agocs, A., Turcsi, E., & Deli, J. (2013) Cryptocapsinepoxide-type carotenoids from red mamey, *Pouteria sapota*. J.Nat.Prod. 76: 607-614.

Gupta, P., Bansal, M. P., & Koul, A. (2013) Lycopene modulates initiation of N-nitrosodiethylamine induced hepatocarcinogenesis: studies on chromosomal abnormalities, membrane fluidity and antioxidant defense system. Chem.Biol.Interact. 206: 364-374.

Haddad, N. F., Teodoro, A. J., Leite, d. O., Soares, N., de Mattos, R. M., Hecht, F., Dezonne, R. S.,

Vairo, L., Goldenberg, R. C., Gomes, F. C., de Carvalho, D. P., Gadelha, M. R., Nasciutti, L. E., & Miranda-Alves, L. (2013) Lycopene and beta-carotene induce growth inhibition and proapoptotic effects on ACTH-secreting pituitary adenoma cells. PLoS.ONE. 8: e62773.

Hadjal, T., Dhuique-Mayer, C., Madani, K., Dornier, M., & Achir, N. (2013) Thermal degradation kinetics of xanthophylls from blood orange in model and real food systems. Food Chem. 138: 2442-2450.

Hagi, T., Kobayashi, M., Kawamoto, S., Shima, J., & Nomura, M. (2013) Expression of novel carotenoid biosynthesis genes from *Enterococcus gilvus* improves the multistress tolerance of *Lactococcus lactis*. J.Appl.Microbiol. 114: 1763-1771.

Hallmann, E., Lipowski, J., Marszalek, K., & Rembialkowska, E. (2013) The seasonal variation in bioactive compounds content in juice from organic and non-organic tomatoes. Plant Foods Hum.Nutr. 68: 171-176.

Hameed, A., Shahina, M., Lin, S. Y., Cho, J. C., Lai, W. A., & Young, C. C. (2013) *Kordia aquimaris* sp. nov., a zeaxanthin-producing member of the family *Flavobacteriaceae* isolated from surface seawater, and emended description of the genus *Kordia*. Int.J.Syst.Evol.Microbiol. 63: 4790-4796.

Hammerling, U. (2013) The centennial of vitamin A: a century of research in retinoids and carotenoids. FASEB J. 27: 3887-3890.

Hammond, B. R., Jr. & Renzi, L. M. (2013) Carotenoids. Adv.Nutr. 4: 474-476.

Hauer, J., Maiuri, M., Viola, D., Lukes, V., Henry, S., Carey, A. M., Cogdell, R. J., Cerullo, G., & Polli, D. (2013) Explaining the temperature dependence of spirilloxanthin's S* signal by an inhomogeneous ground state model. J.Phys.Chem.A. 117: 6303-6310.

Hejri, A., Khosravi, A., Gharanjig, K., & Hejazi, M. (2013) Optimisation of the formulation of beta-carotene loaded nanostructured lipid carriers prepared by solvent diffusion method. Food Chem. 141: 117-123.

Hendrickson, S. J., Hazra, A., Chen, C., Eliassen, A. H., Kraft, P., Rosner, B. A., & Willett, W. C. (2012) beta-Carotene 15,15'-monooxygenase 1 single nucleotide polymorphisms in relation to plasma carotenoid and retinol concentrations in women of European descent. Am.J.Clin.Nutr. 96: 1379-1389.

Hendrickson, S. J., Lindstrom, S., Eliassen, A. H., Rosner, B. A., Chen, C., Barrdahl, M., Brinton, L., Buring, J., Canzian, F., Chanock, S., Clavel-Chapelon, F., Figueroa, J. D., Gapstur, S. M., Garcia-Closas, M., Gaudet, M. M., Haiman, C. A., Hazra, A., Henderson, B., Hoover, R., Husing, A., Johansson, M., Kaaks, R., Khaw, K. T., Kolonel, L. N., Le Marchand, L., Lissowska, J., Lund, E., McCullough, M. L., Peplonska, B., Riboli, E., Sacerdote, C., Sanchez, M. J., Tjonneland, A., Trichopoulos, D., van Gils, C. H., Yeager, M., Kraft, P., Hunter, D. J., Ziegler, R. G., & Willett, W. C. (2013) Plasma carotenoid- and retinol-weighted multi-SNP scores and risk of breast cancer in the National Cancer Institute Breast and Prostate Cancer Cohort Consortium. Cancer Epidemiol.Biomarkers Prev. 22: 927-936.

Henriksen, B. S., Chan, G., Hoffman, R. O., Sharifzadeh, M., Ermakov, I. V., Gellermann, W., & Bernstein, P. S. (2013) Interrelationships between maternal carotenoid status and newborn infant macular pigment optical density and carotenoid status. Invest Ophthalmol.Vis.Sci. 54: 5568-5578.

Heo, J., Kim, S. H., & Lee, P. C. (2013) New insight into the cleavage reaction of *Nostoc* sp. strain PCC 7120 carotenoid cleavage dioxygenase in natural and nonnatural carotenoids. Appl.Environ.Microbiol. 79: 3336-3345.

Hernandez-Marin, E., Galano, A., & Martinez, A. (2013) *Cis* carotenoids: colorful molecules and free radical quenchers. J.Phys.Chem.B. 117: 4050-4061.

Hervouet, E., Staehlin, O., Pouliquen, D., Debien, E., Cartron, P. F., Menanteau, J., Vallette, F. M., & Olivier, C. (2013) Antioxidants delay clinical signs and systemic effects of ENU induced brain tumors in rats. Nutr.Cancer. 65: 686-694.

Heying, E. K., Grahn, M., Pixley, K. V., Rocheford, T., & Tanumihardjo, S. A. (2013) High-provitamin A carotenoid (Orange) maize increases hepatic vitamin A reserves of offspring in a vitamin A-depleted sow-piglet model during lactation. J.Nutr. 143: 1141-1146.

Hirsch, C. N., Hirsch, C. D., Felcher, K., Coombs, J., Zarka, D., Van Deynze, A., De Jong, W., Veilleux, R. E., Jansky, S., Bethke, P., Douches, D. S., & Buell, C. R. (2013) Retrospective view of North American potato (*Solanum tuberosum* L.) breeding in the 20th and 21st centuries. G3.(Bethesda.). 3: 1003-1013.

Hitaka, Y., Nakano, A., Tsukigawa, K., Manabe, H., Nakamura, H., Nakano, D., Kinjo, J., Nohara, T., & Maeda, H. (2013) Characterization of carotenoid fatty acid esters from the peels of the persimmon *Diospyros kaki*. Chem.Pharm.Bull.(Tokyo). 61: 666-669.

Holzapfel, N. P., Holzapfel, B. M., Champ, S., Feldthusen, J., Clements, j., & Hutmacher, D. W. (2013) The potential role of lycopene for the prevention and therapy of prostate cancer: from molecular mechanisms to clinical evidence. Int.J.Mol.Sci. 14: 14620-14646.

Hong, Y. J. & Yang, K. S. (2013) Anti-inflammatory activities of crocetin derivatives from processed *Gardenia jasminoides*. Arch.Pharm.Res. 36: 933-940.

Horton, D. K., Adetona, O., Aguilar-Villalobos, M., Cassidy, B. E., Pfeiffer, C. M., Schleicher, R. L., Caldwell, K. L., Needham, L. L., Rathbun, S. L., Vena, J. E., & Naeher, L. P. (2013) Changes in the concentrations of biochemical indicators of diet and nutritional status of pregnant women across pregnancy trimesters in Trujillo, Peru, 2004-2005. Nutr.J. 12:80. doi: 10.1186/1475-2891-12-80.: 80-12.

Hosseinzadeh, H. & Nassiri-Asl, M. (2013) Avicenna's (Ibn Sina) the *Canon of Medicine* and saffron (*Crocus sativus*): a review. Phytother.Res. 27: 475-483.

Howells, O., Eperjesi, F., & Bartlett, H. (2013) Improving the repeatability of heterochromatic flicker photometry for measurement of macular pigment optical density. Graefes Arch.Clin.Exp.Ophthalmol. 251: 871-880.

Hu, F., Bu, Y. Z., Liang, R., Duan, R. M., Wang, S., Han, R. M., Wang, P., Ai, X. C., Zhang, J. P., & Skibsted, L. H. (2013) Quercetin and daidzein beta-apo-14'-carotenoic acid esters as membrane antioxidants. Free Radic.Res. 47: 413-421.

Hu, X., Ma, X., Tang, P., & Yuan, Q. (2013) Improved beta-carotene production by oxidative stress in *Blakeslea trispora* induced by liquid paraffin. Biotechnol.Lett. 35: 559-563.

Huang, C. S., Chuang, C. H., Lo, T. F., & Hu, M. L. (2013) Anti-angiogenic effects of lycopene through immunomodualtion of cytokine secretion in human peripheral blood mononuclear cells. J.Nutr.Biochem. 24: 428-434.

Huang, J. C., Zhong, Y. J., Liu, J., Sandmann, G., & Chen, F. (2013) Metabolic engineering of tomato for high-yield production of astaxanthin. Metab Eng. 17: 59-67.

Hwang, E. S. & Kim, G. H. (2013) Effects of various heating methods on glucosinolate, carotenoid and

tocopherol concentrations in broccoli. Int.J.Food Sci.Nutr. 64: 103-111.

Ibanez, E. & Cifuentes, A. (2013) Benefits of using algae as natural sources of functional ingredients. J.Sci.Food Agric. 93: 703-709.

Ibiebele, T. I., Hughes, M. C., Nagle, C. M., Bain, C. J., Whiteman, D. C., & Webb, P. M. (2013) Dietary antioxidants and risk of Barrett's esophagus and adenocarcinoma of the esophagus in an Australian population. Int.J.Cancer. 133: 214-224.

Igras, E., Loughman, J., Ratzlaff, M., O'Caoimh, R., & O'Brien, C. (2013) Evidence of lower macular pigment optical density in chronic open angle glaucoma. Br.J.Ophthalmol. 97: 994-998.

Ilioaia, C., Duffy, C. D., Johnson, M. P., & Ruban, A. V. (2013) Changes in the energy transfer pathways within photosystem II antenna induced by xanthophyll cycle activity. J.Phys.Chem.B. 117: 5841-5847.

Imbs, T. I., Ermakova, S. P., Fedoreyev, S. A., Anastyuk, S. D., & Zvyagintseva, T. N. (2013) Isolation of fucoxanthin and highly unsaturated monogalactosyldiacylglycerol from brown alga *Fucus evanescens* C Agardh and *in vitro* investigation of their antitumor activity. Mar.Biotechnol.(NY). 15: 606-612.

Iqbal, S., Younas, U., Chan, K. W., Saeed, Z., Shaheen, M. A., Akhtar, N., & Majeed, A. (2013) Growth and antioxidant response of *Brassica rapa* var. rapa L. (turnip) irrigated with different compositions of paper and board mill (PBM) effluent. Chemosphere. 91: 1196-1202.

Ishchenko, A., Round, E., Borshchevskiy, V., Grudinin, S., Gushchin, I., Klare, J. P., Balandin, T., Remeeva, A., Engelhard, M., Buldt, G., & Gordeliy, V. (2013) Ground state structure of D75N mutant of sensory rhodopsin II in complex with its cognate transducer. J.Photochem.Photobiol.B. 123: 55-58.

Ishiki, M., Nishida, Y., Ishibashi, H., Wada, T., Fujisaka, S., Takikawa, A., Urakaze, M., Sasaoka, T., Usui, I., & Tobe, K. (2013) Impact of divergent effects of astaxanthin on insulin signaling in L6 cells. Endocrinology. 154: 2600-2612.

Ishizuka, F., Shimazawa, M., Umigai, N., Ogishima, H., Nakamura, S., Tsuruma, K., & Hara, H. (2013) Crocetin, a carotenoid derivative, inhibits retinal ischemic damage in mice. Eur.J.Pharmacol. 703: 1-10.

Iskandar, A. R., Liu, C., Smith, D. E., Hu, K. Q., Choi, S. W., Ausman, L. M., & Wang, X. D. (2013) beta-Cryptoxanthin restores nicotine-reduced lung SIRT1 to normal levels and inhibits nicotine-promoted lung tumorigenesis and emphysema in A/J mice. Cancer Prev.Res.(Phila). 6: 309-320.

Ismail, M. F. & Mohamed, H. M. (2013) Modulatory effect of lycopene on deltamethrin-induced testicular injury in rats. Cell Biochem.Biophys. 65: 425-432.

Jablonowska-Lietz, B., Jarosz, A., & Nowicka, G. (2013) Dietary intake of antioxidant vitamins in healthy adults in relation to current recommended intake. Rocz.Panstw.Zakl.Hig. 64: 43-48.

Jacques, P. F., Lyass, A., Massaro, J. M., Vasan, R. S., & D'Agostino, R. B., Sr. (2013) Relationship of lycopene intake and consumption of tomato products to incident CVD. Br.J.Nutr. 110: 545-551.

Jehlicka, J., Edwards, H. G., & Oren, A. (2013) Bacterioruberin and salinixanthin carotenoids of extremely halophilic *Archaea* and *Bacteria*: a Raman spectroscopic study. Spectrochim.Acta A Mol.Biomol.Spectrosc. 106: 99-103.

Jeong, T. H., Ji, K., & Kim, Y. T. (2013) Overexpression and characterization of lycopene cyclase

(CrtY) from marine bacterium *Paracoccus haeundaensis*. J.Microbiol.Biotechnol. 23: 144-148.

Jervis, S. M. & Drake, M. (2013) The impact of iron on the bleaching efficacy of hydrogen peroxide in liquid whey systems. J.Food Sci. 78: R129-R137.

Jlali, M., Graulet, B., Chauveau-Duriot, B., Chabault, M., Godet, E., Leroux, S., Praud, C., Bihan-Duval, E., Duclos, M. J., & Berri, C. (2012) A mutation in the promoter of the chicken beta,beta-carotene 15,15'-monooxygenase 1 gene alters xanthophyll metabolism through a selective effect on its mRNA abundance in the breast muscle. J.Anim Sci. 90: 4280-4288.

Jnaneshwari, S., Hemshekhar, M., Santhosh, M. S., Sunitha, K., Thushara, R., Thirunavukkarasu, C., Kemparaju, K., & Girish, K. S. (2013) Crocin, a dietary colorant, mitigates cyclophosphamide-induced organ toxicity by modulating antioxidant status and inflammatory cytokines. J.Pharm.Pharmacol. 65: 604-614.

Jones, S., Fernandes, N. V., Yeganehjoo, H., Katuru, R., Qu, H., Yu, Z., & Mo, H. (2013) beta-Ionone induces cell cycle arrest and apoptosis in human prostate tumor cells. Nutr.Cancer. 65: 600-610.

Jung, S., Wu, K., Giovannucci, E., Spiegelman, D., Willett, W. C., & Smith-Warner, S. A. (2013) Carotenoid intake and risk of colorectal adenomas in a cohort of male health professionals. Cancer Causes Control. 24: 705-717.

Kaczor, A., Reva, I., & Fausto, R. (2013) Influence of cage confinement on the photochemistry of matrix-isolated *E*-beta-ionone: FT-IR and DFT study. J.Phys.Chem.A. 117: 888-897.

Kadam, S. U., Tiwari, B. K., & O'Donnell, C. P. (2013) Application of novel extraction technologies for bioactives from marine algae. J.Agric.Food Chem. 61: 4667-4675.

Kaneko, M., Nagamine, T., Nakazato, K., & Mori, M. (2013) The anti-apoptotic effect of fucoxanthin on carbon tetrachloride-induced hepatotoxicity. J.Toxicol.Sci. 38: 115-126.

Kang, C. H., Jayasooriya, R. G., Choi, Y. H., Moon, S. K., Kim, W. J., & Kim, G. Y. (2013) beta-Ionone attenuates LPS-induced pro-inflammatory mediators such as NO, PGE2 and TNF-alpha in BV2 microglial cells via suppression of the NF-kappaB and MAPK pathway. Toxicol.In Vitro. 27: 782-787.

Karppi, J., Laukkanen, J. A., Makikallio, T. H., & Kurl, S. (2012) Low serum lycopene and beta-carotene increase risk of acute myocardial infarction in men. Eur.J.Public Health. 22: 835-840.

Karppi, J., Kurl, S., Ronkainen, K., Kauhanen, J., & Laukkanen, J. A. (2013) Serum carotenoids reduce progression of early atherosclerosis in the carotid artery wall among Eastern Finnish men. PLoS.ONE. 8: e64107.

Karppi, J., Kurl, S., Makikallio, T. H., Ronkainen, K., & Laukkanen, J. A. (2013) Low levels of plasma carotenoids are associated with an increased risk of atrial fibrillation. Eur.J.Epidemiol. 28: 45-53.

Kavitha, K., Kowshik, J., Kishore, T. K., Baba, A. B., & Nagini, S. (2013) Astaxanthin inhibits NF-kappaB and Wnt/beta-catenin signaling pathways via inactivation of Erk/MAPK and PI3K/Akt to induce intrinsic apoptosis in a hamster model of oral cancer. Biochim.Biophys.Acta. 1830: 4433-4444.

Kawahara, H., Hirai, A., Minabe, T., & Obata, H. (2013) Stabilization of astaxanthin by a novel biosurfactant produced by *Rhodotorula mucilaginosa* KUGPP-1. Biocontrol.Sci. 18: 21-28.

Kawasaki, S., Mizuguchi, K., Sato, M., Kono, T., & Shimizu, H. (2013) A novel astaxanthin-binding photooxidative stress-inducible aqueous carotenoprotein from a eukaryotic microalga isolated from

asphalt in midsummer. Plant Cell Physiol. 54: 1027-1040.

Kawee-ai, A., Kuntiya, A., & Kim, S. M. (2013) Anticholinesterase and antioxidant activities of fucoxanthin purified from the microalga *Phaeodactylum tricornutum*. Nat.Prod.Commun. 8: 1381-1386.

Khataee, A. R., Movafeghi, A., Vafaei, F., Lisar, S. Y., & Zarei, M. (2013) Potential of the aquatic fern *Azolla filiculoides* in biodegradation of an azo dye: modeling of experimental results by artificial neural networks. Int.J.Phytoremediation. 15: 729-742.

Kilambi, H. V., Kumar, R., Sharma, R., & Sreelakshmi, Y. (2013) Chromoplast-specific carotenoid-associated protein appears to be important for enhanced accumulation of carotenoids in hp1 tomato fruits. Plant Physiol. 161: 2085-2101.

Kim, J. R., Kim, S. H., Lee, S. Y., & Lee, P. C. (2013) Construction of homologous and heterologous synthetic sucrose utilizing modules and their application for carotenoid production in recombinant *Escherichia coli*. Bioresour.Technol. 130: 288-295.

Kim, S. H., Ahn, Y. O., Ahn, M. J., Jeong, J. C., Lee, H. S., & Kwak, S. S. (2013) Cloning and characterization of an Orange gene that increases carotenoid accumulation and salt stress tolerance in transgenic sweetpotato cultures. Plant Physiol Biochem. 70: 445-454.

Kim, S. H., Kim, Y. H., Ahn, Y. O., Ahn, M. J., Jeong, J. C., Lee, H. S., & Kwak, S. S. (2013) Downregulation of the lycopene epsilon-cyclase gene increases carotenoid synthesis via the beta-branch-specific pathway and enhances salt-stress tolerance in sweetpotato transgenic calli. Physiol Plant. 147: 432-442.

Kim, Y. K., Kim, S., Um, J. H., Kim, K., Choi, S. K., Um, B. H., Kang, S. W., Kim, J. W., Takaichi, S., Song, S. B., Lee, C. H., Kim, H. S., Kim, K. W., Nam, K. H., Lee, S. H., Kim, Y. H., Park, H. M., Ha, S. H., Verma, D. P., & Cheon, C. I. (2013) Functional implication of beta-carotene hydroxylases in soybean nodulation. Plant Physiol. 162: 1420-1433.

Kirilovsky, D. & Kerfeld, C. A. (2013) The Orange Carotenoid Protein: a blue-green light photoactive protein. Photochem.Photobiol.Sci. 12: 1135-1143.

Klein, J., Darvin, M. E., Meinke, M. C., Schweigert, F. J., Muller, K. E., & Lademann, J. (2013) Analyses of the correlation between dermal and blood carotenoids in female cattle by optical methods. J.Biomed.Opt. 18: 061219.

Klempova, T., Basil, E., Kubatova, A., & Certik, M. (2013) Biosynthesis of gamma-linolenic acid and beta-carotene by *Zygomycetes* fungi. Biotechnol.J. 8: 794-800.

Knockaert, G., Pulissery, S. K., Lemmens, L., Van Buggenhout, S., Hendrickx, M., & Van Loey, A. (2013) Isomerisation of carrot beta-carotene in presence of oil during thermal and combined thermal/high pressure processing. Food Chem. 138: 1515-1520.

Kocks, M., Banke, S. O., Madsen, B., Vaz, T., Carvalheira, M., Pandega, N., Sousa, I., & Nygaard, S. D. (2013) Real-time monitoring of lycopene content in tomato-derived products during processing: implementation of a novel double-slit Raman spectrometer. Appl.Spectrosc. 67: 681-687.

Kole, C., Kole, P., Randunu, K. M., Choudhary, P., Podila, R., Ke, P. C., Rao, A. M., & Marcus, R. K. (2013) Nanobiotechnology can boost crop production and quality: first evidence from increased plant biomass, fruit yield and phytomedicine content in bitter melon (*Momordica charantia*). BMC.Biotechnol. 13:37. doi: 10.1186/1472-6750-13-37.: 37.

Konig, C., Schluter, N., & Neugebauer, J. (2013) Direct determination of exciton couplings from subsystem time-dependent density-functional theory within the Tamm-Dancoff approximation. J.Chem.Phys. 138: 034104.

Kopec, R. E., Schweiggert, R. M., Riedl, K. M., Carle, R., & Schwartz, S. J. (2013) Comparison of high-performance liquid chromatography/tandem mass spectrometry and high-performance liquid chromatography/photo-diode array detection for the quantitation of carotenoids, retinyl esters, alpha-tocopherol and phylloquinone in chylomicron-rich fractions of human plasma. Rapid Commun.Mass Spectrom. 27: 1393-1402.

Koul, A., Shubrant, & Gupta, P. (2013) Phytomodulatory potential of lycopene from *Lycopersicum esculentum* against doxorubicin induced nephrotoxicity. Indian J.Exp.Biol. 51: 635-645.

Koushan, K., Rusovici, R., Li, W., Ferguson, L. R., & Chalam, K. V. (2013) The role of lutein in eye-related disease. Nutrients. 5: 1823-1839.

Koutsos, E. A., Schmitt, T., Colitz, C. M., & Mazzaro, L. (2013) Absorption and ocular deposition of dietary lutein in marine mammals. Zoo.Biol. 32: 316-323.

Kumar, B. V., Ramprasad, E. V., Sasikala, C., & Ramana, C. (2013) *Rhodopseudomonas pentothenatexigens* sp. nov. and *Rhodopseudomonas thermotolerans* sp. nov., isolated from paddy soils. Int.J.Syst.Evol.Microbiol. 63: 200-207.

Kuroki, T., Ikeda, S., Okada, T., Maoka, T., Kitamura, A., Sugimoto, M., & Kume, S. (2013) Astaxanthin ameliorates heat stress-induced impairment of blastocyst development *in vitro*:--astaxanthin colocalization with and action on mitochondria--. J.Assist.Reprod.Genet. 30: 623-631.

La Frano, M. R., Woodhouse, L. R., Burnett, D. J., & Burri, B. J. (2013) Biofortified cassava increases beta-carotene and vitamin A concentrations in the TAG-rich plasma layer of American women. Br.J.Nutr. 110: 310-320.

LaFountain, A. M., Frank, H. A., & Prum, R. O. (2013) Carotenoids from the crimson and maroon plumages of Old World orioles (*Oriolidae*). Arch.Biochem.Biophys. 539: 126-132.

LaFountain, A. M., Pacheco, C., Prum, R. O., & Frank, H. A. (2013) Nuclear magnetic resonance analysis of carotenoids from the burgundy plumage of the Pompadour Cotinga (*Xipholena punicea*). Arch.Biochem.Biophys. 539: 133-141.

Lavecchia, T., Rea, G., Antonacci, A., & Giardi, M. T. (2013) Healthy and adverse effects of plant-derived functional metabolites: the need of revealing their content and bioactivity in a complex food matrix. Crit Rev.Food Sci.Nutr. 53: 198-213.

Lee, H. S., Cho, Y. H., Park, J., Shin, H. R., & Sung, M. K. (2013) Dietary intake of phytonutrients in relation to fruit and vegetable consumption in Korea. J.Acad.Nutr.Diet. 113: 1194-1199.

Lee, J., Hwang, Y. S., Lee, J. D., Chang, W. S., & Choung, M. G. (2013) Metabolic alterations of lutein, beta-carotene and chlorophyll a during germination of two soybean sprout varieties. Food Chem. 141: 3177-3182.

Lee, J., Park, T., Lee, J., & Yi, W. (2013) Current flow of single-walled carbon nanotubes upon the encapsulation of beta-carotene by using conducting probe atomic force microscopy. J.Nanosci.Nanotechnol. 13: 7430-7433.

Lee, J. H., Park, J. H., Cho, M. H., & Lee, J. (2012) Flavone reduces the production of virulence factors,

staphyloxanthin and alpha-hemolysin, in *Staphylococcus aureus*. Curr.Microbiol. 65: 726-732.

Lee, T. H., Chang, J. S., & Wang, H. Y. (2013) Rapid and *in vivo* quantification of cellular lipids in *Chlorella vulgaris* using near-infrared Raman spectrometry. Anal.Chem. 85: 2155-2160.

Lee, Y. & Choe, E. (2013) Effects of fatty acid composition and beta-carotene on the chlorophyll photosensitized oxidation of W/O emulsion affected by phosphatidylcholine. J.Food Sci. 78: C31-C36.

Leejae, S., Hasap, L., & Voravuthikunchai, S. P. (2013) Inhibition of staphyloxanthin biosynthesis in *Staphylococcus aureus* by rhodomyrtone, a novel antibiotic candidate. J.Med.Microbiol. 62: 421-428.

Leenders, M., Ros, M. M., Sluijs, I., Boshuizen, H. C., van Gils, C. H., Jansen, E. H., & Bueno-de-Mesquita, H. B. (2013) Reliability of selected antioxidants and compounds involved in one-carbon metabolism in two Dutch cohorts. Nutr.Cancer. 65: 17-24.

Lei, B., Zhao, X. H., Zhang, K., Zhang, J., Ren, W., Ren, Z., Chen, Y., Zhao, H. N., Pan, W. J., Chen, W., Li, H. X., Deng, W. Y., Ding, F. Z., & Lu, K. (2013) Comparative transcriptome analysis of tobacco (*Nicotiana tabacum*) leaves to identify aroma compound-related genes expressed in different cultivated regions. Mol.Biol.Rep. 40: 345-357.

Levent, A., Oto, G., Ekin, S., & Berber, I. (2013) Method validation and simultaneous determination of retinol, retinyl palmitate, beta-carotene, alpha-tocopherol and vitamin C in rat serum treated with 7,12 dimethylbenz[a]anthracene and *Plantago major* L. by high- performance liquid chromatography using diode-array detection. Comb.Chem.High Throughput.Screen. 16: 142-149.

Li, L. & Yuan, H. (2013) Chromoplast biogenesis and carotenoid accumulation. Arch.Biochem.Biophys. 539: 102-109.

Li, Q., Sun, Z., Li, J., & Zhang, Y. (2013) Enhancing beta-carotene production in *Saccharomyces cerevisiae* by metabolic engineering. FEMS Microbiol.Lett. 345: 94-101.

Li, X., Huang, T., Jiang, G., Gong, W., Qian, H., & Zou, C. (2013) Synergistic apoptotic effect of crocin and cisplatin on osteosarcoma cells via caspase induced apoptosis. Toxicol.Lett. 221: 197-204.

Li, Y., Guo, H., Wu, M., & Liu, M. (2013) Serum and dietary antioxidant status is associated with lower prevalence of the metabolic syndrome in a study in Shanghai, China. Asia Pac.J.Clin.Nutr. 22: 60-68.

Li, Z., Dong, X., Liu, H., Chen, X., Shi, H., Fan, Y., Hou, D., & Zhang, X. (2013) Astaxanthin protects ARPE-19 cells from oxidative stress via upregulation of Nrf2-regulated phase II enzymes through activation of PI3K/Akt. Mol.Vis. 19: 1656-1666.

Liang, R., Shoemaker, C. F., Yang, X., Zhong, F., & Huang, Q. (2013) Stability and bioaccessibility of beta-carotene in nanoemulsions stabilized by modified starches. J.Agric.Food Chem. 61: 1249-1257.

Linardaki, Z. I., Orkoula, M. G., Kokkosis, A. G., Lamari, F. N., & Margarity, M. (2013) Investigation of the neuroprotective action of saffron (*Crocus sativus* L.) in aluminum-exposed adult mice through behavioral and neurobiochemical assessment. Food Chem.Toxicol. 52: 163-170.

Liu, C. B., Wang, R., Pan, H. B., Ding, Q. F., & Lu, F. B. (2013) [Effect of lycopene on oxidative stress and behavioral deficits in rotenone induced model of Parkinson's disease]. Zhongguo Ying.Yong.Sheng Li Xue.Za Zhi. 29: 380-384.

Liu, C. L., Lim, Y. P., & Hu, M. L. (2013) Fucoxanthin enhances cisplatin-induced cytotoxicity via NFkappaB-mediated pathway and downregulates DNA repair gene expression in human hepatoma

HepG2 cells. Mar.Drugs. 11: 50-66.

Liu, H., Chen, Y. F., Li, F., & Zhang, H. Y. (2013) Fructus Gardenia (*Gardenia jasminoides* J. Ellis) phytochemistry, pharmacology of cardiovascular, and safety with the perspective of new drugs development. J.Asian Nat.Prod.Res. 15: 94-110.

Liu, R. H. (2013) Health-promoting components of fruits and vegetables in the diet. Adv.Nutr. 4: 384S-392S.

Liu, Y., Zhao, X. Y., Zou, L., & Hu, X. S. (2013) Effect of high hydrostatic pressure on overall quality parameters of watermelon juice. Food Sci.Technol.Int. 19: 197-207.

Ljungqvist, M. G., Frosch, S., Nielsen, M. E., & Ersboll, B. K. (2013) Multispectral image analysis for robust prediction of astaxanthin coating. Appl.Spectrosc. 67: 738-746.

Lo, H. M., Chen, C. L., Yang, C. M., Wu, P. H., Tsou, C. J., Chiang, K. W., & Wu, W. B. (2013) The carotenoid lutein enhances matrix metalloproteinase-9 production and phagocytosis through intracellular ROS generation and ERK1/2, p38 MAPK, and RARbeta activation in murine macrophages. J.Leukoc.Biol. 93: 723-735.

Lobo, G. P., Amengual, J., Baus, D., Shivdasani, R. A., Taylor, D., & Von Lintig, J. (2013) Genetics and diet regulate vitamin A production via the homeobox transcription factor ISX. J.Biol.Chem. 288: 9017-9027.

Loizzo, M. R., Pugliese, A., Bonesi, M., De Luca, D., O'Brien, N., Menichini, F., & Tundis, R. (2013) Influence of drying and cooking process on the phytochemical content, antioxidant and hypoglycaemic properties of two bell *Capsicum annum* L. cultivars. Food Chem.Toxicol. 53: 392-401.

Loskutova, E., Nolan, J., Howard, A., & Beatty, S. (2013) Macular pigment and its contribution to vision. Nutrients. 5: 1962-1969.

Loughman, J., Nolan, J. M., & Beatty, S. (2012) Impact of dietary carotenoid deprivation on macular pigment and serum concentrations of lutein and zeaxanthin. Br.J.Nutr. 108: 2102-2103.

Lunch, C. K., LaFountain, A. M., Thomas, S., Frank, H. A., Lewis, L. A., & Cardon, Z. G. (2013) The xanthophyll cycle and NPQ in diverse desert and aquatic green algae. Photosynth.Res. 115: 139-151.

Luo, Z., Zhang, J., Li, J., Yang, C., Wang, T., Ouyang, B., Li, H., Giovannoni, J., & Ye, Z. (2013) A STAY-GREEN protein SlSGR1 regulates lycopene and beta-carotene accumulation by interacting directly with SlPSY1 during ripening processes in tomato. New Phytol. 198: 442-452.

Luterotti, S., Markovic, K., Franko, M., Bicanic, D., Madzgalj, A., & Kljak, K. (2013) Comparison of spectrophotometric and HPLC methods for determination of carotenoids in foods. Food Chem. 140: 390-397.

Luvizotto, R. A., Nascimento, A. F., Imaizumi, E., Pierine, D. T., Conde, S. J., Correa, C. R., Yeum, K. J., & Ferreira, A. L. (2013) Lycopene supplementation modulates plasma concentrations and epididymal adipose tissue mRNA of leptin, resistin and IL-6 in diet-induced obese rats. Br.J.Nutr. 110: 1803-1809.

Lv, Z., Zhang, X., Liu, L., Guo, Y., Fan, Y., Yang, X., Li, Y., & Zhang, W. (2013) Comparing intraspecific responses of 12 winter wheat cultivars to different doses of ultraviolet-B radiation. J.Photochem.Photobiol.B. 119: 1-8.

Mackey, A. D., Albrecht, D., Oliver, J., Williams, T., Long, A. C., & Price, P. T. (2013) Plasma carotenoid concentrations of infants are increased by feeding a milk-based infant formula supplemented with carotenoids. J.Sci.Food Agric. 93: 1945-1952.

Magnusdottir, O. K., Landberg, R., Gunnarsdottir, I., Cloetens, L., Akesson, B., Onning, G., Jonsdottir, S. E., Rosqvist, F., Schwab, U., Herzig, K. H., Savolainen, M. J., Brader, L., Hermansen, K., Kolehmainen, M., Poutanen, K., Uusitupa, M., Thorsdottir, I., & Riserus, U. (2013) Plasma alkylresorcinols reflect important whole-grain components of a healthy Nordic diet. J.Nutr. 143: 1383-1390.

Magyar, A., Bowman, M. K., Molnar, P., & Kispert, L. (2013) Neutral carotenoid radicals in photoprotection of wild-type *Arabidopsis thaliana*. J.Phys.Chem.B. 117: 2239-2246.

Mampholo, B. M., Sivakumar, D., Beukes, M., & van Rensburg, W. J. (2013) Effect of modified atmosphere packaging on the quality and bioactive compounds of Chinese cabbage (*Brasicca rapa* L. ssp. chinensis). J.Sci.Food Agric. 93: 2008-2015.

Manikandan, M., Hasan, N., & Wu, H. F. (2013) Rapid detection of haloarchaeal carotenoids via liquid-liquid microextraction enabled direct TLC MALDI-MS. Talanta. 107: 167-175.

Manzoni, P., Guardione, R., Bonetti, P., Priolo, C., Maestri, A., Mansoldo, C., Mostert, M., Anselmetti, G., Sardei, D., Bellettato, M., Biban, P., & Farina, D. (2013) Lutein and zeaxanthin supplementation in preterm very low-birth-weight neonates in neonatal intensive care units: a multicenter randomized controlled trial. Am.J.Perinatol. 30: 25-32.

Mao, Y., Dubot, M., Xiao, H., & McClements, D. J. (2013) Interfacial engineering using mixed protein systems: emulsion-based delivery systems for encapsulation and stabilization of beta-carotene. J.Agric.Food Chem. 61: 5163-5169.

Maoka, T., Yasui, H., Ohmori, A., Tokuda, H., Suzuki, N., Osawa, A., Shindo, K., & Ishibashi, T. (2013) Anti-oxidative, anti-tumor-promoting, and anti-carcinogenic activities of adonirubin and adonixanthin. J.Oleo.Sci. 62: 181-186.

Marchal, L., Mojaat-Guemir, M., Foucault, A., & Pruvost, J. (2013) Centrifugal partition extraction of beta-carotene from *Dunaliella salina* for efficient and biocompatible recovery of metabolites. Bioresour.Technol. 134: 396-400.

Marcu, D., Cristea, V., & Daraban, L. (2013) Dose-dependent effects of gamma radiation on lettuce (*Lactuca sativa* var. capitata) seedlings. Int.J.Radiat.Biol. 89: 219-223.

Marles, M. A., Warkentin, T. D., & Bett, K. E. (2013) Genotypic abundance of carotenoids and polyphenolics in the hull of field pea (*Pisum sativum* L.). J.Sci.Food Agric. 93: 463-470.

Matselyukh, B. P., Matselyukh, D. Y., Golembiovska, S. L., Polishchuk, L. V., & Lavrinchuk, V. Y. (2013) Isolation of *Streptomyces globisporus* and *Blakeslea trispora* mutants with increased carotenoid content. Mikrobiol.Z. 75: 10-16.

Matsumoto, C., Ashida, N., Yokoyama, S., Tominari, T., Hirata, M., Ogawa, K., Sugiura, M., Yano, M., Inada, M., & Miyaura, C. (2013) The protective effects of beta-cryptoxanthin on inflammatory bone resorption in a mouse experimental model of periodontitis. Biosci.Biotechnol.Biochem. 77: 860-862.

Matuo, M. C., Oliveira Takamoto, R. T., Kikuchi, I. S., & Jesus Andreoli, P. T. (2013) Effect of bixin and norbixin on the expression of cytochrome P450 in HepG2 cell line. Cell Biol.Int. 37: 843-848.

Mayne, S. T., Cartmel, B., Scarmo, S., Jahns, L., Ermakov, I. V., & Gellermann, W. (2013) Resonance Raman spectroscopic evaluation of skin carotenoids as a biomarker of carotenoid status for human studies. Arch.Biochem.Biophys. 539: 163-170.

McEneny, J., Wade, L., Young, I. S., Masson, L., Duthie, G., McGinty, A., McMaster, C., & Thies, F. (2013) Lycopene intervention reduces inflammation and improves HDL functionality in moderately overweight middle-aged individuals. J.Nutr.Biochem. 24: 163-168.

McGraw, K. J., Giraudeau, M., Hill, G. E., Toomey, M. B., & Staley, M. (2013) Ketocarotenoid circulation, but not retinal carotenoid accumulation, is linked to eye disease status in a wild songbird. Arch.Biochem.Biophys. 539: 156-162.

McKay, G. J., Loane, E., Nolan, J. M., Patterson, C. C., Meyers, K. J., Mares, J. A., Yonova-Doing, E., Hammond, C. J., Beatty, S., & Silvestri, G. (2013) Investigation of genetic variation in scavenger receptor class B, member 1 (SCARB1) and association with serum carotenoids. Ophthalmology. 120: 1632-1640.

Meagher, K. A., Thurnham, D. I., Beatty, S., Howard, A. N., Connolly, E., Cummins, W., & Nolan, J. M. (2013) Serum response to supplemental macular carotenoids in subjects with and without age-related macular degeneration. Br.J.Nutr. 110: 289-300.

Mehrshahi, P., Stefano, G., Andaloro, J. M., Brandizzi, F., Froehlich, J. E., & DellaPenna, D. (2013) Transorganellar complementation redefines the biochemical continuity of endoplasmic reticulum and chloroplasts. Proc.Natl.Acad.Sci.U.S.A. 110: 12126-12131.

Meinke, M. C., Friedrich, A., Tscherch, K., Haag, S. F., Darvin, M. E., Vollert, H., Groth, N., Lademann, J., & Rohn, S. (2013) Influence of dietary carotenoids on radical scavenging capacity of the skin and skin lipids. Eur.J.Pharm.Biopharm. 84: 365-373.

Melendez-Martinez, A. J., Stinco, C. M., Liu, C., & Wang, X. D. (2013) A simple HPLC method for the comprehensive analysis of *cis/trans (Z/E)* geometrical isomers of carotenoids for nutritional studies. Food Chem. 138: 1341-1350.

Mendes-Pinto, M. M., LaFountain, A. M., Stoddard, M. C., Prum, R. O., Frank, H. A., & Robert, B. (2012) Variation in carotenoid-protein interaction in bird feathers produces novel plumage coloration. J.R.Soc.Interface. 9: 3338-3350.

Mendes-Pinto, M. M., Galzerano, D., Telfer, A., Pascal, A. A., Robert, B., & Ilioaia, C. (2013) Mechanisms underlying carotenoid absorption in oxygenic photosynthetic proteins. J.Biol.Chem. 288: 18758-18765.

Mensi, A., Choiset, Y., Haertle, T., Reboul, E., Borel, P., Guyon, C., de Lamballerie, M., & Chobert, J. M. (2013) Interlocking of beta-carotene in beta-lactoglobulin aggregates produced under high pressure. Food Chem. 139: 253-260.

Meyers, K. J., Mares, J. A., Igo, R. P., Jr., Truitt, B., Liu, Z., Millen, A. E., Klein, M., Johnson, E. J., Engelman, C. D., Karki, C. K., Blodi, B., Gehrs, K., Tinker, L., Wallace, R., Robinson, J., LeBlanc, E. S., Sarto, G., Bernstein, P. S., Sangiovanni, J. P., & Iyengar, S. K. (2014) Genetic evidence for role of carotenoids in age-related macular degeneration in the Carotenoids in Age-Related Eye Disease Study (CAREDS). Invest Ophthalmol.Vis.Sci. 55: 587-599.

Meza-Herrera, C. A., Vargas-Beltran, F., Tena-Sempere, M., Gonzalez-Bulnes, A., Macias-Cruz, U., & Veliz-Deras, F. G. (2013) Short-term beta-carotene-supplementation positively affects ovarian activity and serum insulin concentrations in a goat model. J.Endocrinol.Invest. 36: 185-189.

Mihai, D. M., Jiang, H., Blaner, W. S., Romanov, A., & Washington, I. (2013) The retina rapidly incorporates ingested C20-D(3)-vitamin A in a swine model. Mol.Vis. 19: 1677-1683.

Milaneschi, Y., Bandinelli, S., Penninx, B. W., Corsi, A. M., Lauretani, F., Vazzana, R., Semba, R. D., Guralnik, J. M., & Ferrucci, L. (2012) The relationship between plasma carotenoids and depressive symptoms in older persons. World J.Biol.Psychiatry. 13: 588-598.

Minutoli, L., Bitto, A., Squadrito, F., Marini, H., Irrera, N., Morgia, G., Passantino, A., & Altavilla, D. (2013) Serenoa repens, lycopene and selenium: a triple therapeutic approach to manage benign prostatic hyperplasia. Curr.Med.Chem. 20: 1306-1312.

Mizuta, M., Hirano, S., Hiwatashi, N., Tateya, I., Kanemaru, S., Nakamura, T., & Ito, J. (2014) Effect of astaxanthin on vocal fold wound healing. Laryngoscope. 124: E1-E7.

Mohammed, H. O., Divers, T. J., Kwak, J., Omar, A. H., White, M. E., & De Lahunta, A. (2012) Association of oxidative stress with motor neuron disease in horses. Am.J.Vet.Res. 73: 1957-1962.

Mondul, A. M., Sampson, J. N., Moore, S. C., Weinstein, S. J., Evans, A. M., Karoly, E. D., Virtamo, J., & Albanes, D. (2013) Metabolomic profile of response to supplementation with beta-carotene in the Alpha-Tocopherol, Beta-Carotene Cancer Prevention Study. Am.J.Clin.Nutr. 98: 488-493.

Moran, N. E., Clinton, S. K., & Erdman, J. W., Jr. (2013) Differential bioavailability, clearance, and tissue distribution of the acyclic tomato carotenoids lycopene and phytoene in Mongolian gerbils. J.Nutr. 143: 1920-1926.

Moran, N. E., Rogers, R. B., Lu, C. H., Conlon, L. E., Lila, M. A., Clinton, S. K., & Erdman, J. W., Jr. (2013) Biosynthesis of highly enriched 13C-lycopene for human metabolic studies using repeated batch tomato cell culturing with 13C-glucose. Food Chem. 139: 631-639.

Moran, N. E., Erdman, J. W., Jr., & Clinton, S. K. (2013) Complex interactions between dietary and genetic factors impact lycopene metabolism and distribution. Arch.Biochem.Biophys. 539: 171-180.

Moreno, J. C., Pizarro, L., Fuentes, P., Handford, M., Cifuentes, V., & Stange, C. (2013) Levels of lycopene beta-cyclase 1 modulate carotenoid gene expression and accumulation in *Daucus carota*. PLoS.ONE. 8: e58144.

Morgia, G., Cimino, S., Favilla, V., Russo, G. I., Squadrito, F., Mucciardi, G., Masieri, L., Minutoli, L., Grosso, G., & Castelli, T. (2013) Effects of *Serenoa repens*, selenium and lycopene (Profluss(R)) on chronic inflammation associated with benign prostatic hyperplasia: results of "FLOG" (Flogosis and Profluss in Prostatic and Genital Disease), a multicentre Italian study. Int.Braz.J.Urol. 39: 214-221.

Mou, S., Zhang, X., Ye, N., Miao, J., Cao, S., Xu, D., Fan, X., & An, M. (2013) Analysis of DeltapH and the xanthophyll cycle in NPQ of the Antarctic sea ice alga *Chlamydomonas* sp. ICE-L. Extremophiles. 17: 477-484.

Muller, L., Catalano, A., Simone, R., Cittadini, A., Frohlich, K., Bohm, V., & Palozza, P. (2013) Antioxidant capacity of tomato seed oil in solution and its redox properties in cultured macrophages. J.Agric.Food Chem. 61: 346-354.

Mullner, E., Brath, H., Toferer, D., Adrigan, S., Bulla, M. T., Stieglmayer, R., Wallner, M., Marek, R., & Wagner, K. H. (2013) Genome damage in peripheral blood lymphocytes of diabetic and non-diabetic individuals after intervention with vegetables and plant oil. Mutagenesis. 28: 205-211.

Murillo, E., Giuffrida, D., Menchaca, D., Dugo, P., Torre, G., Melendez-Martinez, A. J., & Mondello, L.

(2013) Native carotenoids composition of some tropical fruits. Food Chem. 140: 825-836.

Muthuirulappan, S. & Francis, S. P. (2013) Anti-cancer mechanism and possibility of nano-suspension formulations for a marine algae product fucoxanthin. Asian Pac.J.Cancer Prev. 14: 2213-2216.

Nacke, C., Huttmann, S., Etschmann, M. M., & Schrader, J. (2012) Enzymatic production and *in sit*u separation of natural beta-ionone from beta-carotene. J.Ind.Microbiol.Biotechnol. 39: 1771-1778.

Nagal, S., Kaur, C., Choudhary, H., Singh, J., Bhushan, S. B., & Singh, K. N. (2012) Lycopene content, antioxidant capacity and colour attributes of selected watermelon (*Citrullus lanatus* (Thunb.) Mansfeld) cultivars grown in India. Int.J.Food Sci.Nutr. 63: 996-1000.

Nagao, A., Kotake-Nara, E., & Hase, M. (2013) Effects of fats and oils on the bioaccessibility of carotenoids and vitamin E in vegetables. Biosci.Biotechnol.Biochem. 77: 1055-1060.

Nagao, R., Yokono, M., Akimoto, S., & Tomo, T. (2013) High excitation energy quenching in fucoxanthin chlorophyll a/c-binding protein complexes from the diatom *Chaetoceros gracilis*. J.Phys.Chem.B. 117: 6888-6895.

Naghizadeh, B., Mansouri, M. T., Ghorbanzadeh, B., Farbood, Y., & Sarkaki, A. (2013) Protective effects of oral crocin against intracerebroventricular streptozotocin-induced spatial memory deficit and oxidative stress in rats. Phytomedicine. 20: 537-542.

Nambiar, D. & Singh, R. P. (2013) Advances in prostate cancer chemoprevention: a translational perspective. Nutr.Cancer. 65 Suppl 1:12-25.: 12-25.

Nanou, K. & Roukas, T. (2013) Oxidative stress response of *Blakeslea trispora* induced by iron ions during carotene production in shake flask culture. Appl.Biochem.Biotechnol. 169: 2281-2289.

Nawiri, M. P., Nyambaka, H., & Murungi, J. I. (2013) Sun-dried cowpeas and amaranth leaves recipe improves beta-carotene and retinol levels in serum and hemoglobin concentration among preschool children. Eur.J.Nutr. 52: 583-589.

Naziroglu, M., Kozlu, S., Yorgancigil, E., Uguz, A. C., & Karakus, K. (2013) Rose oil (from *Rosa x damascena* Mill.) vapor attenuates depression-induced oxidative toxicity in rat brain. J.Nat.Med. 67: 152-158.

Ndolo, V. U. & Beta, T. (2013) Distribution of carotenoids in endosperm, germ, and aleurone fractions of cereal grain kernels. Food Chem. 139: 663-671.

Nedukha, O. M. (2013) [Ultrastructure and pigment composition of *Sagittaria sagittifolia* L. leaves]. Tsitol.Genet. 47: 47-54.

Neves, D. M., Filho, M. A., Bellete, B. S., Silva, M. F., Souza, D. T., Dos S Soares Filho, Costa, M. G., & Gesteira, A. S. (2013) Comparative study of putative 9-*cis*-epoxycarotenoid dioxygenase and abscisic acid accumulation in the responses of Sunki mandarin and Rangpur lime to water deficit. Mol.Biol.Rep. 40: 5339-5349.

Nguyen, A. Q., Kim, Y. G., Kim, S. B., & Kim, C. J. (2013) Improved tolerance of recombinant *Escherichia coli* to the toxicity of crude glycerol by overexpressing trehalose biosynthetic genes (otsBA) for the production of beta-carotene. Bioresour.Technol. 143: 531-537.

Nicklett, E. J. & Kadell, A. R. (2013) Fruit and vegetable intake among older adults: a scoping review. Maturitas. 75: 305-312.

Niedzwiedzki, D. M., Kajikawa, T., Aoki, K., Katsumura, S., & Frank, H. A. (2013) Excited states energies and dynamics of peridinin analogues and the nature of the intramolecular charge transfer state in carbonyl-containing carotenoids. J.Phys.Chem.B. 117: 6874-6887.

Nimalaratne, C., Lopes-Lutz, D., Schieber, A., & Wu, J. (2012) Effect of domestic cooking methods on egg yolk xanthophylls. J.Agric.Food Chem. 60: 12547-12552.

Nishigaki, M., Yamamoto, T., Ichioka, H., Honjo, K., Yamamoto, K., Oseko, F., Kita, M., Mazda, O., & Kanamura, N. (2013) beta-Cryptoxanthin regulates bone resorption related-cytokine production in human periodontal ligament cells. Arch.Oral Biol. 58: 880-886.

Nishikawa, Y., Okuda, S., Takebayashi, C., Tanimoto, T., Kami, M., & Kobayashi, K. (2013) A case of late onset erythropoietic protoporphyria associated with myelodysplastic syndrome treated by the combination of beta carotene and azacitidine. Ann.Hematol. 92: 1415-1416.

Nishino, M., Sakata, M., Murata, Y., & Nakamura, Y. (2013) Lower photostability of capsanthin dispersed in an aqueous solution. Biosci.Biotechnol.Biochem. 77: 1313-1316.

Niu, K., Guo, H., Kakizaki, M., Cui, Y., Ohmori-Matsuda, K., Guan, L., Hozawa, A., Kuriyama, S., Tsuboya, T., Ohrui, T., Furukawa, K., Arai, H., Tsuji, I., & Nagatomi, R. (2013) A tomato-rich diet is related to depressive symptoms among an elderly population aged 70 years and over: a population-based, cross-sectional analysis. J.Affect.Disord. 144: 165-170.

Nokubi, T., Yasui, S., Yoshimuta, Y., Kida, M., Kusunoki, C., Ono, T., Maeda, Y., Nokubi, F., Yokota, K., & Yamamoto, T. (2013) Fully automatic measuring system for assessing masticatory performance using beta-carotene-containing gummy jelly. J.Oral Rehabil. 40: 99-105.

Nolan, J., Beatty, S., & Dennison, J. (2013) Re: lutein supplementation improves visual performance in Chinese drivers: 1-year randomized, double-blind, placebo-controlled study: the importance of supplementing with all three macular carotenoids. Nutrition. 29: 1072.

Nolan, J. M., Meagher, K., Kashani, S., & Beatty, S. (2013) What is meso-zeaxanthin, and where does it come from? Eye (Lond). 27: 899-905.

Novo, R., Azevedo, P. S., Minicucci, M. F., Zornoff, L. A., & Paiva, S. A. (2013) Effect of beta-carotene on oxidative stress and expression of cardiac connexin 43. Arq Bras.Cardiol. 101: 233-239.

Obrero, A., Gonzalez-Verdejo, C. I., Die, J. V., Gomez, P., Rio-Celestino, M., & Roman, B. (2013) Carotenogenic gene expression and carotenoid accumulation in three varieties of *Cucurbita pepo* during fruit development. J.Agric.Food Chem. 61: 6393-6403.

Ogawa, M., Kariya, Y., Kitakaze, T., Yamaji, R., Harada, N., Sakamoto, T., Hosotani, K., Nakano, Y., & Inui, H. (2013) The preventive effect of beta-carotene on denervation-induced soleus muscle atrophy in mice. Br.J.Nutr. 109: 1349-1358.

Oh, J., Kim, J. H., Park, J. G., Yi, Y. S., Park, K. W., Rho, H. S., Lee, M. S., Yoo, J. W., Kang, S. H., Hong, Y. D., Shin, S. S., & Cho, J. Y. (2013) Radical scavenging activity-based and AP-1-targeted anti-inflammatory effects of lutein in macrophage-like and skin keratinocytic cells. Mediators.Inflamm. 2013:787042. doi: 10.1155/2013/787042.

Ohshima, Y., Mizuno, T., Yamada, K., Matsumoto, S., Nagakane, Y., Kondo, M., Kuriyama, N., Miyazaki, T., Takeda, K., Nishimura, T., Nakagawa, M., Ozasa, K., & Watanabe, Y. (2013) Low vitamin and carotenoid levels are related to cerebral white matter lesions. J.Nutr.Health Aging. 17: 456-460.

Ojha, S., Goyal, S., Sharma, C., Arora, S., Kumari, S., & Arya, D. S. (2013) Cardioprotective effect of lycopene against isoproterenol-induced myocardial infarction in rats. Hum.Exp.Toxicol. 32: 492-503.

Olejnik, M., Krajnik, B., Kowalska, D., Lin, G., & Mackowski, S. (2013) Spectroscopic studies of plasmon coupling between photosynthetic complexes and metallic quantum dots. J.Phys.Condens.Matter. 25: 194103-8984/25.

Opris, O., Copaciu, F., Loredana, S. M., Ristoiu, D., Niinemets, U., & Copolovici, L. (2013) Influence of nine antibiotics on key secondary metabolites and physiological characteristics in *Triticum aestivum*: leaf volatiles as a promising new tool to assess toxicity. Ecotoxicol.Environ.Saf. 87: 70-79.

Oren, A. (2013) *Salinibacter*: an extremely halophilic bacterium with archaeal properties. FEMS Microbiol.Lett. 342: 1-9.

Otero, L., Vaz, B., Alvarez, R., & de Lera, A. R. (2013) Total synthesis of (8R,6'R)-peridinin-5,8-furanoxide. Chem.Commun.(Camb.). 49: 5043-5045.

Palabiyik, S. S., Erkekoglu, P., Zeybek, N. D., Kizilgun, M., Baydar, D. E., Sahin, G., & Giray, B. K. (2013) Protective effect of lycopene against ochratoxin A induced renal oxidative stress and apoptosis in rats. Exp.Toxicol.Pathol. 65: 853-861.

Palmero, P., Lemmens, L., Ribas-Agusti, A., Sosa, C., Met, K., de Dieu, U. J., Hendrickx, M., & Van Loey, A. (2013) Novel targeted approach to better understand how natural structural barriers govern carotenoid *in vitro* bioaccessibility in vegetable-based systems. Food Chem. 141: 2036-2043.

Pan, Y., Bradley, G., Pyke, K., Ball, G., Lu, C., Fray, R., Marshall, A., Jayasuta, S., Baxter, C., van Wijk, R., Boyden, L., Cade, R., Chapman, N. H., Fraser, P. D., Hodgman, C., & Seymour, G. B. (2013) Network inference analysis identifies an APRR2-like gene linked to pigment accumulation in tomato and pepper fruits. Plant Physiol. 161: 1476-1485.

Papp, T., Csernetics, A., Nagy, G., Bencsik, O., Iturriaga, E. A., Eslava, A. P., & Vagvolgyi, C. (2013) Canthaxanthin production with modified *Mucor circinelloides* strains. Appl.Microbiol.Biotechnol. 97: 4937-4950.

Park, E., Stacewicz-Sapuntzakis, M., Sharifi, R., Wu, Z., Freeman, V. L., & Bowen, P. E. (2013) Diet adherence dynamics and physiological responses to a tomato product whole-food intervention in African-American men. Br.J.Nutr. 109: 2219-2230.

Park, J., Kim, T. S., Kim, M. J., & Lee, J. (2013) Prooxidative and antioxidative properties of beta-carotene in chlorophyll and riboflavin photosensitized oil-in-water emulsions. Food Chem. 140: 255-261.

Park, J. S., Mathison, B. D., Hayek, M. G., Zhang, J., Reinhart, G. A., & Chew, B. P. (2013) Astaxanthin modulates age-associated mitochondrial dysfunction in healthy dogs. J.Anim Sci. 91: 268-275.

Park, S. Y., Park, W. T., Park, Y. C., Ju, J. I., Park, S. U., & Kim, J. K. (2012) Metabolomics for the quality assessment of *Lycium chinense* fruits. Biosci.Biotechnol.Biochem. 76: 2188-2194.

Park, S. Y., Ollberding, N. J., Woolcott, C. G., Wilkens, L. R., Henderson, B. E., & Kolonel, L. N. (2013) Fruit and vegetable intakes are associated with lower risk of bladder cancer among women in the Multiethnic Cohort Study. J.Nutr. 143: 1283-1292.

Park, S. Y., Lim, S. H., Ha, S. H., Yeo, Y., Park, W. T., Kwon, d. Y., Park, S. U., & Kim, J. K. (2013) Metabolite profiling approach reveals the interface of primary and secondary metabolism in colored

cauliflowers (*Brassica oleracea* L. ssp. botrytis). J.Agric.Food Chem. 61: 6999-7007.

Park, Y. S., Im, M. H., Ham, K. S., Kang, S. G., Park, Y. K., Namiesnik, J., Leontowicz, H., Leontowicz, M., Katrich, E., & Gorinstein, S. (2013) Nutritional and pharmaceutical properties of bioactive compounds in organic and conventional growing kiwifruit. Plant Foods Hum.Nutr. 68: 57-64.

Pasare, S. A., Ducreux, L. J., Morris, W. L., Campbell, R., Sharma, S. K., Roumeliotis, E., Kohlen, W., van der, K. S., Bramley, P. M., Roberts, A. G., Fraser, P. D., & Taylor, M. A. (2013) The role of the potato (*Solanum tuberosum*) CCD8 gene in stolon and tuber development. New Phytol. 198: 1108-1120.

Patel, C. J., Chen, R., Kodama, K., Ioannidis, J. P., & Butte, A. J. (2013) Systematic identification of interaction effects between genome- and environment-wide associations in type 2 diabetes mellitus. Hum.Genet. 132: 495-508.

Payyavula, R. S., Navarre, D. A., Kuhl, J., & Pantoja, A. (2013) Developmental effects on phenolic, flavonol, anthocyanin, and carotenoid metabolites and gene expression in potatoes. J.Agric.Food Chem. 61: 7357-7365.

Peguero-Pina, J. J., Gil-Pelegrin, E., & Morales, F. (2013) Three pools of zeaxanthin in *Quercus coccifera* leaves during light transitions with different roles in rapidly reversible photoprotective energy dissipation and photoprotection. J.Exp.Bot. 64: 1649-1661.

Penas, E., Sidro, B., Ullate, M., Vidal-Valverde, C., & Frias, J. (2013) Impact of storage under ambient conditions on the vitamin content of dehydrated vegetables. Food Sci.Technol.Int. 19: 133-141.

Pereira-Caro, G., Cros, G., Yokota, T., & Crozier, A. (2013) Phytochemical profiles of black, red, brown, and white rice from the Camargue region of France. J.Agric.Food Chem. 61: 7976-7986.

Pereira, S., Saboya, C., & Ramalho, A. (2013) Impact of different protocols of nutritional supplements on the status of vitamin A in class III obese patients after Roux-en-Y gastric bypass. Obes.Surg. 23: 1244-1251.

Perusek, L. & Maeda, T. (2013) Vitamin A derivatives as treatment options for retinal degenerative diseases. Nutrients. 5: 2646-2666.

Petrik, S., Kadar, Z., & Marova, I. (2013) Utilization of hydrothermally pretreated wheat straw for production of bioethanol and carotene-enriched biomass. Bioresour.Technol. 133: 370-377.

Pham, D. N., Leclerc, D., Levesque, N., Deng, L., & Rozen, R. (2013) beta,beta-Carotene 15,15'-monooxygenase and its substrate beta-carotene modulate migration and invasion in colorectal carcinoma cells. Am.J.Clin.Nutr. 98: 413-422.

Picone, S., Ritieni, A., Fabiano, A., Troise, A. D., Graziani, G., Paolillo, P., Li, V. G., D'Orazio, N., Galvano, F., & Gazzolo, D. (2012) Arterial cord blood lutein levels in preterm and term healthy newborns are sex and gestational age dependent. Clin.Biochem. 45: 1558-1563.

Pillai, S., Ravensbergen, J., Antoniuk-Pablant, A., Sherman, B. D., van Grondelle, R., Frese, R. N., Moore, T. A., Gust, D., Moore, A. L., & Kennis, J. T. (2013) Carotenoids as electron or excited-state energy donors in artificial photosynthesis: an ultrafast investigation of a carotenoporphyrin and a carotenofullerene dyad. Phys.Chem.Chem.Phys. 15: 4775-4784.

Pinto-Marijuan, M., Joffre, R., Casals, I., De Agazio, M., Zacchini, M., Garcia-Plazaola, J. I., Esteban, R., Aranda, X., Guardia, M., & Fleck, I. (2013) Antioxidant and photoprotective responses to elevated

CO(2) and heat stress during holm oak regeneration by resprouting, evaluated with NIRS (near-infrared reflectance spectroscopy). Plant Biol.(Stuttg). 15 Suppl 1: 5-17.

Piovan, A., Seraglia, R., Bresin, B., Caniato, R., & Filippini, R. (2013) Fucoxanthin from *Undaria pinnatifida*: photostability and coextractive effects. Molecules. 18: 6298-6310.

Pipis, A., Touliou, E., & Augustin, A. J. (2013) Macular pigment optical density in a Central European population. Ophthalmic Surg.Lasers Imaging Retina. 44: 260-267.

Poiroux-Gonord, F., Fanciullino, A. L., Poggi, I., & Urban, L. (2013) Carbohydrate control over carotenoid build-up is conditional on fruit ontogeny in clementine fruits. Physiol Plant. 147: 417-431.

Procida, G., Stancher, B., Cateni, F., & Zacchigna, M. (2013) Chemical composition and functional characterisation of commercial pumpkin seed oil. J.Sci.Food Agric. 93: 1035-1041.

Prum, R. O., LaFountain, A. M., Berro, J., Stoddard, M. C., & Frank, H. A. (2012) Molecular diversity, metabolic transformation, and evolution of carotenoid feather pigments in cotingas (*Aves: Cotingidae*). J.Comp Physiol B. 182: 1095-1116.

Psencik, J., Arellano, J. B., Collins, A. M., Laurinmaki, P., Torkkeli, M., Loflund, B., Serimaa, R. E., Blankenship, R. E., Tuma, R., & Butcher, S. J. (2013) Structural and functional roles of carotenoids in chlorosomes. J.Bacteriol. 195: 1727-1734.

Pugliese, A., Loizzo, M. R., Tundis, R., O'Callaghan, Y., Galvin, K., Menichini, F., & O'Brien, N. (2013) The effect of domestic processing on the content and bioaccessibility of carotenoids from chili peppers (*Capsicum* species). Food Chem. 141: 2606-2613.

Qiu, X., Yuan, Y., Vaishnav, A., Tessel, M. A., Nonn, L., & van Breemen, R. B. (2013) Effects of lycopene on protein expression in human primary prostatic epithelial cells. Cancer Prev.Res.(Phila). 6: 419-427.

Rai, U. N., Singh, N. K., Upadhyay, A. K., & Verma, S. (2013) Chromate tolerance and accumulation in *Chlorella vulgaris* L.: role of antioxidant enzymes and biochemical changes in detoxification of metals. Bioresour.Technol. 136: 604-609.

Raj, P. S., Ramaprasad, E. V., Vaseef, S., Sasikala, C., & Ramana, C. (2013) *Rhodobacter viridis* sp. nov., a phototrophic bacterium isolated from mud of a stream. Int.J.Syst.Evol.Microbiol. 63: 181-186.

Rajaei, Z., Hadjzadeh, M. A., Nemati, H., Hosseini, M., Ahmadi, M., & Shafiee, S. (2013) Antihyperglycemic and antioxidant activity of crocin in streptozotocin-induced diabetic rats. J.Med.Food. 16: 206-210.

Raman, R. & Mohamad, S. E. (2012) Astaxanthin production by freshwater microalgae *Chlorella sorokiniana* and marine microalgae *Tetraselmis* sp. Pak.J.Biol.Sci. 15: 1182-1186.

Ramaprasad, E. V., Sasikala, C., & Ramana, C. (2013) Neurosporene is the major carotenoid accumulated by *Rhodobacter viridis* JA737. Biotechnol.Lett. 35: 1093-1097.

Ramel, F., Mialoundama, A. S., & Havaux, M. (2013) Nonenzymic carotenoid oxidation and photooxidative stress signalling in plants. J.Exp.Bot. 64: 799-805.

Ramkumar, H. L., Tuo, J., Shen, d. F., Zhang, J., Cao, X., Chew, E. Y., & Chan, C. C. (2013) Nutrient supplementation with n3 polyunsaturated fatty acids, lutein, and zeaxanthin decrease A2E accumulation and VEGF expression in the retinas of Ccl2/Cx3cr1-deficient mice on Crb1rd8

background. J.Nutr. 143: 1129-1135.

Rao, J., Decker, E. A., Xiao, H., & McClements, D. J. (2013) Nutraceutical nanoemulsions: influence of carrier oil composition (digestible versus indigestible oil) on beta-carotene bioavailability. J.Sci.Food Agric. 93: 3175-3183.

Rastgoo, M., Hosseinzadeh, H., Alavizadeh, H., Abbasi, A., Ayati, Z., & Jaafari, M. R. (2013) Antitumor activity of PEGylated nanoliposomes containing crocin in mice bearing C26 colon carcinoma. Planta Med. 79: 447-451.

Razavi, B. M., Hosseinzadeh, H., Movassaghi, A. R., Imenshahidi, M., & Abnous, K. (2013) Protective effect of crocin on diazinon induced cardiotoxicity in rats in subchronic exposure. Chem.Biol.Interact. 203: 547-555.

Renju, G. L., Muraleedhara, K. G., & Saritha Kumari, C. H. (2013) Anti-inflammatory activity of lycopene isolated from *Chlorella marina* on type II collagen induced arthritis in Sprague Dawley rats. Immunopharmacol.Immunotoxicol. 35: 282-291.

Res, P. T., Cermak, N. M., Stinkens, R., Tollakson, T. J., Haenen, G. R., Bast, A., & Van Loon, L. J. (2013) Astaxanthin supplementation does not augment fat use or improve endurance performance. Med.Sci.Sports Exerc. 45: 1158-1165.

Rezaee, R., Mahmoudi, M., Abnous, K., Zamani Taghizadeh, R. S., Tabasi, N., Hashemzaei, M., & Karimi, G. (2013) Cytotoxic effects of crocin on MOLT-4 human leukemia cells. J.Complement Integr.Med. 10(1): 105–112

pii: /j/jcim.2013.10.issue-1/jcim-2013-0011/jcim-2013-0011.xml. doi: 10.1515/jcim-2013-0011.: j/jcim-2013.

Rezanka, T., Nedbalova, L., Kolouchova, I., & Sigler, K. (2013) LC-MS/APCI identification of glucoside esters and diesters of astaxanthin from the snow alga *Chlamydomonas nivalis* including their optical stereoisomers. Phytochemistry. 88: 34-42.

Riangjanapatee, P., Muller, R. H., Keck, C. M., & Okonogi, S. (2013) Development of lycopene-loaded nanostructured lipid carriers: effect of rice oil and cholesterol. Pharmazie. 68: 723-731.

Riedel, T., Gomez-Consarnau, L., Tomasch, J., Martin, M., Jarek, M., Gonzalez, J. M., Spring, S., Rohlfs, M., Brinkhoff, T., Cypionka, H., Goker, M., Fiebig, A., Klein, J., Goesmann, A., Fuhrman, J. A., & Wagner-Dobler, I. (2013) Genomics and physiology of a marine flavobacterium encoding a proteorhodopsin and a xanthorhodopsin-like protein. PLoS.ONE. 8: e57487.

Rink, S. M., Mendola, P., Mumford, S. L., Poudrier, J. K., Browne, R. W., Wactawski-Wende, J., Perkins, N. J., & Schisterman, E. F. (2013) Self-report of fruit and vegetable intake that meets the 5 a day recommendation is associated with reduced levels of oxidative stress biomarkers and increased levels of antioxidant defense in premenopausal women. J.Acad.Nutr.Diet. 113: 776-785.

Rodrigues, E., Mariutti, L. R., & Mercadante, A. Z. (2013) Carotenoids and phenolic compounds from *Solanum sessiliflorum*, an unexploited Amazonian fruit, and their scavenging capacities against reactive oxygen and nitrogen species. J.Agric.Food Chem. 61: 3022-3029.

Rodriguez-Concepcion, M. & Stange, C. (2013) Biosynthesis of carotenoids in carrot: an underground story comes to light. Arch.Biochem.Biophys. 539: 110-116.

Rodriguez-Ortiz, R., Limon, M. C., & Avalos, J. (2013) Functional analysis of the carS gene of *Fusarium*

*fujikuroi*. Mol.Genet.Genomics. 288: 157-173.

Rodriguez-Roque, M. J., Rojas-Grau, M. A., Elez-Martinez, P., & Martin-Belloso, O. (2013) Changes in vitamin C, phenolic, and carotenoid profiles throughout *in vitro* gastrointestinal digestion of a blended fruit juice. J.Agric.Food Chem. 61: 1859-1867.

Romero-Diaz, C., Richner, H., Granado-Lorencio, F., Tschirren, B., & Fitze, P. S. (2013) Independent sources of condition dependency and multiple pathways determine a composite trait: lessons from carotenoid-based plumage colouration. J.Evol.Biol. 26: 635-646.

Rotenstreich, Y., Belkin, M., Sadetzki, S., Chetrit, A., Ferman-Attar, G., Sher, I., Harari, A., Shaish, A., & Harats, D. (2013) Treatment with 9-*cis* beta-carotene-rich powder in patients with retinitis pigmentosa: a randomized crossover trial. JAMA Ophthalmol. 131: 985-992.

Ruhl, R. (2013) Non-pro-vitamin A and pro-vitamin A carotenoids in atopy development. Int.Arch.Allergy Immunol. 161: 99-115.

Saiz-Abajo, M. J., Gonzalez-Ferrero, C., Moreno-Ruiz, A., Romo-Hualde, A., & Gonzalez-Navarro, C. J. (2013) Thermal protection of beta-carotene in re-assembled casein micelles during different processing technologies applied in food industry. Food Chem. 138: 1581-1587.

Sakudoh, T., Kuwazaki, S., Iizuka, T., Narukawa, J., Yamamoto, K., Uchino, K., Sezutsu, H., Banno, Y., & Tsuchida, K. (2013) CD36 homolog divergence is responsible for the selectivity of carotenoid species migration to the silk gland of the silkworm *Bombyx mori*. J.Lipid Res. 54: 482-495.

Salter, J. S., Jr. & Kang, J. (2013) Comment on Effect of drying of jujubes (*Ziziphus jujuba* Mill.) on the contents of sugars, organic acids, alpha-tocopherol, beta-carotene, and phenolic compounds. J.Agric.Food Chem. 61: 4663-4664.

Salvia-Trujillo, L., Qian, C., Martin-Belloso, O., & McClements, D. J. (2013) Modulating beta-carotene bioaccessibility by controlling oil composition and concentration in edible nanoemulsions. Food Chem. 139: 878-884.

Salvia-Trujillo, L., Qian, C., Martin-Belloso, O., & McClements, D. J. (2013) Influence of particle size on lipid digestion and beta-carotene bioaccessibility in emulsions and nanoemulsions. Food Chem. 141: 1472-1480.

Samuoliene, G., Brazaityte, A., Sirtautas, R., Virsile, A., Sakalauskaite, J., Sakalauskiene, S., & Duchovskis, P. (2013) LED illumination affects bioactive compounds in romaine baby leaf lettuce. J.Sci.Food Agric. 93: 3286-3291.

San Jose, L. M., Granado-Lorencio, F., Sinervo, B., & Fitze, P. S. (2013) Iridophores and not carotenoids account for chromatic variation of carotenoid-based coloration in common lizards (*Lacerta vivipara*). Am.Nat. 181: 396-409.

Sanches-Silva, A., Ribeiro, T., Albuquerque, T. G., Paseiro, P., Sendon, R., de Quiros, A. B., Lopez-Cervantes, J., Sanchez-Machado, D. I., Soto, V. H., Angulo, I., Aurrekoetxea, G. P., & Costa, H. S. (2013) Ultra-high pressure LC for astaxanthin determination in shrimp by-products and active food packaging. Biomed.Chromatogr. 27: 757-764.

Santhirasegaram, V., Razali, Z., & Somasundram, C. (2013) Effects of thermal treatment and sonication on quality attributes of Chokanan mango (*Mangifera indica* L.) juice. Ultrason.Sonochem. 20: 1276-1282.

Santos-Garcia, D., Farnier, P. A., Beitia, F., Zchori-Fein, E., Vavre, F., Mouton, L., Moya, A., Latorre, A., & Silva, F. J. (2012) Complete genome sequence of "*Candidatus Portiera aleyrodidarum*" BT-QVLC, an obligate symbiont that supplies amino acids and carotenoids to *Bemisia tabaci*. J.Bacteriol. 194: 6654-6655.

Sawa, M., Gomi, F., Ueno, C., Suzuki, M., & Nishida, K. (2013) Comparison of macular pigment in three types of macular telangiectasia. Graefes Arch.Clin.Exp.Ophthalmol. 251: 689-696.

Sayo, T., Sugiyama, Y., & Inoue, S. (2013) Lutein, a nonprovitamin A, activates the retinoic acid receptor to induce HAS3-dependent hyaluronan synthesis in keratinocytes. Biosci.Biotechnol.Biochem. 77: 1282-1286.

Scarmo, S., Cartmel, B., Lin, H., Leffell, D. J., Ermakov, I. V., Gellermann, W., Bernstein, P. S., & Mayne, S. T. (2013) Single v. multiple measures of skin carotenoids by resonance Raman spectroscopy as a biomarker of usual carotenoid status. Br.J.Nutr. 110: 911-917.

Schlau-Cohen, G. S., Wang, Q., Southall, J., Cogdell, R. J., & Moerner, W. E. (2013) Single-molecule spectroscopy reveals photosynthetic LH2 complexes switch between emissive states. Proc.Natl.Acad.Sci.U.S.A. 110: 10899-10903.

Schleicher, M., Weikel, K., Garber, C., & Taylor, A. (2013) Diminishing risk for age-related macular degeneration with nutrition: a current view. Nutrients. 5: 2405-2456.

Schleicher, R. L., Sternberg, M. R., & Pfeiffer, C. M. (2013) Race-ethnicity is a strong correlate of circulating fat-soluble nutrient concentrations in a representative sample of the U.S. population. J.Nutr. 143: 966S-976S.

Schopf, L., Mautz, J., & Sandmann, G. (2013) Multiple ketolases involved in light regulation of canthaxanthin biosynthesis in *Nostoc punctiforme* PCC 73102. Planta. 237: 1279-1285.

See, W. A. (2013) Commentary on "Plasma carotenoids and vitamin C concentrations and risk of urothelial cell carcinoma in the European Prospective Investigation into Cancer and Nutrition." Ros MM, et al.: Am J Clin Nutr 2012;96(4):902-10. Urol.Oncol. 31: 714-715.

Sen, A., Ren, J., Ruffin, M. T., Turgeon, D. K., Brenner, D. E., Sidahmed, E., Rapai, M. E., Cornellier, M. L., & Djuric, Z. (2013) Relationships between serum and colon concentrations of carotenoids and fatty acids in randomized dietary intervention trial. Cancer Prev.Res.(Phila). 6: 558-565.

Shahina, M., Hameed, A., Lin, S. Y., Lai, W. A., Liu, Y. C., Hsu, Y. H., & Young, C. C. (2013) *Luteibaculum oceani* gen. nov., sp. nov., a carotenoid-producing, lipolytic bacterium isolated from surface seawater, and emended description of the genus *Owenweeksia* Lau et al. 2005. Int.J.Syst.Evol.Microbiol. 63: 4765-4770.

Shanmugam, V., Manoharan, S., Anandan, S., & Murugan, R. (2013) Performance of dye-sensitized solar cells fabricated with extracts from fruits of ivy gourd and flowers of red frangipani as sensitizers. Spectrochim.Acta A Mol.Biomol.Spectrosc. 104: 35-40.

Shay, P. E. & Kubien, D. S. (2013) Field analysis of photoprotection in co-occurring cool climate C(3) and C(4) grasses. Physiol Plant. 147: 316-328.

Shen, Y. C., Chng, L. M., Wang, Y. C., Shieh, C. J., Lin, K. L., Hsu, S. L., Chou, H. N., & Chang, C. M. (2012) Production of all *trans*-beta-carotene by using impinging flow of supercritical carbon dioxide anti-solvent pulverization. J.Chromatogr.A. 1270: 1-8.

Shibaeva, T. G. & Markovskaia, E. F. (2013) [Growth and development of cucumber *Cucumis sativus* L. in the prereproductive period under long photoperiods]. Ontogenez. 44: 101-109.

Shim, Y. S., Kim, K. J., Seo, D., Ito, M., Nakagawa, H., Arai, S., & Ha, J. (2013) Simultaneous determination of free capsorubin and capsanthin in red pepper powder using u-HPLC. J.AOAC Int. 96: 341-345.

Shiraishi, M., Haruna, M., Matsuzaki, M., Murayama, R., & Sasaki, S. (2013) Validity of a diet history questionnaire estimating beta-carotene, vitamin C and alpha-tocopherol intakes in Japanese pregnant women. Int.J.Food Sci.Nutr. 64: 694-699.

Shivanna, V. B. & Subban, N. (2013) Carotenoids retention in processed curry leaves (*Murraya koenigii* L. Spreng). Int.J.Food Sci.Nutr. 64: 58-62.

Shumskaya, M. & Wurtzel, E. T. (2013) The carotenoid biosynthetic pathway: thinking in all dimensions. Plant Sci. 208: 58-63.

Silberstein, T., Silberstein, E., & Saphier, O. (2013) [Lycopene and tomatoes--their effect on prevention of prostatic cancer]. Harefuah. 152: 461-3-499.

Simonovska, B., Vovk, I., Glavnik, V., & Cernelic, K. (2013) Effects of extraction and high-performance liquid chromatographic conditions on the determination of lutein in spinach. J.Chromatogr.A. 1276: 95-101.

Sindhu, E. R. & Kuttan, R. (2013) Carotenoid lutein protects the kidney against cisplatin-induced acute renal failure. J.Environ.Pathol.Toxicol.Oncol. 32: 21-28.

Sindhu, E. R., Firdous, A. P., Ramnath, V., & Kuttan, R. (2013) Effect of carotenoid lutein on N-nitrosodiethylamine-induced hepatocellular carcinoma and its mechanism of action. Eur.J.Cancer Prev. 22: 320-327.

Singh, D., Puri, M., Wilkens, S., Mathur, A. S., Tuli, D. K., & Barrow, C. J. (2013) Characterization of a new zeaxanthin producing strain of *Chlorella saccharophila* isolated from New Zealand marine waters. Bioresour.Technol. 143: 308-314.

Singh, J., Gautam, S., & Bhushan, P. A. (2012) Effect of UV-B radiation on UV absorbing compounds and pigments of moss and lichen of Schirmacher oasis region, East Antarctica. Cell Mol.Biol.(Noisy.-le-grand). 58: 80-84.

Smit, E., Winters-Stone, K. M., Loprinzi, P. D., Tang, A. M., & Crespo, C. J. (2013) Lower nutritional status and higher food insufficiency in frail older US adults. Br.J.Nutr. 110: 172-178.

Soldatov, A. A., Gostiukhina, O. L., Borodina, A. V., & Golovina, I. V. (2013) [Qualitative composition of carotenoids, catalase and superoxide dismutase activities in tissues of bivalve mollusc *Anadara inaequivalvis* (Bruguiere, 1789)]. Zh.Evol.Biokhim.Fiziol. 49: 255-263.

Solovchenko, A., Aflalo, C., Lukyanov, A., & Boussiba, S. (2013) Nondestructive monitoring of carotenogenesis in *Haematococcus pluvialis* via whole-cell optical density spectra. Appl.Microbiol.Biotechnol. 97: 4533-4541.

Sonntag, F., Schmidt, I., Buchhaupt, M., & Schrader, J. (2013) Effect of linoleic acids on the release of beta-carotene from carotenoid-producing *Saccharomyces cerevisiae* into sunflower oil. J.Mol.Microbiol.Biotechnol. 23: 233-238.

Soufflet-Freslon, V., Jourdan, M., Clotault, J., Huet, S., Briard, M., Peltier, D., & Geoffriau, E. (2013) Functional gene polymorphism to reveal species history: the case of the CRTISO gene in cultivated carrots. PLoS.ONE. 8: e70801.

Souganidis, E., Laillou, A., Leyvraz, M., & Moench-Pfanner, R. (2013) A comparison of retinyl palmitate and red palm oil beta-carotene as strategies to address Vitamin A deficiency. Nutrients. 5: 3257-3271.

Sporn, M. B. & Liby, K. T. (2013) Is lycopene an effective agent for preventing prostate cancer? Cancer Prev.Res.(Phila). 6: 384-386.

Stachowiak, B. (2013) Efficiency of selected mutagens in generating *Xanthophyllomyces dendrorhous* strains hyperproducing astaxanthin. Pol.J.Microbiol. 62: 67-72.

Stancanelli, R., Lojkner, L. D., Larsen, K. L., Guardo, M., Cannava, C., Tommasini, S., Ventura, C. A., Calabro, M. L., Micali, N., Villari, V., & Mazzaglia, A. (2012) Structural and spectroscopic features of lutein/butanoyl-beta-cyclodextrin nanoassemblies. J.Pharm.Biomed.Anal. 71: 214-218.

Sui, X., Kiser, P. D., Lintig, J., & Palczewski, K. (2013) Structural basis of carotenoid cleavage: from bacteria to mammals. Arch.Biochem.Biophys. 539: 203-213.

Sui, X., Kiser, P. D., Che, T., Carey, P. R., Golczak, M., Shi, W., Von Lintig, J., & Palczewski, K. (2014) Analysis of carotenoid isomerase activity in a prototypical carotenoid cleavage enzyme, apocarotenoid oxygenase (ACO). J.Biol.Chem. 289: 12286-12299.

Sundaram, M. E., Labrique, A. B., Mehra, S., Ali, H., Shamim, A. A., Klemm, R. D., West, K. P., Jr., & Christian, P. (2013) Early neonatal feeding is common and associated with subsequent breastfeeding behavior in rural Bangladesh. J.Nutr. 143: 1161-1167.

Suzuki, K., Ishii, J., Kitagawa, F., Kuno, A., Kusuhara, Y., Ochiai, J., Ichino, N., Osakabe, K., Sugimoto, K., Yamada, H., Ito, Y., Hamajima, N., & Inoue, T. (2013) Association of serum carotenoid levels with N-terminal pro-brain-type natriuretic peptide: a cross-sectional study in Japan. J.Epidemiol. 23: 163-168.

Sy, C., Caris-Veyrat, C., Dufour, C., Boutaleb, M., Borel, P., & Dangles, O. (2013) Inhibition of iron-induced lipid peroxidation by newly identified bacterial carotenoids in model gastric conditions: comparison with common carotenoids. Food Funct. 4: 698-712.

Sy, C., Dangles, O., Borel, P., & Caris-Veyrat, C. (2013) Iron-induced oxidation of (all-*E*)-beta-carotene under model gastric conditions: kinetics, products, and mechanism. Free Radic.Biol.Med. 63: 195-206.

Takayama, K., Nishiko, E., Matsumoto, G., & Inakuma, T. (2013) Study on the expression of c-Fos protein in the brain of rats after ingestion of food rich in lycopene. Neurosci Lett. 536: 1-5.

Tanumihardjo, S. A. (2013) Vitamin A and bone health: the balancing act. J.Clin.Densitom. 16: 414-419.

Teixeira, V. H., Valente, H. F., Casal, S. I., Marques, F. P., & Moreira, P. A. (2013) Blood antioxidant and oxidative stress biomarkers acute responses to a 1000-m kayak sprint in elite male kayakers. J.Sports Med.Phys.Fitness. 53: 71-79.

Thurnham, D. I. & Howard, A. N. (2013) Studies on meso-zeaxanthin for potential toxicity and mutagenicity. Food Chem.Toxicol. 59: 455-463.

Tomedi, L. E., Chang, C. C., Newby, P. K., Evans, R. W., Luther, J. F., Wisner, K. L., & Bodnar, L. M.

(2013) Pre-pregnancy obesity and maternal nutritional biomarker status during pregnancy: a factor analysis. Public Health Nutr. 16: 1414-1418.

Tong, N., Zhang, W., Zhang, Z., Gong, Y., Wooten, B., & Wu, X. (2013) Inverse relationship between macular pigment optical density and axial length in Chinese subjects with myopia. Graefes Arch.Clin.Exp.Ophthalmol. 251: 1495-1500.

Tong, S. Y., Sharma-Kuinkel, B. K., Thaden, J. T., Whitney, A. R., Yang, S. J., Mishra, N. N., Rude, T., Lilliebridge, R. A., Selim, M. A., Ahn, S. H., Holt, D. C., Giffard, P. M., Bayer, A. S., Deleo, F. R., & Fowler, V. G., Jr. (2013) Virulence of endemic nonpigmented northern Australian *Staphylococcus aureus* clone (clonal complex 75, *S. argenteus*) is not augmented by staphyloxanthin. J.Infect.Dis. 208: 520-527.

Trautmann, D., Beyer, P., & Al Babili, S. (2013) The ORF slr0091 of *Synechocystis* sp. PCC6803 encodes a high-light induced aldehyde dehydrogenase converting apocarotenals and alkanals. FEBS J. 280: 3685-3696.

Trebolazabala, J., Maguregui, M., Morillas, H., de Diego, A., & Madariaga, J. M. (2013) Use of portable devices and confocal Raman spectrometers at different wavelength to obtain the spectral information of the main organic components in tomato (*Solanum lycopersicum*) fruits. Spectrochim.Acta A Mol.Biomol.Spectrosc. 105: 391-399.

Tropea, A., Gervasi, T., Melito, M. R., Lo, C. A., & Lo, C. R. (2013) Does the light influence astaxanthin production in *Xanthophyllomyces dendrorhous*? Nat.Prod.Res. 27: 647-653.

Trumbo, P. R. (2013) Comment on "nutrient reference values for bioactives: new approaches needed? A conference report" (European Journal of Nutrition, April 2013, Volume 52, Issue 1 Supplement, pp 1-9). Eur.J.Nutr. 52: 1541-0537.

Tsantarliotou, M. P., Poutahidis, T., Markala, D., Kazakos, G., Sapanidou, V., Lavrentiadou, S., Zervos, I., Taitzoglou, I., & Sinakos, Z. (2013) Crocetin administration ameliorates endotoxin-induced disseminated intravascular coagulation in rabbits. Blood Coagul.Fibrinolysis. 24: 305-310.

Tuan, P. A., Kim, J. K., Lee, S., Chae, S. C., & Park, S. U. (2013) Molecular characterization of carotenoid cleavage dioxygenases and the effect of gibberellin, abscisic acid, and sodium chloride on the expression of genes involved in the carotenoid biosynthetic pathway and carotenoid accumulation in the callus of *Scutellaria baicalensis* Georgi. J.Agric.Food Chem. 61: 5565-5572.

Tuan, P. A. & Park, S. U. (2013) Molecular cloning and characterization of cDNAs encoding carotenoid cleavage dioxygenase in bitter melon (*Momordica charantia*). J.Plant Physiol. 170: 115-120.

Turner, T., Burri, B. J., Jamil, K. M., & Jamil, M. (2013) The effects of daily consumption of beta-cryptoxanthin-rich tangerines and beta-carotene-rich sweet potatoes on vitamin A and carotenoid concentrations in plasma and breast milk of Bangladeshi women with low vitamin A status in a randomized controlled trial. Am.J.Clin.Nutr. 98: 1200-1208.

Ungureanu, C., Marchal, L., Chirvase, A. A., & Foucault, A. (2013) Centrifugal partition extraction, a new method for direct metabolites recovery from culture broth: case study of torularhodin recovery from *Rhodotorula rubra*. Bioresour.Technol. 132: 406-409.

Vachali, P. P., Besch, B. M., Gonzalez-Fernandez, F., & Bernstein, P. S. (2013) Carotenoids as possible interphotoreceptor retinoid-binding protein (IRBP) ligands: a surface plasmon resonance (SPR) based study. Arch.Biochem.Biophys. 539: 181-186.

Vahamiko, S., Isolauri, E., Poussa, T., & Laitinen, K. (2013) The impact of dietary counselling during pregnancy on vitamin intake and status of women and their children. Int.J.Food Sci.Nutr. 64: 551-560.

Vallverdu-Queralt, A., Odriozola-Serrano, I., Oms-Oliu, G., Lamuela-Raventos, R. M., Elez-Martinez, P., & Martin-Belloso, O. (2013) Impact of high-intensity pulsed electric fields on carotenoids profile of tomato juice made of moderate-intensity pulsed electric field-treated tomatoes. Food Chem. 141: 3131-3138.

van Greevenbroek, M. M., Arts, I. C., van der Kallen, C. J., Dagnelie, P. C., Ferreira, I., Jansen, E., Schalkwijk, C. G., Feskens, E. J., & Stehouwer, C. D. (2014) Complement c3 is inversely associated with habitual intake of provitamin A but not with dietary fat, fatty acids, or vitamin E in middle-aged to older white adults and positively associated with intake of retinol in middle-aged to older white women. J.Nutr. 144: 61-67.

Vance, T. M., Su, J., Fontham, E. T., Koo, S. I., & Chun, O. K. (2013) Dietary antioxidants and prostate cancer: a review. Nutr.Cancer. 65: 793-801.

Vaz, B., Otero, L., Alvarez, R., & de Lera, A. R. (2013) Total synthesis of enantiopure pyrrhoxanthin: alternative methods for the stereoselective preparation of 4-alkylidenebutenolides. Chemistry. 19: 13065-13074.

Victoria-Campos, C. I., Ornelas-Paz, J. J., Yahia, E. M., & Failla, M. L. (2013) Effect of the interaction of heat-processing style and fat type on the micellarization of lipid-soluble pigments from green and red pungent peppers (*Capsicum annuum*). J.Agric.Food Chem. 61: 3642-3653.

Vinas, P., Bravo-Bravo, M., Lopez-Garcia, I., & Hernandez-Cordoba, M. (2013) Quantification of beta-carotene, retinol, retinyl acetate and retinyl palmitate in enriched fruit juices using dispersive liquid-liquid microextraction coupled to liquid chromatography with fluorescence detection and atmospheric pressure chemical ionization-mass spectrometry. J.Chromatogr.A. 1275: 1-8.

Vishwanathan, R., Neuringer, M., Snodderly, D. M., Schalch, W., & Johnson, E. J. (2013) Macular lutein and zeaxanthin are related to brain lutein and zeaxanthin in primates. Nutr.Neurosci. 16: 21-29.

von Lintig, J. & Sies, H. (2013) Carotenoids. Arch.Biochem.Biophys. 539: 99-101.

Wagner, N. L., Greco, J. A., Enriquez, M. M., Frank, H. A., & Birge, R. R. (2013) The nature of the intramolecular charge transfer state in peridinin. Biophys.J. 104: 1314-1325.

Wahyuni, Y., Ballester, A. R., Sudarmonowati, E., Bino, R. J., & Bovy, A. G. (2013) Secondary metabolites of *Capsicum* species and their importance in the human diet. J.Nat.Prod. 76: 783-793.

Walker, L. K., Stevens, M., Karadas, F., Kilner, R. M., & Ewen, J. G. (2013) A window on the past: male ornamental plumage reveals the quality of their early-life environment. Proc.Biol.Sci. 280: 20122852.

Wand, A., Gdor, I., Zhu, J., Sheves, M., & Ruhman, S. (2013) Shedding new light on retinal protein photochemistry. Annu.Rev.Phys.Chem. 64: 437-458.

Wang, M., Zhang, J., Song, X., Liu, W., Zhang, L., Wang, X., & Lv, C. (2013) Astaxanthin ameliorates lung fibrosis *in vivo* and *in vitro* by preventing transdifferentiation, inhibiting proliferation, and promoting apoptosis of activated cells. Food Chem.Toxicol. 56: 450-458.

Wang, M. X., Jiao, J. H., Li, Z. Y., Liu, R. R., Shi, Q., & Ma, L. (2013) Lutein supplementation reduces plasma lipid peroxidation and C-reactive protein in healthy nonsmokers. Atherosclerosis. 227: 380-385.

Wang, T. T., Edwards, A. J., & Clevidence, B. A. (2013) Strong and weak plasma response to dietary carotenoids identified by cluster analysis and linked to beta-carotene 15,15'-monooxygenase 1 single nucleotide polymorphisms. J.Nutr.Biochem. 24: 1538-1546.

Wang, Y., Yang, M., Lee, S. G., Davis, C. G., Kenny, A., Koo, S. I., & Chun, O. K. (2012) Plasma total antioxidant capacity is associated with dietary intake and plasma level of antioxidants in postmenopausal women. J.Nutr.Biochem. 23: 1725-1731.

Wang, Y., Chun, O. K., & Song, W. O. (2013) Plasma and dietary antioxidant status as cardiovascular disease risk factors: a review of human studies. Nutrients. 5: 2969-3004.

Wang, Y., Gao, Y., Yu, W., Jiang, Z., Qu, J., & Li, K. (2013) Lycopene protects against LPS-induced proinflammatory cytokine cascade in HUVECs. Pharmazie. 68: 681-684.

Wang, Y. Q., Yang, Y., Fei, Z., Yuan, H., Fish, T., Thannhauser, T. W., Mazourek, M., Kochian, L. V., Wang, X., & Li, L. (2013) Proteomic analysis of chromoplasts from six crop species reveals insights into chromoplast function and development. J.Exp.Bot. 64: 949-961.

Waramboi, J. G., Gidley, M. J., & Sopade, P. A. (2013) Carotenoid contents of extruded and non-extruded sweetpotato flours from Papua New Guinea and Australia. Food Chem. 141: 1740-1746.

Wassef, L., Spiegler, E., & Quadro, L. (2013) Embryonic phenotype, beta-carotene and retinoid metabolism upon maternal supplementation of beta-carotene in a mouse model of severe vitamin A deficiency. Arch.Biochem.Biophys. 539: 223-229.

Weesepoel, Y., Vincken, J. P., Pop, R. M., Liu, K., & Gruppen, H. (2013) Sodiation as a tool for enhancing the diagnostic value of MALDI-TOF/TOF-MS spectra of complex astaxanthin ester mixtures from *Haematococcus pluvialis*. J.Mass Spectrom. 48: 862-874.

Wehrens, R., Carvalho, E., Masuero, D., de Juan, A., & Martens, S. (2013) High-throughput carotenoid profiling using multivariate curve resolution. Anal.Bioanal.Chem. 405: 5075-5086.

Weinstein, S. J., Virtamo, J., & Albanes, D. (2013) Pigmentation-related phenotypes and risk of prostate cancer. Br.J.Cancer. 109: 747-750.

Williams, A. A., Selvaraj, J., Srinivasan, C., Sathish, S., Rajesh, P., Balaji, V., Arunakaran, J., & Balasubramanian, K. (2013) Protective role of lycopene against Aroclor 1254-induced changes on GLUT4 in the skeletal muscles of adult male rat. Drug Chem.Toxicol. 36: 320-328.

Witkowska, A., Zujko, M. E., & Mironczuk-Chodakowska, I. (2013) The effect of a Mediterranean diet model on serum beta-carotene concentration. A preliminary assessment. Rocz.Panstw.Zakl.Hig. 64: 123-127.

Wong, J. Y., Matanjun, P., Ooi, Y. B., & Chia, K. F. (2013) Characterization of phenolic compounds, carotenoids, vitamins and antioxidant activities of selected Malaysian wild edible plants. Int.J.Food Sci.Nutr. 64: 621-631.

Woodside, J. V., Young, I. S., Gilchrist, S. E., Vioque, J., Chakravarthy, U., de Jong, P. T., Rahu, M., Seland, J., Soubrane, G., Tomazzoli, L., Topouzis, F., Vingerling, J. R., & Fletcher, A. E. (2013) Factors associated with serum/plasma concentrations of vitamins A, C, E and carotenoids in older people throughout Europe: the EUREYE study. Eur.J.Nutr. 52: 1493-1501.

Wriessnegger, T. & Pichler, H. (2013) Yeast metabolic engineering--targeting sterol metabolism and terpenoid formation. Prog.Lipid Res. 52: 277-293.

Xie, C., Meng, M., Yin, X., He, F., Ye, H., & Xie, D. (2013) [Effects of astaxanthin on renal fibrosis and cell apoptosis induced by partial unilateral ureteral obstruction in rats]. Nan.Fang Yi.Ke.Da.Xue.Xue.Bao. 33: 305-308.

Xu, D., Yuan, F., Gao, Y., McClements, D. J., & Decker, E. A. (2013) Influence of pH, metal chelator, free radical scavenger and interfacial characteristics on the oxidative stability of beta-carotene in conjugated whey protein-pectin stabilised emulsion. Food Chem. 139: 1098-1104.

Xu, Y. & Pan, S. (2013) Effects of various factors of ultrasonic treatment on the extraction yield of all-*trans*-lycopene from red grapefruit (*Citrus paradise* Macf.). Ultrason.Sonochem. 20: 1026-1032.

Xue, F., Li, C., & Pan, S. (2013) *In vivo* antioxidant activity of carotenoid powder from tomato byproduct and its use as a source of carotenoids for egg-laying hens. Food Funct. 4: 610-617.

Yang, T., Yang, X., Wang, X., Wang, Y., & Song, Z. (2013) The role of tomato products and lycopene in the prevention of gastric cancer: a meta-analysis of epidemiologic studies. Med.Hypotheses. 80: 383-388.

Yang, U. J., Park, T. S., & Shim, S. M. (2013) Protective effect of chlorophyllin and lycopene from water spinach extract on cytotoxicity and oxidative stress induced by heavy metals in human hepatoma cells. J.Toxicol.Environ.Health A. 76: 1307-1315.

Yao, Y., Qiu, Q. H., Wu, X. W., Cai, Z. Y., Xu, S., & Liang, X. Q. (2013) Lutein supplementation improves visual performance in Chinese drivers: 1-year randomized, double-blind, placebo-controlled study. Nutrition. 29: 958-964.

Ye, Q., Zhang, X., Huang, B., Zhu, Y., & Chen, X. (2013) Astaxanthin suppresses MPP(+)-induced oxidative damage in PC12 cells through a Sp1/NR1 signaling pathway. Mar.Drugs. 11: 1019-1034.

Ye, Y., Li, J., & Yuan, Z. (2013) Effect of antioxidant vitamin supplementation on cardiovascular outcomes: a meta-analysis of randomized controlled trials. PLoS.ONE. 8: e56803.

Yegin, S. C., Yur, F., & Ceylan, E. (2013) Effect of lycopene application in rats with experimental diabetes using lipoprotein, paraoxonase and cytokines. J.Membr.Biol. 246: 621-626.

Yi, F., He, X., & Wang, D. (2013) Lycopene protects against MPP(+)-induced cytotoxicity by maintaining mitochondrial function in SH-SY5Y cells. Neurochem.Res. 38: 1747-1757.

Yonar, M. E. (2013) Protective effect of lycopene on oxidative stress and antioxidant status in *Cyprinus carpio* during cypermethrin exposure. Environ.Toxicol. 28: 609-616.

Yonar, S. M. (2013) Toxic effects of malathion in carp, *Cyprinus carpio carpio*: protective role of lycopene. Ecotoxicol.Environ.Saf. 97: 223-229.

Yonova-Doing, E., Hysi, P. G., Venturini, C., Williams, K. M., Nag, A., Beatty, S., Liew, S. H., Gilbert, C. E., & Hammond, C. J. (2013) Candidate gene study of macular response to supplemental lutein and zeaxanthin. Exp.Eye Res. 115: 172-177.

Yoo, C., Choi, G. G., Kim, S. C., & Oh, H. M. (2013) *Ettlia* sp. YC001 showing high growth rate and lipid content under high $CO_2$. Bioresour.Technol. 127: 482-488.

Yoon, K. D., Kang, S. N., Bae, J. Y., Lee, H. S., Kwak, S. S., Jang, I., Kim, I. S., Lee, C. H., Bae, J. M., Lee, S. W., & Ahn, M. J. (2013) Enhanced antioxidant and protective activities on retinal ganglion cells of carotenoids-overexpressing transgenic carrot. Curr.Drug Targets. 14: 999-1005.

Yu, H., Wark, L., Ji, H., Willard, L., Jaing, Y., Han, J., He, H., Ortiz, E., Zhang, Y., Medeiros, D. M., & Lin, D. (2013) Dietary wolfberry upregulates carotenoid metabolic genes and enhances mitochondrial biogenesis in the retina of db/db diabetic mice. Mol.Nutr.Food Res. 57: 1158-1169.

Yu, L. J. & Rupasinghe, H. P. (2013) Improvement of cloud stability, yield and beta-carotene content of carrot juice by process modification. Food Sci.Technol.Int. 19: 399-406.

Zawadzki, F., do, P., I, & Prache, S. (2013) Influence of level of barley supplementation on plasma carotenoid content and fat spectrocolorimetric characteristics in lambs fed a carotenoid-rich diet. Meat.Sci. 94: 297-303.

Zhang, Y. & Zhong, Q. (2013) Probing the binding between norbixin and dairy proteins by spectroscopy methods. Food Chem. 139: 611-616.

Zhao, H., Gu, H., Zhang, H., Li, J. H., & Zhao, W. E. (2014) PPARgamma-dependent pathway in the growth-inhibitory effects of K562 cells by carotenoids in combination with rosiglitazone. Biochim.Biophys.Acta. 1840: 545-555.

Zhao, J., Li, Q., Sun, T., Zhu, X., Xu, H., Tang, J., Zhang, X., & Ma, Y. (2013) Engineering central metabolic modules of *Escherichia coli* for improving beta-carotene production. Metab Eng. 17: 42-50.

Zheng, Y. T., Toyofuku, M., Nomura, N., & Shigeto, S. (2013) Correlation of carotenoid accumulation with aggregation and biofilm development in *Rhodococcus* sp. SD-74. Anal.Chem. 85: 7295-7301.

Zou, T. B., Jia, Q., Li, H. W., Wang, C. X., & Wu, H. F. (2013) Response surface methodology for ultrasound-assisted extraction of astaxanthin from *Haematococcus pluvialis*. Mar.Drugs. 11: 1644-1655.