CARIG Literature Citations - December 2010

(2009) Macular pigment and healthy vision. Optometry. 80: 592-598.

Aherne, S. A., Jiwan, M. A., Daly, T., & O'Brien, N. M. (2009) Geographical location has greater impact on carotenoid content and bioaccessibility from tomatoes than variety. Plant Foods Hum.Nutr. 64: 250-256.

Ahrazem, O., Rubio-Moraga, A., Lopez, R. C., & Gomez-Gomez, L. (2010) The expression of a chromoplast-specific lycopene beta cyclase gene is involved in the high production of saffron's apocarotenoid precursors. J.Exp.Bot. 61: 105-119.

Aizawa, K. & Inakuma, T. (2009) Dietary capsanthin, the main carotenoid in paprika (*Capsicum annuum*), alters plasma high-density lipoprotein-cholesterol levels and hepatic gene expression in rats. Br.J.Nutr. 102: 1760-1766.

Albermann, C., Trachtmann, N., & Sprenger, G. A. (2010) A simple and reliable method to conduct and monitor expression cassette integration into the *Escherichia coli* chromosome. Biotechnol.J. 5: 32-38.

Alonso-Alvarez, C., Perez-Rodriguez, L., Garcia, J. T., Vinuela, J., & Mateo, R. (2010) Age and breeding effort as sources of individual variability in oxidative stress markers in a bird species. Physiol Biochem.Zool. 83: 110-118.

Alshatwi, A. A., Al Obaaid, M. A., Al Sedairy, S. A., Al Assaf, A. H., Zhang, J. J., & Lei, K. Y. (2010) Tomato powder is more protective than lycopene supplement against lipid peroxidation in rats. Nutr.Res. 30: 66-73.

Amarie, S., Lupo, D., Lenz, M. O., Saegesser, R., Ghosh, R., & Wachtveitl, J. (2010) Excitation energy pathways in the photosynthetic units of reaction center LM- and H-subunit deletion mutants of *Rhodospirillum rubrum*. Photosynth.Res. 103: 141-151.

Amunts, A., Toporik, H., Borovikova, A., & Nelson, N. (2010) Structure determination and improved model of plant photosystem I. J.Biol.Chem. 285: 3478-3486.

An, L., Dong, G. Q., Gao, Q., Zhang, Y., Hu, L. W., Li, J. H., & Liu, Y. (2010) Effects of UVA on TNF-alpha, IL-1beta, and IL-10 expression levels in human keratinocytes and intervention studies with an antioxidant and a JNK inhibitor. Photodermatol.Photoimmunol.Photomed. 26: 28-35.

Andic, F., Garipagaoglu, M., Yurdakonar, E., Tuncel, N., & Kucuk, O. (2009) Lycopene in the prevention of gastrointestinal toxicity of radiotherapy. Nutr.Cancer. 61: 784-788.

Aparicio-Ruiz, R., Gandul-Rojas, B., & Roca, M. (2009) Pigment profile in non-Spanish olive varieties (*Olea europaea* L. Var. Coratina, Frantoio, and Koroneiki). J.Agric.Food Chem. 57: 10831-10836.

Arroyave, G. & Mejia, L. A. (2010) Five decades of vitamin A studies in the region of Central America and Panama. Food Nutr.Bull. 31: 118-129.

Arscott, S. A., Simon, P. W., & Tanumihardjo, S. A. (2010) Anthocyanins in purple-orange carrots (*Daucus carota* L.) do not influence the bioavailability of beta-carotene in young women. J.Agric.Food Chem. 58: 2877-2881.

Arscott, S. A., Howe, J. A., Davis, C. R., & Tanumihardjo, S. A. (2010) Carotenoid profiles in

provitamin A-containing fruits and vegetables affect the bioefficacy in Mongolian gerbils. Exp.Biol.Med.(Maywood.). 235: 839-848.

Asdaq, S. M. & Inamdar, M. N. (2010) Potential of *Crocus sativus* (saffron) and its constituent, crocin, as hypolipidemic and antioxidant in rats. Appl.Biochem.Biotechnol. 162: 358-372.

Augusti, P. R., Conterato, G. M., Somacal, S., Sobieski, R., Quatrin, A., Maurer, L., Rocha, M. P., Denardin, I. T., & Emanuelli, T. (2009) Astaxanthin reduces oxidative stress, but not aortic damage in atherosclerotic rabbits. J.Cardiovasc.Pharmacol.Ther. 14: 314-322.

Barcelos, G. R., Angeli, J. P., Serpeloni, J. M., Rocha, B. A., Mantovani, M. S., & Antunes, L. M. (2009) Effect of annatto on micronuclei induction by direct and indirect mutagens in HepG2 cells. Environ.Mol.Mutagen. 50: 808-814.

Barim, O. & Karatepe, M. (2010) The effects of pollution on the vitamins A, E, C, beta-carotene contents and oxidative stress of the freshwater crayfish, *Astacus leptodactylus*. Ecotoxicol.Environ.Saf. 73: 138-142.

Bassene, J. B., Froelicher, Y., Dhuique-Mayer, C., Mouhaya, W., Ferrer, R. M., Ancillo, G., Morillon, R., Navarro, L., & Ollitrault, P. (2009) Non-additive phenotypic and transcriptomic inheritance in a citrus allotetraploid somatic hybrid between *C. reticulata* and *C. limon*: the case of pulp carotenoid biosynthesis pathway. Plant Cell Rep. 28: 1689-1697.

Becatti, E., Petroni, K., Giuntini, D., Castagna, A., Calvenzani, V., Serra, G., Mensuali-Sodi, A., Tonelli, C., & Ranieri, A. (2009) Solar UV-B radiation influences carotenoid accumulation of tomato fruit through both ethylene-dependent and -independent mechanisms. J.Agric.Food Chem. 57: 10979-10989.

Beisel, K. G., Jahnke, S., Hofmann, D., Koppchen, S., Schurr, U., & Matsubara, S. (2010) Continuous turnover of carotenes and chlorophyll a in mature leaves of *Arabidopsis* revealed by $^{14}CO_2$ pulse-chase labeling. Plant Physiol. 152: 2188-2199.

Bentz, B. G., Diaz, J., Ring, T. A., Wade, M., Kennington, K., Burnett, D. M., McClane, R., & Fitzpatrick, F. A. (2010) Fiberoptic resonance Raman spectroscopy to measure carotenoid oxidative breakdown in live tissues. Cancer Prev.Res.(Phila Pa). 3: 529-538.

Beppu, F., Niwano, Y., Sato, E., Kohno, M., Tsukui, T., Hosokawa, M., & Miyashita, K. (2009) *In vitro* and *in vivo* evaluation of mutagenicity of fucoxanthin (FX) and its metabolite fucoxanthinol (FXOH). J.Toxicol.Sci. 34: 693-698.

Beppu, F., Niwano, Y., Tsukui, T., Hosokawa, M., & Miyashita, K. (2009) Single and repeated oral dose toxicity study of fucoxanthin (FX), a marine carotenoid, in mice. J.Toxicol.Sci. 34: 501-510.

Bertoia, M., Albanes, D., Mayne, S. T., Mannisto, S., Virtamo, J., & Wright, M. E. (2010) No association between fruit, vegetables, antioxidant nutrients and risk of renal cell carcinoma. Int.J.Cancer. 126: 1504-1512.

Bettler, J., Zimmer, J. P., Neuringer, M., & DeRusso, P. A. (2010) Serum lutein concentrations in healthy term infants fed human milk or infant formula with lutein. Eur.J.Nutr. 49: 45-51.

Biard, C., Gil, D., Karadas, F., Saino, N., Spottiswoode, C. N., Surai, P. F., & Moller, A. P. (2009) Maternal effects mediated by antioxidants and the evolution of carotenoid-based signals in birds. Am.Nat. 174: 696-708.

Blas, A. L., Ming, R., Liu, Z., Veatch, O. J., Paull, R. E., Moore, P. H., & Yu, Q. (2010) Cloning of the papaya chromoplast-specific lycopene beta-cyclase, CpCYC-b, controlling fruit flesh color reveals conserved microsynteny and a recombination hot spot. Plant Physiol. 152: 2013-2022.

Bolling, B. W., McKay, D. L., & Blumberg, J. B. (2010) The phytochemical composition and antioxidant actions of tree nuts. Asia Pac.J.Clin.Nutr. 19: 117-123.

Boon, C. S., McClements, D. J., Weiss, J., & Decker, E. A. (2010) Factors influencing the chemical stability of carotenoids in foods. Crit Rev.Food Sci.Nutr. 50: 515-532.

Brinkman, M. T., Karagas, M. R., Zens, M. S., Schned, A., Reulen, R. C., & Zeegers, M. P. (2010) Minerals and vitamins and the risk of bladder cancer: results from the New Hampshire Study. Cancer Causes Control. 21: 609-619.

Burri, B. J., Nguyen, T., & Neidlinger, T. R. (2010) Absorption estimates improve the validity of the relationship between dietary and serum lycopene. Nutrition. 26: 82-89.

Camara, M., Torrecilla, J. S., Caceres, J. O., Sanchez Mata, M. C., & Fernandez-Ruiz, V. (2010) Neural network analysis of spectroscopic data of lycopene and beta-carotene content in food samples compared to HPLC-UV-vis. J.Agric.Food Chem. 58: 72-75.

Campbell, M. K., Carr, C., Devellis, B., Switzer, B., Biddle, A., Amamoo, M. A., Walsh, J., Zhou, B., & Sandler, R. (2009) A randomized trial of tailoring and motivational interviewing to promote fruit and vegetable consumption for cancer prevention and control. Ann.Behav.Med. 38: 71-85.

Canovas, R., Cypel, M., Farah, M. E., & Belfort, R., Jr. (2009) [Macular pigments]. Arq Bras.Oftalmol. 72: 839-844.

Canovas, R., Lima, V. C., Garcia, P., Morini, C., Prata, T. S., & Rosen, R. B. (2010) Comparison between macular pigment optical density measurements using two-wavelength autofluorescence and heterochromatic flicker photometry techniques. Invest Ophthalmol.Vis.Sci. 51: 3152-3156.

Capeding, R., Gepanayao, C. P., Calimon, N., Lebumfacil, J., Davis, A. M., Stouffer, N., & Harris, B. J. (2010) Lutein-fortified infant formula fed to healthy term infants: evaluation of growth effects and safety. Nutr.J. 9:22.: 22.

Cardoso, G. C. & Mota, P. G. (2010) Evolution of female carotenoid coloration by sexual constraint in *Carduelis* finches. BMC.Evol.Biol. 10:82.: 82.

Cassileth, B. (2010) Lycopene. Oncology (Williston.Park). 24: 296.

Cazzonelli, C. I. & Pogson, B. J. (2010) Source to sink: regulation of carotenoid biosynthesis in plants. Trends Plant Sci. 15: 266-274.

Ceron-Carrasco, J. P., Bastida, A., Requena, A., Zuniga, J., & Miguel, B. (2010) A theoretical study of the reaction of beta-carotene with the nitrogen dioxide radical in solution. J.Phys.Chem B. 114: 4366-4372.

Ceron-Garcia, M. C., Campos-Perez, I., Macias-Sanchez, M. D., Bermejo-Roman, R., Fernandez-Sevilla, J. M., & Molina-Grima, E. (2010) Stability of carotenoids in *Scenedesmus almeriensis* biomass and extracts under various storage conditions. J.Agric.Food Chem. 58: 6944-6950.

Cervi, D., Pak, B., Venier, N. A., Sugar, L. M., Nam, R. K., Fleshner, N. E., Klotz, L. H., &

Venkateswaran, V. (2010) Micronutrients attenuate progression of prostate cancer by elevating the endogenous inhibitor of angiogenesis, platelet factor-4. BMC.Cancer. 10:258.: 258.

Cha, K. H., Lee, H. J., Koo, S. Y., Song, D. G., Lee, D. U., & Pan, C. H. (2010) Optimization of pressurized liquid extraction of carotenoids and chlorophylls from *Chlorella vulgaris*. J.Agric.Food Chem. 58: 793-797.

Chabera, P., Fuciman, M., Hribek, P., & Polivka, T. (2009) Effect of carotenoid structure on excited-state dynamics of carbonyl carotenoids. Phys.Chem Chem Phys. 11: 8795-8803.

Chaiter, Y., Gruber, S. B., Ben Amotz, A., Almog, R., Rennert, H. S., Fischler, R., Rozen, G., & Rennert, G. (2009) Smoking attenuates the negative association between carotenoids consumption and colorectal cancer risk. Cancer Causes Control. 20: 1327-1338.

Chandrika, U. G., Fernando, K. S., & Ranaweera, K. K. (2009) Carotenoid content and *in vitro* bioaccessibility of lycopene from guava (*Psidium guajava*) and watermelon (*Citrullus lanatus*) by high-performance liquid chromatography diode array detection. Int.J.Food Sci.Nutr. 60: 558-566.

Chang, C. H., Chen, C. Y., Chiou, J. Y., Peng, R. Y., & Peng, C. H. (2010) Astaxanthine secured apoptotic death of PC12 cells induced by beta-amyloid peptide 25-35: its molecular action targets. J.Med.Food. 13: 548-556.

Chaudhary, N., Nijhawan, A., Khurana, J. P., & Khurana, P. (2010) Carotenoid biosynthesis genes in rice: structural analysis, genome-wide expression profiling and phylogenetic analysis. Mol.Genet.Genomics. 283: 13-33.

Chauveau-Duriot, B., Doreau, M., Noziere, P., & Graulet, B. (2010) Simultaneous quantification of carotenoids, retinol, and tocopherols in forages, bovine plasma, and milk: validation of a novel UPLC method. Anal.Bioanal.Chem. 397: 777-790.

Chavez-Cabrera, C., Flores-Bustamante, Z. R., Marsch, R., Montes, M. C., Sanchez, S., Cancino-Diaz, J. C., & Flores-Cotera, L. B. (2010) ATP-citrate lyase activity and carotenoid production in batch cultures of *Phaffia rhodozyma* under nitrogen-limited and nonlimited conditions. Appl.Microbiol.Biotechnol. 85: 1953-1960.

Checkley, W., West, K. P., Jr., Wise, R. A., Baldwin, M. R., Wu, L., LeClerq, S. C., Christian, P., Katz, J., Tielsch, J. M., Khatry, S., & Sommer, A. (2010) Maternal vitamin A supplementation and lung function in offspring. N.Engl.J.Med. 362: 1784-1794.

Chen, C. P., Hung, C. F., Lee, S. C., Lo, H. M., Wu, P. H., & Wu, W. B. (2010) Lycopene binding compromised PDGF-AA/-AB signaling and migration in smooth muscle cells and fibroblasts: prediction of the possible lycopene binding site within PDGF. Naunyn Schmiedebergs Arch.Pharmacol. 381: 401-414.

Chen, Y., Li, F., & Wurtzel, E. T. (2010) Isolation and characterization of the Z-ISO gene encoding a missing component of carotenoid biosynthesis in plants. Plant Physiol. 153: 66-79.

Cheong, J. N., Mirhosseini, H., & Tan, C. P. (2010) Effect of polyoxyethylene sorbitan esters and sodium caseinate on physicochemical properties of palm-based functional lipid nanodispersions. Int.J.Food Sci.Nutr. 61: 417-424.

Chiang, S. S., Tai, C. W., Chung, C. J., Shiue, H. S., Chen, J. B., Su, C. T., & Hsueh, Y. M. (2010) Micronutrients and lifestyles in Taiwanese patients with stage 3 to 5 chronic kidney disease. Nutrition.

26: 276-282.

Chiplonkar, S. A. & Tupe, R. (2010) Development of a diet quality index with special reference to micronutrient adequacy for adolescent girls consuming a lacto-vegetarian diet. J.Am.Diet.Assoc. 110: 926-931.

Choi, H. S., Lee, S. Y., Kim, T. Y., & Woo, H. M. (2010) *In silico* identification of gene amplification targets for improvement of lycopene production. Appl.Environ.Microbiol. 76: 3097-3105.

Codoner-Franch, P., Boix-Garcia, L., Simo-Jorda, R., Castillo-Villaescusa, C., Maset-Maldonado, J., & Valls-Belles, V. (2010) Is obesity associated with oxidative stress in children? Int.J.Pediatr.Obes. 5: 56-63.

Cohen, A. A., McGraw, K. J., & Robinson, W. D. (2009) Serum antioxidant levels in wild birds vary in relation to diet, season, life history strategy, and species. Oecologia. 161: 673-683.

Cohen, S. Y., Mauget-Faysse, M., Oubraham, H., Algan, M., Conrath, J., & Roquet, W. (2010) [Impact of eating habits on macular pathology assessed by macular pigment optical density measure]. J.Fr.Ophtalmol. 33: 234-240.

Cong, L., Wang, C., Chen, L., Liu, H., Yang, G., & He, G. (2009) Expression of phytoene synthase1 and carotene desaturase crtI genes result in an increase in the total carotenoids content in transgenic elite wheat (*Triticum aestivum* L.). J.Agric.Food Chem. 57: 8652-8660.

Connolly, E. E., Beatty, S., Thurnham, D. I., Loughman, J., Howard, A. N., Stack, J., & Nolan, J. M. (2010) Augmentation of macular pigment following supplementation with all three macular carotenoids: an exploratory study. Curr.Eye Res. 35: 335-351.

Cote, J., Arnoux, E., Sorci, G., Gaillard, M., & Faivre, B. (2010) Age-dependent allocation of carotenoids to coloration versus antioxidant defences. J.Exp.Biol. 213: 271-277.

Cote, J., Meylan, S., Clobert, J., & Voituron, Y. (2010) Carotenoid-based coloration, oxidative stress and corticosterone in common lizards. J.Exp.Biol. 213: 2116-2124.

Coyne, T., Ibiebele, T. I., Baade, P. D., McClintock, C. S., & Shaw, J. E. (2009) Metabolic syndrome and serum carotenoids: findings of a cross-sectional study in Queensland, Australia. Br.J.Nutr. 102: 1668-1677.

Cranganu, A. & Camporeale, J. (2009) Nutrition aspects of lung cancer. Nutr.Clin.Pract. 24: 688-700.

Curek, G. D., Cort, A., Yucel, G., Demir, N., Ozturk, S., Elpek, G. O., Savas, B., & Aslan, M. (2010) Effect of astaxanthin on hepatocellular injury following ischemia/reperfusion. Toxicology. 267: 147-153.

Dadali, V. A., Tutel'ian, V. A., Dadali, I., & Kravchenko, L. V. (2010) [Carotenoids. Bioavailability, biotransformation, antioxidant properties]. Vopr.Pitan. 79: 4-18.

Daley, C. A., Abbott, A., Doyle, P. S., Nader, G. A., & Larson, S. (2010) A review of fatty acid profiles and antioxidant content in grass-fed and grain-fed beef. Nutr.J. 9:10..

Darvin, M. E., Fluhr, J. W., Caspers, P., van der, P. A., Richter, H., Patzelt, A., Sterry, W., & Lademann, J. (2009) *In vivo* distribution of carotenoids in different anatomical locations of human skin: comparative assessment with two different Raman spectroscopy methods. Exp.Dermatol. 18:

1060-1063.

Darvin, M. E., Sterry, W., & Lademann, J. (2010) Resonance Raman spectroscopy as an effective tool for the determination of antioxidative stability of cosmetic formulations. J.Biophotonics. 3: 82-88.

Darvin, M. E., Haag, S., Meinke, M., Zastrow, L., Sterry, W., & Lademann, J. (2010) Radical production by infrared A irradiation in human tissue. Skin Pharmacol.Physiol. 23: 40-46.

Day, R. M., Matus, I. A., Suzuki, Y. J., Yeum, K. J., Qin, J., Park, A. M., Jain, V., Kuru, T., & Tang, G. (2009) Plasma levels of retinoids, carotenoids and tocopherols in patients with mild obstructive sleep apnoea. Respirology. 14: 1134-1142.

Deat, E., Blanquet-Diot, S., Jarrige, J. F., Denis, S., Beyssac, E., & Alric, M. (2009) Combining the dynamic TNO-gastrointestinal tract system with a Caco-2 cell culture model: application to the assessment of lycopene and alpha-tocopherol bioavailability from a whole food. J.Agric.Food Chem. 57: 11314-11320.

del Cerro, S., Merino, S., Martinez-de la Puente, J., Lobato, E., Ruiz-de-Castaneda, R., Rivero-de Aguilar, J., Martinez, J., Morales, J., Tomas, G., & Moreno, J. (2010) Carotenoid-based plumage colouration is associated with blood parasite richness and stress protein levels in blue tits (*Cyanistes caeruleus*). Oecologia. 162: 825-835.

Delhey, K., Roberts, M. L., & Peters, A. (2010) The carotenoid-continuum: carotenoid-based plumage ranges from conspicuous to cryptic and back again. BMC.Ecol. 10:13.: 13.

Del Rio, D., Valtuena, S., Pellegrini, N., Bianchi, M. A., Ardigo, D., Franzini, L., Scazzina, F., Monti, L., Zavaroni, I., & Brighenti, F. (2009) Intervention study with a high or low antioxidant capacity diet: effects on circulating beta-carotene. Eur.J.Clin.Nutr. 63: 1220-1225.

Dermiki, M., Bourquin, A. L., & Jauregi, P. (2010) Separation of astaxanthin from cells of *Phaffia rhodozyma* using colloidal gas aphrons in a flotation column. Biotechnol.Prog. 26: 477-487.

Devore, E. E., Grodstein, F., van Rooij, F. J., Hofman, A., Stampfer, M. J., Witteman, J. C., & Breteler, M. M. (2010) Dietary antioxidants and long-term risk of dementia. Arch.Neurol. 67: 819-825.

Dhuique-Mayer, C., Fanciullino, A. L., Dubois, C., & Ollitrault, P. (2009) Effect of genotype and environment on citrus juice carotenoid content. J.Agric.Food Chem. 57: 9160-9168.

Di Valentin, M., Biasibetti, F., Ceola, S., & Carbonera, D. (2009) Identification of the sites of chlorophyll triplet quenching in relation to the structure of LHC-II from higher plants. Evidence from EPR spectroscopy. J.Phys.Chem B. 113: 13071-13078.

Dias, C. D., Araujo, B. C., Dutra, E. S., & Nepomuceno, J. C. (2009) Protective effects of beta-carotene against the genotoxicity of doxorubicin in somatic cells of *Drosophila melanogaster*. Genet.Mol.Res. 8: 1367-1375.

Dias, M. C., Vieiralves, N. F., Gomes, M. I., Salvadori, D. M., Rodrigues, M. A., & Barbisan, L. F. (2010) Effects of lycopene, synbiotic and their association on early biomarkers of rat colon carcinogenesis. Food Chem Toxicol. 48: 772-780.

Dias, M. G., Oliveira, L., Camoes, M. F., Nunes, B., Versloot, P., & Hulshof, P. J. (2010) Critical assessment of three high performance liquid chromatography analytical methods for food carotenoid quantification. J.Chromatogr.A. 1217: 3494-3502.

Dimitrova, S., Pavlova, K., Lukanov, L., & Zagorchev, P. (2010) Synthesis of coenzyme Q10 and beta-carotene by yeasts isolated from antarctic soil and lichen in response to ultraviolet and visible radiations. Appl.Biochem.Biotechnol. 162: 795-804.

Distefano, G., Las, C. G., Caruso, M., Todaro, A., Rapisarda, P., La Malfa, S., Gentile, A., & Tribulato, E. (2009) Physiological and molecular analysis of the maturation process in fruits of Clementine Mandarin and one of its late-ripening mutants. J.Agric.Food Chem. 57: 7974-7982.

Djuric, Z., Ellsworth, J. S., Ren, J., Sen, A., & Ruffin, M. T. (2010) A randomized feasibility trial of brief telephone counseling to increase fruit and vegetable intakes. Prev.Med. 50: 265-271.

Druesne-Pecollo, N., Latino-Martel, P., Norat, T., Barrandon, E., Bertrais, S., Galan, P., & Hercberg, S. (2010) Beta-carotene supplementation and cancer risk: a systematic review and metaanalysis of randomized controlled trials. Int.J.Cancer. 127: 172-184.

Ebo, D. G., Ingelbrecht, S., Bridts, C. H., & Stevens, W. J. (2009) Allergy for cheese: evidence for an IgE-mediated reaction from the natural dye annatto. Allergy. 64: 1558-1560.

Eeva, T., Helle, S., Salminen, J. P., & Hakkarainen, H. (2010) Carotenoid composition of invertebrates consumed by two insectivorous bird species. J.Chem Ecol. 36: 608-613.

Ejoh, R. A., Dever, J. T., Mills, J. P., & Tanumihardjo, S. A. (2010) Small quantities of carotenoid-rich tropical green leafy vegetables indigenous to Africa maintain vitamin A status in Mongolian gerbils (*Meriones unguiculatus*). Br.J.Nutr. 103: 1594-1601.

El Sheekh, M. M., Mahmoud, Y. A., Abo-Shady, A. M., & Hamza, W. (2010) Efficacy of *Rhodotorula glutinis* and *Spirulina platensis* carotenoids in immunopotentiation of mice infected with *Candida albicans* SC5314 and *Pseudomonas aeruginosa* 35. Folia Microbiol.(Praha). 55: 61-67.

Enfissi, E. M., Barneche, F., Ahmed, I., Lichtle, C., Gerrish, C., McQuinn, R. P., Giovannoni, J. J., Lopez-Juez, E., Bowler, C., Bramley, P. M., & Fraser, P. D. (2010) Integrative transcript and metabolite analysis of nutritionally enhanced DE-ETIOLATED1 downregulated tomato fruit. Plant Cell. 22: 1190-1215.

Eroglu, E. & Melis, A. (2010) Extracellular terpenoid hydrocarbon extraction and quantitation from the green microalgae *Botryococcus braunii* var. Showa. Bioresour.Technol. 101: 2359-2366.

Ervin, R. B. & Dye, B. A. (2009) The effect of functional dentition on Healthy Eating Index scores and nutrient intakes in a nationally representative sample of older adults. J.Public Health Dent. 69: 207-216.

Failla, M. L., Thakkar, S. K., & Kim, J. Y. (2009) *In vitro* bioaccessibility of beta-carotene in orange fleshed sweet potato (*Ipomoea batatas*, Lam.). J.Agric.Food Chem. 57: 10922-10927.

Fang, C. J., Ku, K. L., Lee, M. H., & Su, N. W. (2010) Influence of nutritive factors on C50 carotenoids production by *Haloferax mediterranei* ATCC 33500 with two-stage cultivation. Bioresour.Technol. 101: 6487-6493.

Feng, D., Ling, W. H., & Duan, R. D. (2010) Lycopene suppresses LPS-induced NO and IL-6 production by inhibiting the activation of ERK, p38MAPK, and NF-kappaB in macrophages. Inflamm.Res. 59: 115-121.

Fernandez-Garcia, E., Carvajal-Lerida, I., & Perez-Galvez, A. (2009) *In vitro* bioaccessibility

assessment as a prediction tool of nutritional efficiency. Nutr.Res. 29: 751-760.

Fernandez-Garcia, E., Carvajal-Lerida, I., Rincon, F., Rios, J. J., & Perez-Galvez, A. (2010) *In vitro* intestinal absorption of carotenoids delivered as molecular inclusion complexes with beta-cyclodextrin is not inhibited by high-density lipoproteins. J.Agric.Food Chem. 58: 3213-3221.

Fernandez-Marin, B., Balaguer, L., Esteban, R., Becerril, J. M., & Garcia-Plazaola, J. I. (2009) Dark induction of the photoprotective xanthophyll cycle in response to dehydration. J.Plant Physiol. 166: 1734-1744.

Fernandez-Marin, B., Becerril, J. M., & Garcia-Plazaola, J. I. (2010) Unravelling the roles of desiccation-induced xanthophyll cycle activity in darkness: a case study in *Lobaria pulmonaria*. Planta. 231: 1335-1342.

Fiedor, J., Pilch, M., & Fiedor, L. (2009) Tuning the thermodynamics of association of transmembrane helices. J.Phys.Chem B. 113: 12831-12838.

Floch, M. H. (2009) Annatto, diet, and the irritable bowel syndrome. J.Clin.Gastroenterol. 43: 905-906.

Fuciman, M., Chabera, P., Zupcanova, A., Hribek, P., Arellano, J. B., Vacha, F., Psencik, J., & Polivka, T. (2010) Excited state properties of aryl carotenoids. Phys.Chem Chem Phys. 12: 3112-3120.

Fukatsu, T. (2010) Evolution. A fungal past to insect color. Science. 328: 574-575.

Galano, A., Vargas, R., & Martinez, A. (2010) Carotenoids can act as antioxidants by oxidizing the superoxide radical anion. Phys.Chem Chem Phys. 12: 193-200.

Garcia-Rojas, P., Antaramian, A., Gonzalez-Davalos, L., Villarroya, F., Shimada, A., Varela-Echavarria, A., & Mora, O. (2010) Induction of peroxisomal proliferator-activated receptor gamma and peroxisomal proliferator-activated receptor gamma coactivator 1 by unsaturated fatty acids, retinoic acid, and carotenoids in preadipocytes obtained from bovine white adipose tissue. J.Anim Sci. 88: 1801-1808.

Garcia, A. L., Mohan, R., Koebnick, C., Bub, A., Heuer, T., Strassner, C., Groeneveld, M. J., Katz, N., Elmadfa, I., Leitzmann, C., & Hoffmann, I. (2010) Plasma beta-carotene is not a suitable biomarker of fruit and vegetable intake in german subjects with a long-term high consumption of fruits and vegetables. Ann.Nutr.Metab. 56: 23-30.

Garner, S. R., Neff, B. D., & Bernards, M. A. (2010) Dietary carotenoid levels affect carotenoid and retinoid allocation in female Chinook salmon *Oncorhynchus tshawytscha*. J.Fish.Biol. 76: 1474-1490.

Garrido-Fernandez, J., Maldonado-Barragan, A., Caballero-Guerrero, B., Hornero-Mendez, D., & Ruiz-Barba, J. L. (2010) Carotenoid production in *Lactobacillus plantarum*. Int.J.Food Microbiol. 140: 34-39.

Gerhauser, C., Klimo, K., Hummer, W., Holzer, J., Petermann, A., Garreta-Rufas, A., Bohmer, F. D., & Schreier, P. (2009) Identification of 3-hydroxy-beta-damascone and related carotenoid-derived aroma compounds as novel potent inducers of Nrf2-mediated phase 2 response with concomitant anti-inflammatory activity. Mol.Nutr.Food Res. 53: 1237-1244.

Gey, K. F., Ducimetiere, P., Evans, A., Amouyel, P., Arveiler, D., Ferrieres, J., Luc, G., Kee, F., Bingham, A., Yarnell, J., & Cambien, F. (2010) Low plasma retinol predicts coronary events in healthy

middle-aged men: the PRIME Study. Atherosclerosis. 208: 270-274.

Ghaffari, M. A. & Shanaki, M. (2010) *In vitro* inhibition of low density lipoprotein carbamylation by vitamins, as an ameliorating atherosclerotic risk in uremic patients. Scand.J.Clin.Lab Invest. 70: 122-127.

Gildenhoff, N., Amarie, S., Gundermann, K., Beer, A., Buchel, C., & Wachtveitl, J. (2010) Oligomerization and pigmentation dependent excitation energy transfer in fucoxanthin-chlorophyll proteins. Biochim.Biophys.Acta. 1797: 543-549.

Gomes, M. M., Saunders, C., & Ramalho, A. (2010) Placenta: a possible predictor of vitamin A deficiency. Br.J.Nutr. 103: 1340-1344.

Gonzalez-Molina, E., Dominguez-Perles, R., Moreno, D. A., & Garcia-Viguera, C. (2010) Natural bioactive compounds of Citrus limon for food and health. J.Pharm.Biomed.Anal. 51: 327-345.

Gonzalez, C. A. & Lopez-Carrillo, L. (2010) *Helicobacter pylori*, nutrition and smoking interactions: their impact in gastric carcinogenesis. Scand.J.Gastroenterol. 45: 6-14.

Goralczyk, R. (2009) Beta-carotene and lung cancer in smokers: review of hypotheses and status of research. Nutr.Cancer. 61: 767-774.

Goss, R., Nerlich, J., Lepetit, B., Schaller, S., Vieler, A., & Wilhelm, C. (2009) The lipid dependence of diadinoxanthin de-epoxidation presents new evidence for a macrodomain organization of the diatom thylakoid membrane. J.Plant Physiol. 166: 1839-1854.

Goyal, S. N., Arora, S., Sharma, A. K., Joshi, S., Ray, R., Bhatia, J., Kumari, S., & Arya, D. S. (2010) Preventive effect of crocin of *Crocus sativus* on hemodynamic, biochemical, histopathological and ultrastuctural alterations in isoproterenol-induced cardiotoxicity in rats. Phytomedicine. 17: 227-232.

Granado-Lorencio, F., Herrero-Barbudo, C., Blanco-Navarro, I., & Perez-Sacristan, B. (2010) Suitability of ultra-high performance liquid chromatography for the determination of fat-soluble nutritional status (vitamins A, E, D, and individual carotenoids). Anal.Bioanal.Chem. 397: 1389-1393.

Griggio, M., Morosinotto, C., & Pilastro, A. (2009) Nestlings' carotenoid feather ornament affects parental allocation strategy and reduces maternal survival. J.Evol.Biol. 22: 2077-2085.

Gust, D., Moore, T. A., & Moore, A. L. (2009) Solar fuels via artificial photosynthesis. Acc.Chem Res. 42: 1890-1898.

Gruszecki, W. I. (2010) Light-driven regulatory mechanisms in the photosynthetic antenna complex LHCII. Biochem.Soc.Trans. 38: 702-704.

Guidi-Rontani, C., Maheswari, U., Jabbari, K., & Bowler, C. (2010) Comparative ecophysiology and genomics of the toxic unicellular alga *Fibrocapsa japonica*. New Phytol. 185: 446-458.

Guimaraes, R., Barros, L., Barreira, J. C., Sousa, M. J., Carvalho, A. M., & Ferreira, I. C. (2010) Targeting excessive free radicals with peels and juices of citrus fruits: grapefruit, lemon, lime and orange. Food Chem Toxicol. 48: 99-106.

Gylling, H., Hallikainen, M., Nissinen, M. J., & Miettinen, T. A. (2010) The effect of a very high daily plant stanol ester intake on serum lipids, carotenoids, and fat-soluble vitamins. Clin.Nutr. 29: 112-118.

Hagen, S., Krebs, I., Glittenberg, C., & Binder, S. (2010) Repeated measures of macular pigment optical density to test reproducibility of heterochromatic flicker photometry. Acta Ophthalmol. 88: 207-211.

Hambidge, K. M. (2010) Micronutrient bioavailability: Dietary Reference Intakes and a future perspective. Am.J.Clin.Nutr. 91: 1430S-1432S.

Han, H., Gao, S., Li, B., Dong, X. C., Feng, H. L., & Meng, Q. W. (2010) Overexpression of violaxanthin de-epoxidase gene alleviates photoinhibition of PSII and PSI in tomato during high light and chilling stress. J.Plant Physiol. 167: 176-183.

Han, R. M., Chen, C. H., Tian, Y. X., Zhang, J. P., & Skibsted, L. H. (2010) Fast regeneration of carotenoids from radical cations by isoflavonoid dianions: importance of the carotenoid keto group for electron transfer. J.Phys.Chem A. 114: 126-132.

Haque, R., Ahmed, T., Wahed, M. A., Mondal, D., Rahman, A. S., & Albert, M. J. (2010) Low-dose beta-carotene supplementation and deworming improve serum vitamin A and beta-carotene concentrations in preschool children of Bangladesh. J.Health Popul.Nutr. 28: 230-237.

Harada, H. & Misawa, N. (2009) Novel approaches and achievements in biosynthesis of functional isoprenoids in *Escherichia coli*. Appl.Microbiol.Biotechnol. 84: 1021-1031.

Heggen, E., Granlund, L., Pedersen, J. I., Holme, I., Ceglarek, U., Thiery, J., Kirkhus, B., & Tonstad, S. (2010) Plant sterols from rapeseed and tall oils: effects on lipids, fat-soluble vitamins and plant sterol concentrations. Nutr.Metab Cardiovasc.Dis. 20: 258-265.

Helfenstein, F., Losdat, S., Moller, A. P., Blount, J. D., & Richner, H. (2010) Sperm of colourful males are better protected against oxidative stress. Ecol.Lett. 13: 213-222.

Helgason, T., Awad, T. S., Kristbergsson, K., Decker, E. A., McClements, D. J., & Weiss, J. (2009) Impact of surfactant properties on oxidative stability of beta-carotene encapsulated within solid lipid nanoparticles. J.Agric.Food Chem. 57: 8033-8040.

Hercberg, S., Czernichow, S., & Galan, P. (2009) Tell me what your blood beta-carotene level is, I will tell you what your health risk is! The viewpoint of the SUVIMAX researchers. Ann.Nutr.Metab. 54: 310-312.

Herrero, M., Ibanez, E., Cifuentes, A., & Bernal, J. (2009) Multidimensional chromatography in food analysis. J.Chromatogr.A. 1216: 7110-7129.

Hipfner, J. M., Hobson, K. A., Dale, J., & McGraw, K. J. (2010) Stable isotopes link diet to avian yolk carotenoid allocation: a comparative study of five auk species (*Charadriiformes: Alcidae*). Physiol Biochem.Zool. 83: 481-489.

Hipfner, J. M., Dale, J., & McGraw, K. J. (2010) Yolk carotenoids and stable isotopes reveal links among environment, foraging behavior and seabird breeding success. Oecologia. 163: 351-360.

Holtin, K., Kuehnle, M., Rehbein, J., Schuler, P., Nicholson, G., & Albert, K. (2009) Determination of astaxanthin and astaxanthin esters in the microalgae *Haematococcus pluvialis* by LC-(APCI)MS and characterization of predominant carotenoid isomers by NMR spectroscopy. Anal.Bioanal.Chem. 395: 1613-1622.

Hopkins, M. H., Fedirko, V., Jones, D. P., Terry, P. D., & Bostick, R. M. (2010) Antioxidant

micronutrients and biomarkers of oxidative stress and inflammation in colorectal adenoma patients: results from a randomized, controlled clinical trial. Cancer Epidemiol.Biomarkers Prev. 19: 850-858.

Hosseini, F., Naseri, M. K., Badavi, M., Ghaffari, M. A., Shahbazian, H., & Rashidi, I. (2010) Effect of beta carotene on lipid peroxidation and antioxidant status following renal ischemia/reperfusion injury in rat. Scand.J.Clin.Lab Invest. 70: 259-263.

Hosseinzadeh, H. & Jahanian, Z. (2010) Effect of *Crocus sativus* L. (saffron) stigma and its constituents, crocin and safranal, on morphine withdrawal syndrome in mice. Phytother.Res. 24: 726-730.

Hou, X., Li, Y., Wu, G., Wang, L., Hong, M., & Wu, Y. (2010) Determination of para red, Sudan dyes, canthaxanthin, and astaxanthin in animal feeds using UPLC. J.Chromatogr.Sci. 48: 22-25.

Hsu, T. H., Lin, S. Y., Lin, C. C., Cheng, W. T., & Li, M. J. (2009) Spectral diagnosis and analysis of a superior vesical artery calcification. Urol.Res. 37: 253-256.

Hsueh, Y. M., Chung, C. J., Shiue, H. S., Chen, J. B., Chiang, S. S., Yang, M. H., Tai, C. W., & Su, C. T. (2009) Urinary arsenic species and CKD in a Taiwanese population: a case-control study. Am.J.Kidney Dis. 54: 859-870.

Hu, J., La Vecchia, C., Negri, E., DesMeules, M., & Mery, L. (2009) Dietary vitamin C, E, and carotenoid intake and risk of renal cell carcinoma. Cancer Causes Control. 20: 1451-1458.

Imamoglu, E., Dalay, M. C., & Sukan, F. V. (2009) Influences of different stress media and high light intensities on accumulation of astaxanthin in the green alga *Haematococcus pluvialis*. N.Biotechnol. 26: 199-204.

Imasheva, E. S., Balashov, S. P., Choi, A. R., Jung, K. H., & Lanyi, J. K. (2009) Reconstitution of *Gloeobacter violaceus* rhodopsin with a light-harvesting carotenoid antenna. Biochemistry. 48: 10948-10955.

Imenshahidi, M., Hosseinzadeh, H., & Javadpour, Y. (2010) Hypotensive effect of aqueous saffron extract (*Crocus sativus* L.) and its constituents, safranal and crocin, in normotensive and hypertensive rats. Phytother.Res. 24: 990-994.

Imsic, M., Winkler, S., Tomkins, B., & Jones, R. (2010) Effect of storage and cooking on beta-carotene isomers in carrots (*Daucus carota* L. cv. 'Stefano'). J.Agric.Food Chem. 58: 5109-5113.

Itkin, M., Seybold, H., Breitel, D., Rogachev, I., Meir, S., & Aharoni, A. (2009) TOMATO AGAMOUS-LIKE 1 is a component of the fruit ripening regulatory network. Plant J. 60: 1081-1095.

Izuchi, R., Takahashi, H., & Inada, Y. (2009) Preparing a carotenoid polyphenol-enriched extract from the peel of persimmon, *Diospyros kaki* L.f. Biosci.Biotechnol.Biochem. 73: 2793-2795.

Jang, S. H., Lim, J. W., & Kim, H. (2009) Beta-carotene inhibits *Helicobacter pylori*-induced expression of inducible nitric oxide synthase and cyclooxygenase-2 in human gastric epithelial AGS cells. J.Physiol Pharmacol. 60 Suppl 7:131-7.: 131-137.

Jenab, M., Salvini, S., van Gils, C. H., Brustad, M., Shakya-Shrestha, S., Buijsse, B., Verhagen, H., Touvier, M., Biessy, C., Wallstrom, P., Bouckaert, K., Lund, E., Waaseth, M., Roswall, N., Joensen, A. M., Linseisen, J., Boeing, H., Vasilopoulou, E., Dilis, V., Sieri, S., Sacerdote, C., Ferrari, P., Manjer, J., Nilsson, S., Welch, A. A., Travis, R., Boutron-Ruault, M. C., Niravong, M., Bueno-de-Mesquita, H. B.,

van der Schouw, Y. T., Tormo, M. J., Barricarte, A., Riboli, E., Bingham, S., & Slimani, N. (2009) Dietary intakes of retinol, beta-carotene, vitamin D and vitamin E in the European Prospective Investigation into Cancer and Nutrition cohort. Eur.J.Clin.Nutr. 63 Suppl 4:S150-78.: S150-S178.

Jesus, P. M., Garcia-Alonso, J., Jacob, K., Belen, O. A., Jose, B. M., Dolores, I. M., Martinez, C., & Ros, G. (2009) Bioactive compounds, folates and antioxidant properties of tomatoes (*Lycopersicum esculentum*) during vine ripening. Int.J.Food Sci.Nutr. 60: 694-708.

Jin, J. M., Lee, J., & Lee, Y. W. (2010) Characterization of carotenoid biosynthetic genes in the ascomycete *Gibberella zeae*. FEMS Microbiol.Lett. 302: 197-202.

Johler, S., Stephan, R., Hartmann, I., Kuehner, K. A., & Lehner, A. (2010) Genes involved in yellow pigmentation of *Cronobacter sakazakii* ES5 and influence of pigmentation on persistence and growth under environmental stress. Appl.Environ.Microbiol. 76: 1053-1061.

Johnson, E. J. (2010) Age-related macular degeneration and antioxidant vitamins: recent findings. Curr.Opin.Clin.Nutr.Metab Care. 13: 28-33.

Johnson, M. P. & Ruban, A. V. (2010) Arabidopsis plants lacking PsbS protein possess photoprotective energy dissipation. Plant J. 61: 283-289.

Just, B. J., Santos, C. A., Yandell, B. S., & Simon, P. W. (2009) Major QTL for carrot color are positionally associated with carotenoid biosynthetic genes and interact epistatically in a domesticated x wild carrot cross. Theor.Appl.Genet. 119: 1155-1169.

Kacjan, M. N., Sircelj, H., & Kastelec, D. (2010) Lipophilic antioxidants and some carpometric characteristics of fruits of ten processing tomato varieties, grown in different climatic conditions. J.Agric.Food Chem. 58: 390-397.

Kajikawa, T., Hasegawa, S., Iwashita, T., Kusumoto, T., Hashimoto, H., Niedzwiedzki, D. M., Frank, H. A., & Katsumura, S. (2009) Syntheses of C33-, C35-, and C39-peridinin and their spectral characteristics. Org.Lett. 11: 5006-5009.

Kajikawa, T., Iguchi, N., & Katsumura, S. (2009) Olefin metathesis in carotenoid synthesis. Org.Biomol.Chem. 7: 4586-4589.

Kamffer, Z., Bindon, K. A., & Oberholster, A. (2010) Optimization of a method for the extraction and quantification of carotenoids and chlorophylls during ripening in grape berries (*Vitis vinifera* cv. Merlot). J.Agric.Food Chem. 58: 6578-6586.

Kang, C. D., Han, S. J., Choi, S. P., & Sim, S. J. (2010) Fed-batch culture of astaxanthin-rich *Haematococcus pluvialis* by exponential nutrient feeding and stepwise light supplementation. Bioprocess.Biosyst.Eng. 33: 133-139.

Karabudak, E., Wohlleben, W., & Colfen, H. (2010) Investigation of beta-carotene-gelatin composite particles with a multiwavelength UV/vis detector for the analytical ultracentrifuge. Eur.Biophys.J. 39: 397-403.

Karppi, J., Nurmi, T., Kurl, S., Rissanen, T. H., & Nyyssonen, K. (2010) Lycopene, lutein and beta-carotene as determinants of LDL conjugated dienes in serum. Atherosclerosis. 209: 565-572.

Kataja-Tuomola, M. K., Kontto, J. P., Mannisto, S., Albanes, D., & Virtamo, J. R. (2010) Effect of alpha-tocopherol and beta-carotene supplementation on macrovascular complications and total

mortality from diabetes: results of the ATBC Study. Ann.Med. 42: 178-186.

Katsuura, S., Imamura, T., Bando, N., & Yamanishi, R. (2009) beta-Carotene and beta-cryptoxanthin but not lutein evoke redox and immune changes in RAW264 murine macrophages. Mol.Nutr.Food Res. 53: 1396-1405.

Khan, N., Adhami, V. M., & Mukhtar, H. (2010) Apoptosis by dietary agents for prevention and treatment of prostate cancer. Endocr.Relat Cancer. 17: R39-R52.

Kiec-Wilk, B., Razny, U., Mathers, J. C., & Dembinska-Kiec, A. (2009) DNA methylation, induced by beta-carotene and arachidonic acid, plays a regulatory role in the pro-angiogenic VEGF-receptor (KDR) gene expression in endothelial cells. J.Physiol Pharmacol. 60: 49-53

Kim, J., Kim, M. K., Lee, J. K., Kim, J. H., Son, S. K., Song, E. S., Lee, K. B., Lee, J. P., Lee, J. M., & Yun, Y. M. (2010) Intakes of vitamin A, C, and E, and beta-carotene are associated with risk of cervical cancer: a case-control study in Korea. Nutr.Cancer. 62: 181-189.

Kim, J. E., Cheng, K. M., Craft, N. E., Hamberger, B., & Douglas, C. J. (2010) Over-expression of *Arabidopsis thaliana* carotenoid hydroxylases individually and in combination with a beta-carotene ketolase provides insight into *in vivo* functions. Phytochemistry. 71: 168-178.

Kim, J. H., Choi, W., Lee, J. H., Jeon, S. J., Choi, Y. H., Kim, B. W., Chang, H. I., & Nam, S. W. (2009) Astaxanthin inhibits H_2O_2-mediated apoptotic cell death in mouse neural progenitor cells via modulation of P38 and MEK signaling pathways. J.Microbiol.Biotechnol. 19: 1355-1363.

Kim, J. E., Rensing, K. H., Douglas, C. J., & Cheng, K. M. (2010) Chromoplasts ultrastructure and estimated carotene content in root secondary phloem of different carrot varieties. Planta. 231: 549-558.

Kim, O. Y., Yoe, H. Y., Kim, H. J., Park, J. Y., Kim, J. Y., Lee, S. H., Lee, J. H., Lee, K. P., Jang, Y., & Lee, J. H. (2010) Independent inverse relationship between serum lycopene concentration and arterial stiffness. Atherosclerosis. 208: 581-586.

Kim, Y. J., Kim, Y. A., & Yokozawa, T. (2009) Protection against oxidative stress, inflammation, and apoptosis of high-glucose-exposed proximal tubular epithelial cells by astaxanthin. J.Agric.Food Chem. 57: 8793-8797.

Kim, Y. S., Park, C. S., & Oh, D. K. (2010) Hydrophobicity of residue 108 specifically affects the affinity of human beta-carotene 15,15'-monooxygenase for substrates with two ionone rings. Biotechnol.Lett. 32: 847-853.

Kishimoto, Y., Tani, M., Uto-Kondo, H., Iizuka, M., Saita, E., Sone, H., Kurata, H., & Kondo, K. (2010) Astaxanthin suppresses scavenger receptor expression and matrix metalloproteinase activity in macrophages. Eur.J.Nutr. 49: 119-126.

Klassen, J. L. (2009) Pathway evolution by horizontal transfer and positive selection is accommodated by relaxed negative selection upon upstream pathway genes in purple bacterial carotenoid biosynthesis. J.Bacteriol. 191: 7500-7508.

Klassen, J. L. (2010) Phylogenetic and evolutionary patterns in microbial carotenoid biosynthesis are revealed by comparative genomics. PLoS.ONE. 5: e11257.

Kleinegris, D. M., Janssen, M., Brandenburg, W. A., & Wijffels, R. H. (2010) The selectivity of milking

of *Dunaliella salina*. Mar.Biotechnol.(NY). 12: 14-23.

Klemm, R. D., West, K. P., Jr., Palmer, A. C., Johnson, Q., Randall, P., Ranum, P., & Northrop-Clewes, C. (2010) Vitamin A fortification of wheat flour: considerations and current recommendations. Food Nutr.Bull. 31: S47-S61.

Kloosterman, B., Oortwijn, M., uitdeWilligen, J., America, T., de Vos, R., Visser, R. G., & Bachem, C. W. (2010) From QTL to candidate gene: genetical genomics of simple and complex traits in potato using a pooling strategy. BMC.Genomics. 11:158.: 158.

Knott, B., Berg, M. L., Morgan, E. R., Buchanan, K. L., Bowmaker, J. K., & Bennett, A. T. (2010) Avian retinal oil droplets: dietary manipulation of colour vision? Proc.Biol.Sci. 277: 953-962.

Koblizek, M., Mlcouskova, J., Kolber, Z., & Kopecky, J. (2010) On the photosynthetic properties of marine bacterium COL2P belonging to *Roseobacter* clade. Arch.Microbiol. 192: 41-49.

Kong, K. W., Khoo, H. E., Prasad, K. N., Ismail, A., Tan, C. P., & Rajab, N. F. (2010) Revealing the power of the natural red pigment lycopene. Molecules. 15: 959-987.

Kopec, R. E., Riedl, K. M., Harrison, E. H., Curley, R. W., Jr., Hruszkewycz, D. P., Clinton, S. K., & Schwartz, S. J. (2010) Identification and quantification of apo-lycopenals in fruits, vegetables, and human plasma. J.Agric.Food Chem. 58: 3290-3296.

Kornas, A., Fischer-Schliebs, E., Luttge, U., & Miszalski, Z. (2009) Adaptation of the obligate CAM plant *Clusia alata* to light stress: Metabolic responses. J.Plant Physiol. 166: 1914-1922.

Kumar, P. & Kumar, A. (2009) Effect of lycopene and epigallocatechin-3-gallate against 3-nitropropionic acid induced cognitive dysfunction and glutathione depletion in rat: a novel nitric oxide mechanism. Food Chem Toxicol. 47: 2522-2530.

Kotake-Nara, E., Yonekura, L., & Nagao, A. (2010) Effect of glycerophospholipid class on the beta-carotene uptake by human intestinal Caco-2 cells. Biosci.Biotechnol.Biochem. 74: 209-211.

Koul, A., Arora, N., & Tanwar, L. (2010) Lycopene mediated modulation of 7,12 Dimethlybenz (a) anthracene induced hepatic clastogenicity in male Balb/c mice. Nutr.Hosp. 25: 304-310.

Kouyama, T., Kanada, S., Takeguchi, Y., Narusawa, A., Murakami, M., & Ihara, K. (2010) Crystal structure of the light-driven chloride pump halorhodopsin from *Natronomonas pharaonis*. J.Mol.Biol. 396: 564-579.

Krishnadev, N., Meleth, A. D., & Chew, E. Y. (2010) Nutritional supplements for age-related macular degeneration. Curr.Opin.Ophthalmol. 21: 184-189.

Kwasniewski, M. T., Vanden Heuvel, J. E., Pan, B. S., & Sacks, G. L. (2010) Timing of cluster light environment manipulation during grape development affects C13 norisoprenoid and carotenoid concentrations in Riesling. J.Agric.Food Chem. 58: 6841-6849.

Lamers, P. P., van de Laak, C. C., Kaasenbrood, P. S., Lorier, J., Janssen, M., De Vos, R. C., Bino, R. J., & Wijffels, R. H. (2010) Carotenoid and fatty acid metabolism in light-stressed *Dunaliella salina*. Biotechnol.Bioeng. 106: 638-648.

Landrum, J. T., Chatfield, D. C., Mebel, A. M., Alvarez-Calderon, F., & Fernandez, M. V. (2010) The conformation of end-groups is one determinant of carotenoid topology suitable for high fidelity

molecular recognition: a study of beta- and epsilon-end-groups. Arch.Biochem.Biophys. 493: 169-174.

Lapchak, P. A. (2010) Efficacy and safety profile of the carotenoid trans sodium crocetinate administered to rabbits following multiple infarct ischemic strokes: a combination therapy study with tissue plasminogen activator. Brain Res. 1309:136-45. Epub@2009 Nov 3.: 136-145.

Larson, T. & Coker, J. (2009) A descriptive study of lutein and zeaxanthin in optometric practice. Optometry. 80: 579-586.

Larsson, S. C., Bergkvist, L., & Wolk, A. (2010) Dietary carotenoids and risk of hormone receptor-defined breast cancer in a prospective cohort of Swedish women. Eur.J.Cancer. 46: 1079-1085.

Latocha, P., Krupa, T., Wolosiak, R., Worobiej, E., & Wilczak, J. (2010) Antioxidant activity and chemical difference in fruit of different *Actinidia* sp. Int.J.Food Sci.Nutr. 61: 381-394.

Lech, K., Witowska-Jarosz, J., & Jarosz, M. (2009) Saffron yellow: characterization of carotenoids by high performance liquid chromatography with electrospray mass spectrometric detection. J.Mass Spectrom. 44: 1661-1667.

Lemmens, L., De Vleeschouwer, K., Moelants, K. R., Colle, I. J., Van Loey, A. M., & Hendrickx, M. E. (2010) Beta-carotene isomerization kinetics during thermal treatments of carrot puree. J.Agric.Food Chem. 58: 6816-6824.

Lester, G. E., Hallman, G. J., & Perez, J. A. (2010) gamma-Irradiation dose: effects on baby-leaf spinach ascorbic acid, carotenoids, folate, alpha-tocopherol, and phylloquinone concentrations. J.Agric.Food Chem. 58: 4901-4906.

Lin, J., Hu, F. B., & Curhan, G. C. (2010) Associations of diet with albuminuria and kidney function decline. Clin.J.Am.Soc.Nephrol. 5: 836-843.

Lin, S. M., Nieves-Puigdoller, K., Brown, A. C., McGraw, K. J., & Clotfelter, E. D. (2010) Testing the carotenoid trade-off hypothesis in the polychromatic *Midas cichlid*, *Amphilophus citrinellus*. Physiol Biochem.Zool. 83: 333-342.

Linden, G. J., McClean, K. M., Woodside, J. V., Patterson, C. C., Evans, A., Young, I. S., & Kee, F. (2009) Antioxidants and periodontitis in 60-70-year-old men. J.Clin.Periodontol. 36: 843-849.

Lipko-Przybylska, J., Albera, E., & Kankofer, M. (2010) Comparison of antioxidant defence parameters in colostrum and milk between Berrichon du Cher ewes and Uhrusk ewes. J.Dairy Res. 77: 117-122.

Livingstone, K. & Anderson, S. (2009) Patterns of variation in the evolution of carotenoid biosynthetic pathway enzymes of higher plants. J.Hered. 100: 754-761.

Loane, E., McKay, G. J., Nolan, J. M., & Beatty, S. (2010) Apolipoprotein E genotype is associated with macular pigment optical density. Invest Ophthalmol.Vis.Sci. 51: 2636-2643.

Loo-Bouwman, C. A., Naber, T. H., van Breemen, R. B., Zhu, D., Dicke, H., Siebelink, E., Hulshof, P. J., Russel, F. G., Schaafsma, G., & West, C. E. (2010) Vitamin A equivalency and apparent absorption of beta-carotene in ileostomy subjects using a dual-isotope dilution technique. Br.J.Nutr. 103: 1836-1843.

Lopes, L. B. & Reed, R. (2010) A simple and rapid method to assess lycopene in multiple layers of

skin samples. Biomed.Chromatogr. 24: 154-159.

Lopes, L. B., VanDeWall, H., Li, H. T., Venugopal, V., Li, H. K., Naydin, S., Hosmer, J., Levendusky, M., Zheng, H., Bentley, M. V., Levin, R., & Hass, M. A. (2010) Topical delivery of lycopene using microemulsions: enhanced skin penetration and tissue antioxidant activity. J.Pharm.Sci. 99: 1346-1357.

Lopez-Sanchez, M., Ayora-Canada, M. J., & Molina-Diaz, A. (2010) Olive fruit growth and ripening as seen by vibrational spectroscopy. J.Agric.Food Chem. 58: 82-87.

Lu, Q. Y., Zhang, Y., Wang, Y., Wang, D., Lee, R. P., Gao, K., Byrns, R., & Heber, D. (2009) California Hass avocado: profiling of carotenoids, tocopherol, fatty acid, and fat content during maturation and from different growing areas. J.Agric.Food Chem. 57: 10408-10413.

Lu, Y., Jiang, P., Liu, S., Gan, Q., Cui, H., & Qin, S. (2010) Methyl jasmonate- or gibberellins A3-induced astaxanthin accumulation is associated with up-regulation of transcription of beta-carotene ketolase genes (bkts) in microalga *Haematococcus pluvialis*. Bioresour.Technol. 101: 6468-6474.

Maeng, J., Kim, S. B., Lee, N. J., Choi, E., Jung, S. Y., Hong, I., Bae, S. H., Oh, J. T., Lim, B., Kim, J. W., Kang, C. J., & Koo, S. (2010) Conductance control in stabilized carotenoid wires. Chemistry. 16: 7395-7399.

Maillard, V., Kuriki, K., Lefebvre, B., Boutron-Ruault, M. C., Lenoir, G. M., Joulin, V., Clavel-Chapelon, F., & Chajes, V. (2010) Serum carotenoid, tocopherol and retinol concentrations and breast cancer risk in the E3N-EPIC study. Int.J.Cancer. 127: 1188-1196.

Mangiagalli, M. G., Martino, P. A., Smajlovic, T., Guidobono, C. L., & Marelli, S. P. (2010) Effect of lycopene on semen quality, fertility and native immunity of broiler breeder. Br.Poult.Sci. 51: 152-157.

Manthey, J. A. & Perkins-Veazie, P. (2009) Influences of harvest date and location on the levels of beta-carotene, ascorbic acid, total phenols, the in vitro antioxidant capacity, and phenolic profiles of five commercial varieties of mango (*Mangifera indica* L.). J.Agric.Food Chem. 57: 10825-10830.

Maoka, T., Akimoto, N., Murakoshi, M., Sugiyama, K., & Nishino, H. (2010) Carotenoids in clams, *Ruditapes philippinarum* and *Meretrix petechialis*. J.Agric.Food Chem. 58: 5784-5788.

Maoka, T., Akimoto, N., Terada, Y., Komemushi, S., Harada, R., Sameshima, N., & Sakagami, Y. (2010) Structure of minor carotenoids from the crown-of-thorns starfish, *Acanthaster planci*. J.Nat.Prod. 73: 675-678.

Markovits, N., Ben Amotz, A., & Levy, Y. (2009) The effect of tomato-derived lycopene on low carotenoids and enhanced systemic inflammation and oxidation in severe obesity. Isr.Med.Assoc.J. 11: 598-601.

Marsh, R. S., Yan, Y., Reed, V. M., Hruszkewycz, D., Curley, R. W., & Harrison, E. H. (2010) beta-Apocarotenoids do not significantly activate retinoic acid receptors alpha or beta. Exp.Biol.Med.(Maywood.). 235: 342-348.

Marshall, C. P. & Olcott, M. A. (2010) The potential of Raman spectroscopy for the analysis of diagenetically transformed carotenoids. Philos.Transact.A Math.Phys.Eng Sci. 368: 3137-3144.

Maruani, A., Labarthe, F., Dupre, T., Le Bidre, E., Georgesco, G., & Lorette, G. (2010) [Hypercarotenaemia in an infant]. Ann.Dermatol.Venereol. 137: 32-35.

Masaki, H. (2010) Role of antioxidants in the skin: anti-aging effects. J.Dermatol.Sci. 58: 85-90.

Matsumoto, M., Hosokawa, M., Matsukawa, N., Hagio, M., Shinoki, A., Nishimukai, M., Miyashita, K., Yajima, T., & Hara, H. (2010) Suppressive effects of the marine carotenoids, fucoxanthin and fucoxanthinol on triglyceride absorption in lymph duct-cannulated rats. Eur.J.Nutr. 49: 243-249.

McGraw, K. J. & Toomey, M. B. (2010) Carotenoid accumulation in the tissues of zebra finches: predictors of integumentary pigmentation and implications for carotenoid allocation strategies. Physiol Biochem.Zool. 83: 97-109.

Mendiola, J. A., Martin-Alvarez, P. J., Senorans, F. J., Reglero, G., Capodicasa, A., Nazzaro, F., Sada, A., Cifuentes, A., & Ibanez, E. (2010) Design of natural food antioxidant ingredients through a chemometric approach. J.Agric.Food Chem. 58: 787-792.

Miao, L., Wang, Y., Chi, S., Yan, J., Guan, G., Hui, B., & Li, Y. (2010) Reduction of fatty acid flux results in enhancement of astaxanthin synthesis in a mutant strain of *Phaffia rhodozyma*. J.Ind.Microbiol.Biotechnol. 37: 595-602.

Miranda-Vilela, A. L., Akimoto, A. K., Alves, P. C., Pereira, L. C., Goncalves, C. A., Klautau-Guimaraes, M. N., & Grisolia, C. K. (2009) Dietary carotenoid-rich pequi oil reduces plasma lipid peroxidation and DNA damage in runners and evidence for an association with MnSOD genetic variant -Val9Ala. Genet.Mol.Res. 8: 1481-1495.

Moller, A. P., Erritzoe, J., & Karadas, F. (2010) Levels of antioxidants in rural and urban birds and their consequences. Oecologia. 163: 35-45.

Molnar, P., Deli, J., Tanaka, T., Kann, Y., Tani, S., Gyemant, N., Molnar, J., & Kawase, M. (2010) Carotenoids with anti-*Helicobacter pylori* activity from Golden delicious apple. Phytother.Res. 24: 644-648.

Monteiro, J. P., Freimanis-Hance, L., Faria, L. B., Mussi-Pinhata, M. M., Korelitz, J., Vannucchi, H., Queiroz, W., Succi, R. C., & Hazra, R. (2009) Both human immunodeficiency virus-infected and human immunodeficiency virus-exposed, uninfected children living in Brazil, Argentina, and Mexico have similar rates of low concentrations of retinol, beta-carotene, and vitamin E. Nutr.Res. 29: 716-722.

Moon, H. I. & Park, W. H. (2010) Four carotenoids from *Pittosporum tobira* protect primary cultured rat cortical cells from glutamate-induced toxicity. Phytother.Res. 24: 625-628.

Moran, N. A. & Jarvik, T. (2010) Lateral transfer of genes from fungi underlies carotenoid production in aphids. Science. 328: 624-627.

Mosad, S. M., Ghanem, A. A., El Fallal, H. M., El Kannishy, A. M., El Baiomy, A. A., Al Diasty, A. M., & Arafa, L. F. (2010) Lens cadmium, lead, and serum vitamins C, E, and beta carotene in cataractous smoking patients. Curr.Eye Res. 35: 23-30.

Mougeot, F., Martinez-Padilla, J., Blount, J. D., Perez-Rodriguez, L., Webster, L. M., & Piertney, S. B. (2010) Oxidative stress and the effect of parasites on a carotenoid-based ornament. J.Exp.Biol. 213: 400-407.

Mougeot, F., Martinez-Padilla, J., Bortolotti, G. R., Webster, L. M., & Piertney, S. B. (2010) Physiological stress links parasites to carotenoid-based colour signals. J.Evol.Biol. 23: 643-650.

Muller-Waldeck, F., Sitzmann, J., Schnitzler, W. H., & Grassmann, J. (2010) Determination of toxic perilla ketone, secondary plant metabolites and antioxidative capacity in five *Perilla frutescens* L. varieties. Food Chem Toxicol. 48: 264-270.

Muller, M. G., Lambrev, P., Reus, M., Wientjes, E., Croce, R., & Holzwarth, A. R. (2010) Singlet energy dissipation in the photosystem II light-harvesting complex does not involve energy transfer to carotenoids. Chemphyschem. 11: 1289-1296.

Muntendam, R., Melillo, E., Ryden, A., & Kayser, O. (2009) Perspectives and limits of engineering the isoprenoid metabolism in heterologous hosts. Appl.Microbiol.Biotechnol. 84: 1003-1019.

Mutungi, G., Waters, D., Ratliff, J., Puglisi, M., Clark, R. M., Volek, J. S., & Fernandez, M. L. (2010) Eggs distinctly modulate plasma carotenoid and lipoprotein subclasses in adult men following a carbohydrate-restricted diet. J.Nutr.Biochem. 21: 261-267.

Nagel, G., Linseisen, J., van Gils, C. H., Peeters, P. H., Boutron-Ruault, M. C., Clavel-Chapelon, F., Romieu, I., Tjonneland, A., Olsen, A., Roswall, N., Witt, P. M., Overvad, K., Rohrmann, S., Kaaks, R., Drogan, D., Boeing, H., Trichopoulou, A., Stratigakou, V., Zylis, D., Engeset, D., Lund, E., Skeie, G., Berrino, F., Grioni, S., Mattiello, A., Masala, G., Tumino, R., Zanetti, R., Ros, M. M., Bueno-de-Mesquita, H. B., Ardanaz, E., Sanchez, M. J., Huerta, J. M., Amiano, P., Rodriguez, L., Manjer, J., Wirfalt, E., Lenner, P., Hallmans, G., Spencer, E. A., Key, T. J., Bingham, S., Khaw, K. T., Rinaldi, S., Slimani, N., Boffetta, P., Gallo, V., Norat, T., & Riboli, E. (2010) Dietary beta-carotene, vitamin C and E intake and breast cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC). Breast Cancer Res.Treat. 119: 753-765.

Nakagawa, K., Kiko, T., Hatade, K., Sookwong, P., Arai, H., & Miyazawa, T. (2009) Antioxidant effect of lutein towards phospholipid hydroperoxidation in human erythrocytes. Br.J.Nutr. 102: 1280-1284.

Nakao, R., Nelson, O. L., Park, J. S., Mathison, B. D., Thompson, P. A., & Chew, B. P. (2010) Effect of astaxanthin supplementation on inflammation and cardiac function in BALB/c mice. Anticancer Res. 30: 2721-2725.

Nakao, R., Nelson, O. L., Park, J. S., Mathison, B. D., Thompson, P. A., & Chew, B. P. (2010) Effect of dietary astaxanthin at different stages of mammary tumor initiation in BALB/c mice. Anticancer Res. 30: 2171-2175.

Nanou, K. & Roukas, T. (2010) Oxidative stress response and morphological changes of *Blakeslea trispora* induced by butylated hydroxytoluene during carotene production. Appl.Biochem.Biotechnol. 160: 2415-2423.

Naziroglu, M., Kilinc, F., Uguz, A. C., Celik, O., Bal, R., Butterworth, P. J., & Baydar, M. L. (2010) Oral vitamin C and E combination modulates blood lipid peroxidation and antioxidant vitamin levels in maximal exercising basketball players. Cell Biochem.Funct. 28: 300-305.

Niedzwiedzki, D. M., Chatterjee, N., Enriquez, M. M., Kajikawa, T., Hasegawa, S., Katsumura, S., & Frank, H. A. (2009) Spectroscopic investigation of peridinin analogues having different pi-electron conjugated chain lengths: exploring the nature of the intramolecular charge transfer state. J.Phys.Chem B. 113: 13604-13612.

Nilkens, M., Kress, E., Lambrev, P., Miloslavina, Y., Muller, M., Holzwarth, A. R., & Jahns, P. (2010) Identification of a slowly inducible zeaxanthin-dependent component of non-photochemical quenching of chlorophyll fluorescence generated under steady-state conditions in *Arabidopsis*. Biochim.Biophys.Acta. 1797: 466-475.

Nishigaki, I., Rajendran, P., Venugopal, R., Ekambaram, G., Sakthisekaran, D., & Nishigaki, Y. (2010) Cytoprotective role of astaxanthin against glycated protein/iron chelate-induced toxicity in human umbilical vein endothelial cells. Phytother.Res. 24: 54-59.

Nishihara, M. & Nakatsuka, T. (2010) Genetic engineering of novel flower colors in floricultural plants: recent advances via transgenic approaches. Methods Mol.Biol. 589:325-47.: 325-347.

Novotny, J. A., Harrison, D. J., Pawlosky, R., Flanagan, V. P., Harrison, E. H., & Kurilich, A. C. (2010) Beta-carotene conversion to vitamin A decreases as the dietary dose increases in humans. J.Nutr. 140: 915-918.

Nymark, M., Valle, K. C., Brembu, T., Hancke, K., Winge, P., Andresen, K., Johnsen, G., & Bones, A. M. (2009) An integrated analysis of molecular acclimation to high light in the marine diatom *Phaeodactylum tricornutum*. PLoS.ONE. 4: e7743.

O'Sullivan, L., Jiwan, M. A., Daly, T., O'Brien, N. M., & Aherne, S. A. (2010) Bioaccessibility, uptake, and transport of carotenoids from peppers (*Capsicum* spp.) using the coupled in vitro digestion and human intestinal Caco-2 cell model. J.Agric.Food Chem. 58: 5374-5379.

Olivier, A. C., Lemaire, S., Van Bambeke, F., Tulkens, P. M., & Oldfield, E. (2009) Role of rsbU and staphyloxanthin in phagocytosis and intracellular growth of *Staphylococcus aureus* in human macrophages and endothelial cells. J.Infect.Dis. 200: 1367-1370.

Osawa, A., Ishii, Y., Sasamura, N., Morita, M., Kocher, S., Muller, V., Sandmann, G., & Shindo, K. (2010) Hydroxy-3,4-dehydro-apo-8'-lycopene and methyl hydroxy-3,4-dehydro-apo-8'-lycopenoate, novel C(30) carotenoids produced by a mutant of marine bacterium *Halobacillus halophilus*. J.Antibiot.(Tokyo). 63: 291-295.

Oshima, Y., Sato, H., Zaghloul, A., Foulks, G. N., Yappert, M. C., & Borchman, D. (2009) Characterization of human meibum lipid using raman spectroscopy. Curr.Eye Res. 34: 824-835.

Otton, R., Marin, D. P., Bolin, A. P., Santos, R. C., Polotow, T. G., Sampaio, S. C., & de Barros, M. P. (2010) Astaxanthin ameliorates the redox imbalance in lymphocytes of experimental diabetic rats. Chem Biol.Interact. 186: 306-315.

Palozza, P., Simone, R., Catalano, A., Boninsegna, A., Bohm, V., Frohlich, K., Mele, M. C., Monego, G., & Ranelletti, F. O. (2010) Lycopene prevents 7-ketocholesterol-induced oxidative stress, cell cycle arrest and apoptosis in human macrophages. J.Nutr.Biochem. 21: 34-46.

Pan, Z., Liu, Q., Yun, Z., Guan, R., Zeng, W., Xu, Q., & Deng, X. (2009) Comparative proteomics of a lycopene-accumulating mutant reveals the important role of oxidative stress on carotenogenesis in sweet orange (*Citrus sinensis* [L.] osbeck). Proteomics. 9: 5455-5470.

Pang, Y., Jones, G. A., Prantil, M. A., & Fleming, G. R. (2010) Unusual relaxation pathway from the two-photon excited first singlet state of carotenoids. J.Am.Chem Soc. 132: 2264-2273.

Pang, Y., Prantil, M. A., Van Tassle, A. J., Jones, G. A., & Fleming, G. R. (2009) Excited-state dynamics of 8'-apo-beta-caroten-8'-al and 7',7'-dicyano-7'-apo-beta-carotene studied by femtosecond time-resolved infrared spectroscopy. J.Phys.Chem B. 113: 13086-13095.

Pap, P. L., Vagasi, C. I., Czirjak, G. A., Titilincu, A., Pintea, A., & Barta, Z. (2009) Carotenoids modulate the effect of coccidian infection on the condition and immune response in moulting house sparrows. J.Exp.Biol. 212: 3228-3235.

Papaioannou, E. H., Liakopoulou-Kyriakides, M., Christofilos, D., Arvanitidis, I., & Kourouklis, G. (2009) Raman spectroscopy for intracellular monitoring of carotenoid in *Blakeslea trispora.* Appl.Biochem.Biotechnol. 159: 478-487.

Paret, M. L., Sharma, S. K., Green, L. M., & Alvarez, A. M. (2010) Biochemical characterization of Gram-positive and Gram-negative plant-associated bacteria with micro-Raman spectroscopy. Appl.Spectrosc. 64: 433-441.

Park, S., Jung, G., Hwang, Y. S., & Jin, E. (2010) Dynamic response of the transcriptome of a psychrophilic diatom, *Chaetoceros neogracile*, to high irradiance. Planta. 231: 349-360.

Passarini, F., Wientjes, E., Hienerwadel, R., & Croce, R. (2009) Molecular basis of light harvesting and photoprotection in CP24: unique features of the most recent antenna complex. J.Biol.Chem. 284: 29536-29546.

Patel, C. J., Bhattacharya, J., & Butte, A. J. (2010) An Environment-Wide Association Study (EWAS) on type 2 diabetes mellitus. PLoS.ONE. 5: e10746.

Patel, S., Murray, C. S., Woodcock, A., Simpson, A., & Custovic, A. (2009) Dietary antioxidant intake, allergic sensitization and allergic diseases in young children. Allergy. 64: 1766-1772.

Patil, B. S., Jayaprakasha, G. K., Chidambara Murthy, K. N., & Vikram, A. (2009) Bioactive compounds: historical perspectives, opportunities, and challenges. J.Agric.Food Chem. 57: 8142-8160.

Pellegrini, N., Chiavaro, E., Gardana, C., Mazzeo, T., Contino, D., Gallo, M., Riso, P., Fogliano, V., & Porrini, M. (2010) Effect of different cooking methods on color, phytochemical concentration, and antioxidant capacity of raw and frozen brassica vegetables. J.Agric.Food Chem. 58: 4310-4321.

Perez-Rodriguez, L. (2009) Carotenoids in evolutionary ecology: re-evaluating the antioxidant role. Bioessays. 31: 1116-1126.

Perez-Rodriguez, L., Mougeot, F., & Alonso-Alvarez, C. (2010) Carotenoid-based coloration predicts resistance to oxidative damage during immune challenge. J.Exp.Biol. 213: 1685-1690.

Perry, J. R., Ferrucci, L., Bandinelli, S., Guralnik, J., Semba, R. D., Rice, N., Melzer, D., Saxena, R., Scott, L. J., McCarthy, M. I., Hattersley, A. T., Zeggini, E., Weedon, M. N., & Frayling, T. M. (2009) Circulating beta-carotene levels and type 2 diabetes-cause or effect? Diabetologia. 52: 2117-2121.

Pike, T. W., Blount, J. D., Lindstrom, J., & Metcalfe, N. B. (2010) Dietary carotenoid availability, sexual signalling and functional fertility in sticklebacks. Biol.Lett. 6: 191-193.

Polar-Cabrera, K., Huo, T., Schwartz, S. J., & Failla, M. L. (2010) Digestive stability and transport of norbixin, a 24-carbon carotenoid, across monolayers of Caco-2 cells. J.Agric.Food Chem. 58: 5789-5794.

Poliakov, E., Gentleman, S., Chander, P., Cunningham, F. X., Jr., Grigorenko, B. L., Nemuhin, A. V., & Redmond, T. M. (2009) Biochemical evidence for the tyrosine involvement in cationic intermediate stabilization in mouse beta-carotene 15, 15'-monooxygenase. BMC.Biochem. 10:31.: 31.

Portillo, M. C., Sririn, V., Kanoksilapatham, W., & Gonzalez, J. M. (2009) Pigment profiles and bacterial communities from Thailand thermal mats. Antonie Van Leeuwenhoek. 96: 559-567.

Prager, M., Johansson, E. I., & Andersson, S. (2009) Differential ability of carotenoid C4-oxygenation in yellow and red bishop species (*Euplectes* spp.). Comp Biochem.Physiol B Biochem.Mol.Biol. 154: 373-380.

Premvardhan, L., Bordes, L., Beer, A., Buchel, C., & Robert, B. (2009) Carotenoid structures and environments in trimeric and oligomeric fucoxanthin chlorophyll a/c2 proteins from resonance Raman spectroscopy. J.Phys.Chem B. 113: 12565-12574.

Puri, T., Goyal, S., Julka, P. K., Nair, O., Sharma, D. N., & Rath, G. K. (2010) Lycopene in treatment of high-grade gliomas: a pilot study. Neurol.India. 58: 20-23.

Rahman, M. L., Yoshida, K., Maeda, I., Tanaka, H., & Sugita, S. (2010) Distribution of retinal cone photoreceptor oil droplets, and identification of associated carotenoids in crow (*Corvus macrorhynchos*). Zoolog.Sci. 27: 514-521.

Rakhimberdieva, M. G., Elanskaya, I. V., Vermaas, W. F., & Karapetyan, N. V. (2010) Carotenoid-triggered energy dissipation in phycobilisomes of *Synechocystis* sp. PCC 6803 diverts excitation away from reaction centers of both photosystems. Biochim.Biophys.Acta. 1797: 241-249.

Randrianatoandro, V. A., Avallone, S., Picq, C., Ralison, C., & Treche, S. (2010) Recipes and nutritional value of dishes prepared from green-leafy vegetables in an urban district of Antananarivo (Madagascar). Int.J.Food Sci.Nutr. 61: 404-416.

Ranga, R., Sarada, A. R., Baskaran, V., & Ravishankar, G. A. (2009) Identification of carotenoids from green alga *Haematococcus pluvialis* by HPLC and LC-MS (APCI) and their antioxidant properties. J.Microbiol.Biotechnol. 19: 1333-1341.

Riccioni, G. (2009) Carotenoids and cardiovascular disease. Curr.Atheroscler.Rep. 11: 434-439.

Riccioni, G., Orazio, D., Scotti, L., Petruzzelli, R., Latino, A., Bucciarelli, V., Pennelli, A., Cicolini, G., Di Ilio, E., & Bucciarelli, T. (2010) Circulating plasma antioxidants, inflammatory markers and asymptomatic carotid atherosclerosis in end-stage renal disease patients: a case control study. Int.J.Immunopathol.Pharmacol. 23: 327-334.

Richelle, M., Sanchez, B., Tavazzi, I., Lambelet, P., Bortlik, K., & Williamson, G. (2010) Lycopene isomerisation takes place within enterocytes during absorption in human subjects. Br.J.Nutr. 103: 1800-1807.

Roadjanakamolson, M. & Suntornsuk, W. (2010) Production of beta-carotene-enriched rice bran using solid-state fermentation of *Rhodotorula glutinis*. J.Microbiol.Biotechnol. 20: 525-531.

Rodriguez-Villalon, A., Gas, E., & Rodriguez-Concepcion, M. (2009) Phytoene synthase activity controls the biosynthesis of carotenoids and the supply of their metabolic precursors in dark-grown *Arabidopsis* seedlings. Plant J. 60: 424-435.

Rossi, M., Puccini, R., Romagnoli, M. C., Di Maria, C., Mattei, P., Bernini, M., Marconcini, C., & Santoro, G. (2009) Acute and subacute effect of rheopheresis on microvascular endothelial function in patients suffering from age-related macular degeneration. Ther.Apher.Dial. 13: 540-548.

Roswall, N., Olsen, A., Christensen, J., Dragsted, L. O., Overvad, K., & Tjonneland, A. (2010) Source-specific effects of micronutrients in lung cancer prevention. Lung Cancer. 67: 275-281.

Sakai, K., Kino, S., Takeuchi, M., Ochi, T., Da Cruz, G., & Tomita, I. (2010) Analysis of antioxidant

activities in vegetable oils and fat soluble vitamins and biofactors by the PAO-SO method. Methods Mol.Biol. 594:241-50.: 241-250.

Sakhi, A. K., Bohn, S. K., Smeland, S., Thoresen, M., Smedshaug, G. B., Tausjo, J., Svilaas, A., Karlsen, A., Russnes, K. M., Svilaas, T., & Blomhoff, R. (2010) Postradiotherapy plasma lutein, alpha-carotene, and beta-carotene are positively associated with survival in patients with head and neck squamous cell carcinoma. Nutr.Cancer. 62: 322-328.

Sakhi, A. K., Russnes, K. M., Thoresen, M., Bastani, N. E., Karlsen, A., Smeland, S., & Blomhoff, R. (2009) Pre-radiotherapy plasma carotenoids and markers of oxidative stress are associated with survival in head and neck squamous cell carcinoma patients: a prospective study. BMC.Cancer. 9:458.: 458.

Sakudoh, T., Iizuka, T., Narukawa, J., Sezutsu, H., Kobayashi, I., Kuwazaki, S., Banno, Y., Kitamura, A., Sugiyama, H., Takada, N., Fujimoto, H., Kadono-Okuda, K., Mita, K., Tamura, T., Yamamoto, K., & Tsuchida, K. (2010) A CD36-related transmembrane protein is coordinated with an intracellular lipid-binding protein in selective carotenoid transport for cocoon coloration. J.Biol.Chem. 285: 7739-7751.

Sanchez, J., Fuster, A., Oliver, P., Palou, A., & Pico, C. (2009) Effects of beta-carotene supplementation on adipose tissue thermogenic capacity in ferrets (*Mustela putorius furo*). Br.J.Nutr. 102: 1686-1694.

Sandberg, M. A., Johnson, E. J., & Berson, E. L. (2010) The relationship of macular pigment optical density to serum lutein in retinitis pigmentosa. Invest Ophthalmol.Vis.Sci. 51: 1086-1091.

Sang, M., Ma, F., Xie, J., Chen, X. B., Wang, K. B., Qin, X. C., Wang, W. D., Zhao, J. Q., Li, L. B., Zhang, J. P., & Kuang, T. Y. (2010) High-light induced singlet oxygen formation in cytochrome b(6)f complex from *Bryopsis corticulans* as detected by EPR spectroscopy. Biophys.Chem. 146: 7-12.

Sangeetha, R. K., Bhaskar, N., & Baskaran, V. (2009) Comparative effects of beta-carotene and fucoxanthin on retinol deficiency induced oxidative stress in rats. Mol.Cell Biochem. 331: 59-67.

Sangeetha, R. K., Bhaskar, N., Divakar, S., & Baskaran, V. (2010) Bioavailability and metabolism of fucoxanthin in rats: structural characterization of metabolites by LC-MS (APCI). Mol.Cell Biochem. 333: 299-310.

Sanmartin, P., Aira, N., Devesa-Rey, R., Silva, B., & Prieto, B. (2010) Relationship between color and pigment production in two stone biofilm-forming cyanobacteria (*Nostoc* sp. PCC 9104 and *Nostoc* sp. PCC 9025). Biofouling. 26: 499-509.

Schaller, S., Latowski, D., Jemiola-Rzeminska, M., Wilhelm, C., Strzalka, K., & Goss, R. (2010) The main thylakoid membrane lipid monogalactosyldiacylglycerol (MGDG) promotes the de-epoxidation of violaxanthin associated with the light-harvesting complex of photosystem II (LHCII). Biochim.Biophys.Acta. 1797: 414-424.

Schimek, C. & Wostemeyer, J. (2009) Carotene derivatives in sexual communication of zygomycete fungi. Phytochemistry. 70: 1867-1875.

Schirrmacher, G., Skurk, T., Hauner, H., & Grassmann, J. (2010) Effect of *Spinacia oleraceae* L. and *Perilla frutescens* L. on antioxidants and lipid peroxidation in an intervention study in healthy individuals. Plant Foods Hum.Nutr. 65: 71-76.

Schloendorn, J., Webb, T., Kemmish, K., Hamalainen, M., Jackemeyer, D., Jiang, L., Mathieu, J., Rebo, J., Sankman, J., Sherman, L., Tontson, L., Qureshi, A., Alvarez, P., & Rittmann, B. (2009) Medical bioremediation: a concept moving toward reality. Rejuvenation.Res. 12: 411-419.

Schulte, F., Mader, J., Kroh, L. W., Panne, U., & Kneipp, J. (2009) Characterization of pollen carotenoids with in situ and high-performance thin-layer chromatography supported resonant Raman spectroscopy. Anal.Chem. 81: 8426-8433.

Sechi, G. (2010) Dietary supplements and the risk of Wernicke's encephalopathy. Clin.Pharmacol.Ther. 88: 164-165.

Senar, J. C., Moller, A. P., Ruiz, I., Negro, J. J., Broggi, J., & Hohtola, E. (2010) Specific appetite for carotenoids in a colorful bird. PLoS.ONE. 5: e10716.

Seo, Y. B., Choi, S. S., Nam, S. W., Lee, J. H., & Kim, Y. T. (2009) Cloning and characterization of the zeaxanthin glucosyltransferase gene (crtX) from the astaxanthin-producing marine bacterium, *Paracoccus haeundaensis*. J.Microbiol.Biotechnol. 19: 1542-1546.

Sepp, T., Sild, E., & Horak, P. (2010) Hematological condition indexes in greenfinches: effects of captivity and diurnal variation. Physiol Biochem.Zool. 83: 276-282.

Serebruany, V., Malinin, A., Goodin, T., & Pashkow, F. (2010) The in vitro effects of Xancor, a synthetic astaxanthine derivative, on hemostatic biomarkers in aspirin-naive and aspirin-treated subjects with multiple risk factors for vascular disease. Am.J.Ther. 17: 125-132.

Serino, S., Gomez, L., Costagliola, G., & Gautier, H. (2009) HPLC assay of tomato carotenoids: validation of a rapid microextraction technique. J.Agric.Food Chem. 57: 8753-8760.

Shargorodsky, J., Curhan, S. G., Eavey, R., & Curhan, G. C. (2010) A prospective study of vitamin intake and the risk of hearing loss in men. Otolaryngol.Head Neck Surg. 142: 231-236.

Shiau, R. J., Chen, K. Y., Wen, Y. D., Chuang, C. H., & Yeh, S. L. (2010) Genistein and beta-carotene enhance the growth-inhibitory effect of trichostatin A in A549 cells. Eur.J.Nutr. 49: 19-25.

Signorello, L. B., Buchowski, M. S., Cai, Q., Munro, H. M., Hargreaves, M. K., & Blot, W. J. (2010) Biochemical validation of food frequency questionnaire-estimated carotenoid, alpha-tocopherol, and folate intakes among African Americans and non-Hispanic Whites in the Southern Community Cohort Study. Am.J.Epidemiol. 171: 488-497.

Sirikhachornkit, A., Shin, J. W., Baroli, I., & Niyogi, K. K. (2009) Replacement of alpha-tocopherol by beta-tocopherol enhances resistance to photooxidative stress in a xanthophyll-deficient strain of *Chlamydomonas reinhardtii*. Eukaryot.Cell. 8: 1648-1657.

Slattery, M. L., Wolff, R. K., Herrick, J., Caan, B. J., & Samowitz, W. (2009) Tumor markers and rectal cancer: support for an inflammation-related pathway. Int.J.Cancer. 125: 1698-1704.

Slimani, N., Deharveng, G., Southgate, D. A., Biessy, C., Chajes, V., van Bakel, M. M., Boutron-Ruault, M. C., McTaggart, A., Grioni, S., Verkaik-Kloosterman, J., Huybrechts, I., Amiano, P., Jenab, M., Vignat, J., Bouckaert, K., Casagrande, C., Ferrari, P., Zourna, P., Trichopoulou, A., Wirfalt, E., Johansson, G., Rohrmann, S., Illner, A. K., Barricarte, A., Rodriguez, L., Touvier, M., Niravong, M., Mulligan, A., Crowe, F., Ocke, M. C., van der Schouw, Y. T., Bendinelli, B., Lauria, C., Brustad, M., Hjartaker, A., Tjonneland, A., Jensen, A. M., Riboli, E., & Bingham, S. (2009) Contribution of highly industrially processed foods to the nutrient intakes and patterns of middle-aged populations in the

European Prospective Investigation into Cancer and Nutrition study. Eur.J.Clin.Nutr. 63 Suppl 4:S206-25.: S206-S225.

Sozer, O., Komenda, J., Ughy, B., Domonkos, I., Laczko-Dobos, H., Malec, P., Gombos, Z., & Kis, M. (2010) Involvement of carotenoids in the synthesis and assembly of protein subunits of photosynthetic reaction centers of *Synechocystis* sp. PCC 6803. Plant Cell Physiol. 51: 823-835.

Stafsnes, M. H., Josefsen, K. D., Kildahl-Andersen, G., Valla, S., Ellingsen, T. E., & Bruheim, P. (2010) Isolation and characterization of marine pigmented bacteria from Norwegian coastal waters and screening for carotenoids with UVA-blue light absorbing properties. J.Microbiol. 48: 16-23.

Steffen, J. E. & McGraw, K. J. (2009) How dewlap color reflects its carotenoid and pterin content in male and female brown anoles (*Norops sagrei*). Comp Biochem.Physiol B Biochem.Mol.Biol. 154: 334-340.

Stein, H. L. (2009) Annatto and IBS. J.Clin.Gastroenterol. 43: 1014-1015.

Sternalski, A., Mougeot, F., Eraud, C., Gangloff, B., Villers, A., & Bretagnolle, V. (2010) Carotenoids in nestling Montagu's harriers: variations according to age, sex, body condition and evidence for diet-related limitations. J.Comp Physiol B. 180: 33-43.

Stracke, B. A., Eitel, J., Watzl, B., Mader, P., & Rufer, C. E. (2009) Influence of the production method on phytochemical concentrations in whole wheat (*Triticum aestivum* L.): a comparative study. J.Agric.Food Chem. 57: 10116-10121.

Suganuma, K., Nakajima, H., Ohtsuki, M., & Imokawa, G. (2010) Astaxanthin attenuates the UVA-induced up-regulation of matrix-metalloproteinase-1 and skin fibroblast elastase in human dermal fibroblasts. J.Dermatol.Sci. 58: 136-142.

Sun, Y., Ma, G., Ye, X., Kakuda, Y., & Meng, R. (2010) Stability of all-*trans*-beta-carotene under ultrasound treatment in a model system: effects of different factors, kinetics and newly formed compounds. Ultrason.Sonochem. 17: 654-661.

Sun, Z., Shen, S., Tian, B., Wang, H., Xu, Z., Wang, L., & Hua, Y. (2009) Functional analysis of gamma-carotene ketolase involved in the carotenoid biosynthesis of *Deinococcus radiodurans*. FEMS Microbiol.Lett. 301: 21-27.

Tacken, K. J., Vogelsang, A., van Lingen, R. A., Slootstra, J., Dikkeschei, B. D., & Zoeren-Grobben, D. (2009) Loss of triglycerides and carotenoids in human milk after processing. Arch.Dis.Child Fetal Neonatal Ed. 94: F447-F450.

Takaichi, S., Maoka, T., Takasaki, K., & Hanada, S. (2010) Carotenoids of *Gemmatimonas aurantiaca* (*Gemmatimonadetes*): identification of a novel carotenoid, deoxyoscillol 2-rhamnoside, and proposed biosynthetic pathway of oscillol 2,2'-dirhamnoside. Microbiology. 156: 757-763.

Takahashi, N., Goto, T., Taimatsu, A., Egawa, K., Katoh, S., Kusudo, T., Sakamoto, T., Ohyane, C., Lee, J. Y., Kim, Y. I., Uemura, T., Hirai, S., & Kawada, T. (2009) Bixin regulates mRNA expression involved in adipogenesis and enhances insulin sensitivity in 3T3-L1 adipocytes through PPARgamma activation. Biochem.Biophys.Res.Commun. 390: 1372-1376.

Takeda, S., Masuda, Y., Usuda, M., Marushima, R., Ueji, T., Hasegawa, M., & Maruyama, C. (2009) Effects of mayonnaise on postprandial serum lutein/zeaxanthin and beta-carotene concentrations in humans. J.Nutr.Sci.Vitaminol.(Tokyo). 55: 479-485.

Takeno, S., Bamba, T., Nakazawa, Y., Fukusaki, E., Okazawa, A., & Kobayashi, A. (2010) High-throughput and highly sensitive analysis method for polyisoprene in plants by pyrolysis-gas chromatography/mass spectrometry. Biosci.Biotechnol.Biochem. 74: 13-17.

Talvas, J., Caris-Veyrat, C., Guy, L., Rambeau, M., Lyan, B., Minet-Quinard, R., Lobaccaro, J. M., Vasson, M. P., George, S., Mazur, A., & Rock, E. (2010) Differential effects of lycopene consumed in tomato paste and lycopene in the form of a purified extract on target genes of cancer prostatic cells. Am.J.Clin.Nutr. 91: 1716-1724.

Tamaddonfard, E. & Hamzeh-Gooshchi, N. (2010) Effect of crocin on the morphine-induced antinociception in the formalin test in rats. Phytother.Res. 24: 410-413.

Tamimi, R. M., Colditz, G. A., & Hankinson, S. E. (2009) Circulating carotenoids, mammographic density, and subsequent risk of breast cancer. Cancer Res. 69: 9323-9329.

Tang, X., Yang, X., Peng, Y., & Lin, J. (2009) Protective effects of lycopene against H_2O_2-induced oxidative injury and apoptosis in human endothelial cells. Cardiovasc.Drugs Ther. 23: 439-448.

Tang, G. (2010) Bioconversion of dietary provitamin A carotenoids to vitamin A in humans. Am.J.Clin.Nutr. 91: 1468S-1473S.

Tian, B., Sun, Z., Shen, S., Wang, H., Jiao, J., Wang, L., Hu, Y., & Hua, Y. (2009) Effects of carotenoids from *Deinococcus radiodurans* on protein oxidation. Lett.Appl.Microbiol. 49: 689-694.

Tian, R., Pitchford, W. S., Morris, C. A., Cullen, N. G., & Bottema, C. D. (2010) Genetic variation in the beta, beta-carotene-9', 10'-dioxygenase gene and association with fat colour in bovine adipose tissue and milk. Anim Genet. 41: 253-259.

Tintchev, F., Wackerbarth, H., Kuhlmann, U., Toepfl, S., Knorr, D., Hildebrandt, P., & Heinz, V. (2010) Molecular effects of high-pressure processing on food studied by resonance Raman. Ann.N.Y.Acad.Sci. 1189: 34-42.

Tode, C., Maoka, T., & Sugiura, M. (2009) Application of LC-NMR to analysis of carotenoids in foods. J.Sep.Sci. 32: 3659-3663.

Toledo-Ortiz, G., Huq, E., & Rodriguez-Concepcion, M. (2010) Direct regulation of phytoene synthase gene expression and carotenoid biosynthesis by phytochrome-interacting factors. Proc.Natl.Acad.Sci.U.S.A. 107: 11626-11631.

Tomita, L. Y., Longatto, F. A., Costa, M. C., Andreoli, M. A., Villa, L. L., Franco, E. L., & Cardoso, M. A. (2010) Diet and serum micronutrients in relation to cervical neoplasia and cancer among low-income Brazilian women. Int.J.Cancer. 126: 703-714.

Toomey, M. B., Butler, M. W., & McGraw, K. J. (2010) Immune-system activation depletes retinal carotenoids in house finches (*Carpodacus mexicanus*). J.Exp.Biol. 213: 1709-1716.

Tran, N. P., Park, J. K., Hong, S. J., & Lee, C. G. (2009) Proteomics of proteins associated with astaxanthin accumulation in the green algae *Haematococcus lacustris* under the influence of sodium orthovanadate. Biotechnol.Lett. 31: 1917-1922.

Tschirner, N., Schenderlein, M., Brose, K., Schlodder, E., Mroginski, M. A., Thomsen, C., & Hildebrandt, P. (2009) Resonance Raman spectra of beta-carotene in solution and in photosystems revisited: an experimental and theoretical study. Phys.Chem Chem Phys. 11: 11471-11478.

Tumuhimbise, G. A., Namutebi, A., & Muyonga, J. H. (2009) Microstructure and *in vitro* beta carotene bioaccessibility of heat processed orange fleshed sweet potato. Plant Foods Hum.Nutr. 64: 312-318.

Turk, G., Ceribasi, A. O., Sakin, F., Sonmez, M., & Atessahin, A. (2010) Antiperoxidative and anti-apoptotic effects of lycopene and ellagic acid on cyclophosphamide-induced testicular lipid peroxidation and apoptosis. Reprod.Fertil.Dev. 22: 587-596.

Tutar, H., Yilmaz, E., Pehlivan, E., & Yilmaz, M. (2009) Immobilization of *Candida rugosa* lipase on sporopollenin from *Lycopodium clavatum*. Int.J.Biol.Macromol. 45: 315-320.

Ukibe, K., Hashida, K., Yoshida, N., & Takagi, H. (2009) Metabolic engineering of *Saccharomyces cerevisiae* for astaxanthin production and oxidative stress tolerance. Appl.Environ.Microbiol. 75: 7205-7211.

Ulusoy, S., Bosgelmez-Tinaz, G., & Secilmis-Canbay, H. (2009) Tocopherol, carotene, phenolic contents and antibacterial properties of rose essential oil, hydrosol and absolute. Curr.Microbiol. 59: 554-558.

Unrean, P., Trinh, C. T., & Srienc, F. (2010) Rational design and construction of an efficient E. coli for production of diapolycopendioic acid. Metab Eng. 12: 112-122.

Vage, D. I. & Boman, I. A. (2010) A nonsense mutation in the beta-carotene oxygenase 2 (BCO2) gene is tightly associated with accumulation of carotenoids in adipose tissue in sheep (*Ovis aries*). BMC.Genet. 11:10.: 10.

Vallabhaneni, R., Gallagher, C. E., Licciardello, N., Cuttriss, A. J., Quinlan, R. F., & Wurtzel, E. T. (2009) Metabolite sorting of a germplasm collection reveals the hydroxylase3 locus as a new target for maize provitamin A biofortification. Plant Physiol. 151: 1635-1645.

van der Veen, R. L., Fuijkschot, J., Willemsen, M. A., Cruysberg, J. R., Berendschot, T. T., & Theelen, T. (2010) Patients with Sjogren-Larsson syndrome lack macular pigment. Ophthalmology. 117: 966-971.

van Helden, Y. G., Heil, S. G., van Schooten, F. J., Kramer, E., Hessel, S., Amengual, J., Ribot, J., Teerds, K., Wyss, A., Lietz, G., Bonet, M. L., Von Lintig, J., Godschalk, R. W., & Keijer, J. (2010) Knockout of the Bcmo1 gene results in an inflammatory response in female lung, which is suppressed by dietary beta-carotene. Cell Mol.Life Sci. 67: 2039-2056.

van Helden, Y. G., Keijer, J., Heil, S. G., Pico, C., Palou, A., Oliver, P., Munnia, A., Briede, J. J., Peluso, M., Franssen-van Hal, N. L., van Schooten, F. J., & Godschalk, R. W. (2009) Beta-carotene affects oxidative stress-related DNA damage in lung epithelial cells and in ferret lung. Carcinogenesis. 30: 2070-2076.

Vardi, N., Parlakpinar, H., Ates, B., Cetin, A., & Otlu, A. (2009) Antiapoptotic and antioxidant effects of beta-carotene against methotrexate-induced testicular injury. Fertil.Steril. 92: 2028-2033.

Varzakakou, M. & Roukas, T. (2010) Identification of carotenoids produced from cheese whey by *Blakeslea trispora* in submerged fermentation. Prep.Biochem.Biotechnol. 40: 76-82.

Venkitaraman, R., Thomas, K., Grace, P., Dearnaley, D. P., Horwich, A., Huddart, R. A., & Parker, C. C. (2010) Serum micronutrient and antioxidant levels at baseline and the natural history of men with localised prostate cancer on active surveillance. Tumour.Biol. 31: 97-102.

Villar-Martinez, A. A., Vanegas-Espinoza, P. E., & Paredes-Lopez, O. (2010) Marigold regeneration and molecular analysis of carotenogenic genes. Methods Mol.Biol. 589:213-21.: 213-221.

Vinkler, M. & Albrecht, T. (2010) Carotenoid maintenance handicap and the physiology of carotenoid-based signalisation of health. Naturwissenschaften. 97: 19-28.

Vishwanathan, R., Goodrow-Kotyla, E. F., Wooten, B. R., Wilson, T. A., & Nicolosi, R. J. (2009) Consumption of 2 and 4 egg yolks/d for 5 wk increases macular pigment concentrations in older adults with low macular pigment taking cholesterol-lowering statins. Am.J.Clin.Nutr. 90: 1272-1279.

Vogel, J. T., Walter, M. H., Giavalisco, P., Lytovchenko, A., Kohlen, W., Charnikhova, T., Simkin, A. J., Goulet, C., Strack, D., Bouwmeester, H. J., Fernie, A. R., & Klee, H. J. (2010) SlCCD7 controls strigolactone biosynthesis, shoot branching and mycorrhiza-induced apocarotenoid formation in tomato. Plant J. 61: 300-311.

Voolstra, O., Oberhauser, V., Sumser, E., Meyer, N. E., Maguire, M. E., Huber, A., & Von Lintig, J. (2010) NinaB is essential for *Drosophila* vision but induces retinal degeneration in opsin-deficient photoreceptors. J.Biol.Chem. 285: 2130-2139.

Waagmeester, A., Pezik, P., Coort, S., Tourniaire, F., Evelo, C., & Rebholz-Schuhmann, D. (2009) Pathway enrichment based on text mining and its validation on carotenoid and vitamin A metabolism. OMICS. 13: 367-379.

Wakai, K., Naito, M., Naito, T., Kojima, M., Nakagaki, H., Umemura, O., Yokota, M., Hanada, N., & Kawamura, T. (2010) Tooth loss and intakes of nutrients and foods: a nationwide survey of Japanese dentists. Community Dent.Oral Epidemiol. 38: 43-49.

Wakshlag, J. J., Balkman, C. A., Morgan, S. K., & McEntee, M. C. (2010) Evaluation of the protective effects of all-*trans*-astaxanthin on canine osteosarcoma cell lines. Am.J.Vet.Res. 71: 89-96.

Wang, W. & Yu, L. (2009) Effects of oxygen supply on growth and carotenoids accumulation by *Xanthophyllomyces dendrorhous*. Z.Naturforsch.C. 64: 853-858.

Wang, Y., Ausman, L. M., Greenberg, A. S., Russell, R. M., & Wang, X. D. (2010) Dietary lycopene and tomato extract supplementations inhibit nonalcoholic steatohepatitis-promoted hepatocarcinogenesis in rats. Int.J.Cancer. 126: 1788-1796.

Wang, Y., Han, T., Zhu, Y., Zheng, C. J., Ming, Q. L., Rahman, K., & Qin, L. P. (2010) Antidepressant properties of bioactive fractions from the extract of *Crocus sativus* L. J.Nat.Med. 64: 24-30.

Watson, P. E. & McDonald, B. W. (2010) The association of maternal diet and dietary supplement intake in pregnant New Zealand women with infant birthweight. Eur.J.Clin.Nutr. 64: 184-193.

Waysek, E. H., Schierle, J., Duesterloh, A., Deshpande, J., & Austad, J. (2010) Determination of lycopene in dietary supplements and raw materials by high-performance liquid chromatography: collaborative study. J.AOAC Int. 93: 499-509.

Wei, Y., Shen, X. N., Mai, J. Y., Shen, H., Wang, R. Z., & Wu, M. (2010) [The effects of lycopene on reactive oxygen species and anoxic damage in ischemia reperfusion injury in rats]. Zhonghua Yu Fang Yi.Xue.Za Zhi. 44: 34-38.

Wenzel, M., Seuss-Baum, I., & Schlich, E. (2010) Influence of pasteurization, spray- and freeze-drying, and storage on the carotenoid content in egg yolk. J.Agric.Food Chem. 58: 1726-1731.

Wertz, K. (2009) Lycopene effects contributing to prostate health. Nutr.Cancer. 61: 775-783.

Woo, M. N., Jeon, S. M., Shin, Y. C., Lee, M. K., Kang, M. A., & Choi, M. S. (2009) Anti-obese property of fucoxanthin is partly mediated by altering lipid-regulating enzymes and uncoupling proteins of visceral adipose tissue in mice. Mol.Nutr.Food Res. 53: 1603-1611.

Widome, R., Jacobs, D. R., Jr., Hozawa, A., Sijtsma, F., Gross, M., Schreiner, P. J., & Iribarren, C. (2010) Passive smoke exposure and circulating carotenoids in the CARDIA study. Ann.Nutr.Metab. 56: 113-118.

Wilson, A., Kinney, J. N., Zwart, P. H., Punginelli, C., d'Haene, S., Perreau, F., Klein, M. G., Kirilovsky, D., & Kerfeld, C. A. (2010) Structural determinants underlying photoprotection in the photoactive orange carotenoid protein of cyanobacteria. J.Biol.Chem. 285: 18364-18375.

Wolbang, C. M., Singh, D. P., Sykes, S. R., McInerney, J. K., Bird, A. R., & Treeby, M. T. (2010) Influence of pre- and postharvest factors on beta-carotene content, its in vitro bioaccessibility, and antioxidant capacity in melons. J.Agric.Food Chem. 58: 1732-1740.

Wolf, A. M., Asoh, S., Hiranuma, H., Ohsawa, I., Iio, K., Satou, A., Ishikura, M., & Ohta, S. (2010) Astaxanthin protects mitochondrial redox state and functional integrity against oxidative stress. J.Nutr.Biochem. 21: 381-389.

Wolters, A. M., Uitdewilligen, J. G., Kloosterman, B. A., Hutten, R. C., Visser, R. G., & van Eck, H. J. (2010) Identification of alleles of carotenoid pathway genes important for zeaxanthin accumulation in potato tubers. Plant Mol.Biol. 73: 659-671.

Woo, M. N., Jeon, S. M., Kim, H. J., Lee, M. K., Shin, S. K., Shin, Y. C., Park, Y. B., & Choi, M. S. (2010) Fucoxanthin supplementation improves plasma and hepatic lipid metabolism and blood glucose concentration in high-fat fed C57BL/6N mice. Chem Biol.Interact. 186: 316-322.

Wood, L. G. & Gibson, P. G. (2010) Reduced circulating antioxidant defences are associated with airway hyper-responsiveness, poor control and severe disease pattern in asthma. Br.J.Nutr. 103: 735-741.

Wu, P. L., Lin, G. H., Kang, X. D., Yuan, H., & Shen, Y. L. (2009) Complement activation by carotenoid derived aldehydes in cultured human vein epithelial cells. Phytother.Res. 23: 1696-1700.

Wu, Z. & Li, C. (2009) Kinetics and thermodynamics of beta-carotene and chlorophyll adsorption onto acid-activated bentonite from Xinjiang in xylene solution. J.Hazard.Mater. 171: 582-587.

Xu, G. L., Li, G., Ma, H. P., Zhong, H., Liu, F., & Ao, G. Z. (2009) Preventive effect of crocin in inflamed animals and in LPS-challenged RAW 264.7 cells. J.Agric.Food Chem. 57: 8325-8330.

Xu, Q., Liu, Y., Zhu, A., Wu, X., Ye, J., Yu, K., Guo, W., & Deng, X. (2010) Discovery and comparative profiling of microRNAs in a sweet orange red-flesh mutant and its wild type. BMC.Genomics. 11:246.: 246.

Xu, Q., Yu, K., Zhu, A., Ye, J., Liu, Q., Zhang, J., & Deng, X. (2009) Comparative transcripts profiling reveals new insight into molecular processes regulating lycopene accumulation in a sweet orange (*Citrus sinensis*) red-flesh mutant. BMC.Genomics. 10:540.: 540.

Yamaguchi, M. & Weitzmann, M. N. (2009) The bone anabolic carotenoid beta-cryptoxanthin enhances transforming growth factor-beta1-induced SMAD activation in MC3T3 preosteoblasts.

Int.J.Mol.Med. 24: 671-675.

Yamamizo, C., Kishimoto, S., & Ohmiya, A. (2010) Carotenoid composition and carotenogenic gene expression during Ipomoea petal development. J.Exp.Bot. 61: 709-719.

Yamanushi, T. T., Torii, M. I., Janjua, N., & Kabuto, H. (2009) *In vivo* tissue uptake of intravenously injected water soluble all-*trans* beta-carotene used as a food colorant. Nutr.J. 8:56.: 56.

Yan, J., Kandianis, C. B., Harjes, C. E., Bai, L., Kim, E. H., Yang, X., Skinner, D. J., Fu, Z., Mitchell, S., Li, Q., Fernandez, M. G., Zaharieva, M., Babu, R., Fu, Y., Palacios, N., Li, J., DellaPenna, D., Brutnell, T., Buckler, E. S., Warburton, M. L., & Rocheford, T. (2010) Rare genetic variation at *Zea mays* crtRB1 increases beta-carotene in maize grain. Nat.Genet. 42: 322-327.

Yan, J., Qian, Z., Sheng, L., Zhao, B., Yang, L., Ji, H., Han, X., & Zhang, R. (2010) Effect of crocetin on blood pressure restoration and synthesis of inflammatory mediators in heart after hemorrhagic shock in anesthetized rats. Shock. 33: 83-87.

Yang, S. J., Oh, H. M., Chung, S., & Cho, J. C. (2009) *Antarcticimonas flava* gen. nov., sp. nov., isolated from Antarctic coastal seawater. J.Microbiol. 47: 517-523.

Yong, L. C., Petersen, M. R., Sigurdson, A. J., Sampson, L. A., & Ward, E. M. (2009) High dietary antioxidant intakes are associated with decreased chromosome translocation frequency in airline pilots. Am.J.Clin.Nutr. 90: 1402-1410.

Yoshida, K., Ueda, S., & Maeda, I. (2009) Carotenoid production in *Bacillus subtilis* achieved by metabolic engineering. Biotechnol.Lett. 31: 1789-1793.

Yoshida, H., Yanai, H., Ito, K., Tomono, Y., Koikeda, T., Tsukahara, H., & Tada, N. (2010) Administration of natural astaxanthin increases serum HDL-cholesterol and adiponectin in subjects with mild hyperlipidemia. Atherosclerosis. 209: 520-523.

Yu, Q., Schaub, P., Ghisla, S., Al Babili, S., Krieger-Liszkay, A., & Beyer, P. (2010) The lycopene cyclase CrtY from *Pantoea ananatis* (formerly *Erwinia uredovora*) catalyzes an FADred-dependent non-redox reaction. J.Biol.Chem. 285: 12109-12120.

Zago, L., Dupraz, H., Torino, F., & Rio, M. E. (2010) [Preoperative nutritional status and surgical risk. Identification of promissory biochemical markers]. Nutr.Hosp. 25: 91-98.

Zelena, K., Hardebusch, B., Hulsdau, B., Berger, R. G., & Zorn, H. (2009) Generation of norisoprenoid flavors from carotenoids by fungal peroxidases. J.Agric.Food Chem. 57: 9951-9955.

Zeng, Y. C., Hu, M. Y., Qu, S. L., & Zhou, G. Y. (2009) [Effects of lycopene on blood lipid and red blood cell of rat with hypercholesterolemia]. Zhonghua Yu Fang Yi.Xue.Za Zhi. 43: 1064-1068.

Zepka, L. Q., Borsarelli, C. D., da Silva, M. A., & Mercadante, A. Z. (2009) Thermal degradation kinetics of carotenoids in a cashew apple juice model and its impact on the system color. J.Agric.Food Chem. 57: 7841-7845.

Zhang, J., Tao, N., Xu, Q., Zhou, W., Cao, H., Xu, J., & Deng, X. (2009) Functional characterization of Citrus PSY gene in Hongkong kumquat (*Fortunella hindsii* Swingle). Plant Cell Rep. 28: 1737-1746.

Zhang, S., Zu, Y. G., Fu, Y. J., Luo, M., Liu, W., Li, J., & Efferth, T. (2010) Supercritical carbon dioxide extraction of seed oil from yellow horn (*Xanthoceras sorbifolia* Bunge.) and its anti-oxidant activity.

Bioresour.Technol. 101: 2537-2544.

Zhao, G., Zhang, W., & Zhang, G. (2010) Production of single cell protein using waste capsicum powder produced during capsanthin extraction. Lett.Appl.Microbiol. 50: 187-191.

Zheng, S. J., Snoeren, T. A., Hogewoning, S. W., van Loon, J. J., & Dicke, M. (2010) Disruption of plant carotenoid biosynthesis through virus-induced gene silencing affects oviposition behaviour of the butterfly *Pieris rapae*. New Phytol. 186: 733-745.

Zhou, C. H., Xiang, M., He, S. Y., & Qian, Z. Y. (2010) Crocetin inhibits cell cycle G1/S transition through suppressing cyclin D1 and elevating p27kip1 in vascular smooth muscle cells. Phytother.Res. 24: 975-981.

Zhu, J., Gdor, I., Smolensky, E., Friedman, N., Sheves, M., & Ruhman, S. (2010) Photoselective ultrafast investigation of xanthorhodopsin and its carotenoid antenna salinixanthin. J.Phys.Chem B. 114: 3038-3045.

Zidichouski, J. A., Mastaloudis, A., Poole, S. J., Reading, J. C., & Smidt, C. R. (2009) Clinical validation of a noninvasive, Raman spectroscopic method to assess carotenoid nutritional status in humans. J.Am.Coll.Nutr. 28: 687-693.

Zini, A., San Gabriel, M., & Libman, J. (2010) Lycopene supplementation *in vitro* can protect human sperm deoxyribonucleic acid from oxidative damage. Fertil.Steril. 94: 1033-1036.

Zizza, C. A., Arsiwalla, D. D., & Ellison, K. J. (2010) Contribution of snacking to older adults' vitamin, carotenoid, and mineral intakes. J.Am.Diet.Assoc. 110: 768-772.