CARIG Literature Listing - November 2010

Akbaraly, T. N., Favier, A., & Berr, C. (2009) Total plasma carotenoids and mortality in the elderly: results of the Epidemiology of Vascular Ageing (EVA) study. Br.J.Nutr. 101: 86-92.

al Senaidy, A. M. (2009) Serum vitamin A and beta-carotene levels in children with asthma. J.Asthma. 46: 699-702.

Ali, M. M. & Agha, F. G. (2009) Amelioration of streptozotocin-induced diabetes mellitus, oxidative stress and dyslipidemia in rats by tomato extract lycopene. Scand.J.Clin.Lab Invest. 69: 371-379.

Alipanah, N., Varadhan, R., Sun, K., Ferrucci, L., Fried, L. P., & Semba, R. D. (2009) Low serum carotenoids are associated with a decline in walking speed in older women. J.Nutr.Health Aging. 13: 170-175.

Anil, K. P., Srinivas, T. N., Takaichi, S., Maoka, T., Sasikala, C., & Ramana, C. (2009) *Phaeospirillum chandramohanii* sp. nov., a phototrophic alphaproteobacterium with carotenoid glycosides. Int.J.Syst.Evol.Microbiol. 59: 2089-2093.

Arias, E., Gonzalez, A., Shimada, A., Varela-Echavarria, A., Ruiz-Lopez, F., During, A., & Mora, O. (2009) Beta-carotene is incorporated or mobilized along with triglycerides in bovine adipose tissue in response to insulin or epinephrine. J.Anim Physiol Anim Nutr.(Berl). 93: 83-93.

Armenta, R. E. & Guerrero-Legarreta, I. (2009) Stability studies on astaxanthin extracted from fermented shrimp byproducts. J.Agric.Food Chem. 57: 6095-6100.

Arnoux, P., Morosinotto, T., Saga, G., Bassi, R., & Pignol, D. (2009) A structural basis for the pH-dependent xanthophyll cycle in *Arabidopsis thaliana*. Plant Cell. 21: 2036-2044.

Asker, D., Amano, S., Morita, K., Tamura, K., Sakuda, S., Kikuchi, N., Furihata, K., Matsufuji, H., Beppu, T., & Ueda, K. (2009) Astaxanthin dirhamnoside, a new astaxanthin derivative produced by a radio-tolerant bacterium, *Sphingomonas astaxanthinifaciens*. J.Antibiot.(Tokyo). 62: 397-399.

Attia, A. A. (2009) Histological and electron microscopic studies of the effect of beta-carotene on the pancreas of streptozotocin (STZ)-induced diabetic rats. Pak.J.Biol.Sci. 12: 301-314.

Bai, L., Kim, E. H., DellaPenna, D., & Brutnell, T. P. (2009) Novel lycopene epsilon cyclase activities in maize revealed through perturbation of carotenoid biosynthesis. Plant J. 59: 588-599.

Bamba, T. & Fukusaki, E. (2009) Separation of hydrophobic metabolites using monolithic silica column in high-performance liquid chromatography and supercritical fluid chromatography. J.Sep.Sci. 32: 2699-2706.

Banerjee, S., Jeyaseelan, S., & Guleria, R. (2009) Trial of lycopene to prevent pre-eclampsia in healthy primigravidas: results show some adverse effects. J.Obstet.Gynaecol.Res. 35: 477-482.

Beecher, G. R., Stewart, K. K., Holden, J. M., Harnly, J. M., & Wolf, W. R. (2009) Legacy of Wilbur O. Atwater: human nutrition research expansion at the USDA--interagency development of food composition research. J.Nutr. 139: 178-184.

Berry, S. D., Davis, S. R., Beattie, E. M., Thomas, N. L., Burrett, A. K., Ward, H. E., Stanfield, A. M., Biswas, M., Ankersmit-Udy, A. E., Oxley, P. E., Barnett, J. L., Pearson, J. F., van der, D. Y., Macgibbon, A. H., Spelman, R. J., Lehnert, K., & Snell, R. G. (2009) Mutation in bovine beta-carotene oxygenase 2 affects milk color. Genetics. 182: 923-926.

Bezelgues, J. B., Morgan, F., Palomo, G., Crosset-Perrotin, L., & Ducret, P. (2009) Short communication: Milk fat globule membrane as a potential delivery system for liposoluble nutrients. J.Dairy Sci. 92: 2524-2528.

Bignotto, L., Rocha, J., Sepodes, B., Eduardo-Figueira, M., Pinto, R., Chaud, M., de Carvalho, J., Moreno, H., Jr., & Mota-Filipe, H. (2009) Anti-inflammatory effect of lycopene on carrageenan-induced paw oedema and hepatic ischaemia-reperfusion in the rat. Br.J.Nutr. 102: 126-133.

Bode, S., Quentmeier, C. C., Liao, P. N., Hafi, N., Barros, T., Wilk, L., Bittner, F., & Walla, P. J. (2009) On the regulation of photosynthesis by excitonic interactions between carotenoids and chlorophylls. Proc.Natl.Acad.Sci.U.S.A. 106: 12311-12316.

Brahimi, N., Maubec, E., Palazzo, E., Larger, E., Mohammedi, K., Landry, J., Descamps, V., & Crickx, B. (2009) [Orange facial skin discolouration]. Ann.Dermatol.Venereol. 136: 377-378.

Brazionis, L., Rowley, K., Itsiopoulos, C., & O'Dea, K. (2009) Plasma carotenoids and diabetic retinopathy. Br.J.Nutr. 101: 270-277.

Bronkowska, M. & Biernat, J. (2009) [Evaluation of lycopene intake in daily food rations of women from the Lower Silesia region]. Rocz.Panstw.Zakl.Hig. 60: 31-34.

Cai, J., Yi, F. F., Bian, Z. Y., Shen, D. F., Yang, L., Yan, L., Tang, Q. Z., Yang, X. C., & Li, H. (2009) Crocetin protects against cardiac hypertrophy by blocking MEK-ERK1/2 signalling pathway. J.Cell Mol.Med. 13: 909-925.

Caprioli, I., Lafuente, M. T., Rodrigo, M. J., & Mencarelli, F. (2009) Influence of postharvest treatments on quality, carotenoids, and abscisic acid content of stored "Spring Belle" peach (*Prunus persica*) fruit. J.Agric.Food Chem. 57: 7056-7063.

Ceron-Carrasco, J. P., Bastida, A., Zuniga, J., Requena, A., & Miguel, B. (2009) Density functional theory study of the stability and vibrational spectra of the beta-carotene isomers. J.Phys.Chem.A. 113: 9899-9907.

Chan, C. M., Fang, J. Y., Lin, H. H., Yang, C. Y., & Hung, C. F. (2009) Lycopene inhibits PDGF-BB-induced retinal pigment epithelial cell migration by suppression of PI3K/Akt and MAPK pathways. Biochem.Biophys.Res.Commun. 388: 172-176.

Chan, R., Lok, K., & Woo, J. (2009) Prostate cancer and vegetable consumption. Mol.Nutr.Food Res. 53: 201-216.

Charbel, I. P., van der Veen, R. L., Stijfs, A., Holz, F. G., Scholl, H. P., & Berendschot, T. T. (2009) Quantification of reduced macular pigment optical density in the central retina in macular telangiectasia type 2. Exp.Eye Res. 89: 25-31.

Chen, K., Zhang, X., Wei, X. P., Qu, P., Liu, Y. X., & Li, T. Y. (2009) Antioxidant vitamin status during pregnancy in relation to cognitive development in the first two years of life. Early Hum.Dev. 85: 421-427.

Chen, Y., Chen, J., & Jia, L. (2009) Study of triacontyl-functionalized monolithic silica capillary column for reversed-phase capillary liquid chromatography. J.Chromatogr.A. 1216: 2597-2600.

Choi, S. K., Park, Y. S., Choi, D. K., & Chang, H. I. (2008) Effects of astaxanthin on the production of NO and the expression of COX-2 and iNOS in LPS-stimulated BV2 microglial cells. J.Microbiol.Biotechnol. 18: 1990-1996.

Chung, H. K., Kang, B., Lee, J. H., Shim, J. Y., Park, S., Lee, S. H., Park, Y. K., Park, E., Chung, N., & Shin, M. J. (2009) Increased arterial stiffness is associated with reduced plasma levels of beta-carotene in treated hypertensive patients with type 2 diabetes mellitus. Nutr.Metab Cardiovasc.Dis. 19: e9-e11.

Chung, H. Y., Ferreira, A. L., Epstein, S., Paiva, S. A., Castaneda-Sceppa, C., & Johnson, E. J. (2009) Site-specific concentrations of carotenoids in adipose tissue: relations with dietary and serum carotenoid concentrations in healthy adults. Am.J.Clin.Nutr. 90: 533-539.

Cuevas, H. E., Staub, J. E., Simon, P. W., & Zalapa, J. E. (2009) A consensus linkage map identifies genomic regions controlling fruit maturity and beta-carotene-associated flesh color in melon (*Cucumis melo* L.). Theor.Appl.Genet. 119: 741-756.

Czernichow, S., Vergnaud, A. C., Galan, P., Arnaud, J., Favier, A., Faure, H., Huxley, R., Hercberg, S., & Ahluwalia, N. (2009) Effects of long-term antioxidant supplementation and association of serum antioxidant concentrations with risk of metabolic syndrome in adults. Am.J.Clin.Nutr. 90: 329-335.

Davey, M. W., Mellidou, I., & Keulemans, W. (2009) Considerations to prevent the breakdown and loss of fruit carotenoids during extraction and analysis in Musa. J.Chromatogr.A. 1216: 5759-5762.

de Faria, A. F., de Rosso, V. V., & Mercadante, A. Z. (2009) Carotenoid composition of jackfruit (*Artocarpus heterophyllus*), determined by HPLC-PDA-MS/MS. Plant Foods

Hum.Nutr. 64: 108-115.

del Mar, C. M., Preston, C., Menzel, M., Kempf, M., & Schreier, P. (2009) Online gas chromatography combustion/pyrolysis-isotope ratio mass spectrometry (HRGC-C/P-IRMS) of (+/-)-Dihydroactinidiolide from tea (*Camellia sinensis*) and rooibos tea (*Aspalathus linearis*). J.Agric.Food Chem. 57: 5899-5902.

del Val, E., Senar, J. C., Garrido-Fernandez, J., Jaren, M., Borras, A., Cabrera, J., & Negro, J. J. (2009) The liver but not the skin is the site for conversion of a red carotenoid in a passerine bird. Naturwissenschaften. 96: 797-801.

Dimier, C., Giovanni, S., Ferdinando, T., & Brunet, C. (2009) Comparative ecophysiology of the xanthophyll cycle in six marine phytoplanktonic species. Protist. 160: 397-411.

Dorjgochoo, T., Gao, Y. T., Chow, W. H., Shu, X. O., Li, H., Yang, G., Cai, Q., Rothman, N., Cai, H., Franke, A. A., Zheng, W., & Dai, Q. (2009) Plasma carotenoids, tocopherols, retinol and breast cancer risk: results from the Shanghai Women Health Study (SWHS). Breast Cancer Res.Treat. 117: 381-389.

Duewer, D. L., Lippa, K. A., Long, S. E., Murphy, K. E., Sharpless, K. E., Sniegoski, L. T., Welch, M. J., Tani, W., & Umemoto, M. (2009) Demonstrating the comparability of certified reference materials. Anal.Bioanal.Chem. 395: 155-169.

Ehlers, F., Lenzer, T., & Oum, K. (2008) Excited-state dynamics of 12'-apo-beta-caroten-12'-al and 8'-apo-beta-caroten-8'-al in supercritical CO_2, N_2O, and CF_3H. J.Phys.Chem B. 112: 16690-16700.

El Muhtaseb, M. S., Talwar, D., Duncan, A., St, J. O., McKee, R. F., Anderson, J. H., Foulis, A., & Finlay, I. G. (2009) Free radical activity and lipid soluble anti-oxidant vitamin status in patients with long-term ileal pouch-anal anastomosis. Colorectal Dis. 11: 67-72.

Esteban, R., Balaguer, L., Manrique, E., Rubio, d. C., Ochoa, R., Fleck, I., Pinto-Marijuan, M., Casals, I., Morales, D., Jimenez, M. S., Lorenzo, R., Artetxe, U., Becerril, J. M., & Garcia-Plazaola, J. I. (2009) Alternative methods for sampling and preservation of photosynthetic pigments and tocopherols in plant material from remote locations. Photosynth.Res. 101: 77-88.

Estrada, A. F., Brefort, T., Mengel, C., Diaz-Sanchez, V., Alder, A., Al Babili, S., & Avalos, J. (2009) *Ustilago maydis* accumulates beta-carotene at levels determined by a retinal-forming carotenoid oxygenase. Fungal.Genet.Biol. 46: 803-813.

Ewen, J. G., Thorogood, R., Brekke, P., Cassey, P., Karadas, F., & Armstrong, D. P. (2009) Maternally invested carotenoids compensate costly ectoparasitism in the hihi. Proc.Natl.Acad.Sci.U.S.A. 106: 12798-12802.

Fassett, R. G. & Coombes, J. S. (2009) Astaxanthin, oxidative stress, inflammation and cardiovascular disease. Future.Cardiol. 5: 333-342.

Floss, D. S. & Walter, M. H. (2009) Role of carotenoid cleavage dioxygenase 1 (CCD1) in apocarotenoid biogenesis revisited. Plant Signal.Behav. 4: 172-175.

Focsan, A. L., Molnar, P., Deli, J., & Kispert, L. (2009) Structure and properties of 9'-*cis* neoxanthin carotenoid radicals by electron paramagnetic resonance measurements and density functional theory calculations: present in LHC II? J.Phys.Chem B. 113: 6087-6096.

Galano, A. & Francisco-Marquez, M. (2009) Reactions of OOH radical with beta-carotene, lycopene, and torulene: hydrogen atom transfer and adduct formation mechanisms. J.Phys.Chem.B. 113: 11338-11345.

Gao, Y., Shinopoulos, K. E., Tracewell, C. A., Focsan, A. L., Brudvig, G. W., & Kispert, L. D. (2009) Formation of carotenoid neutral radicals in photosystem II. J.Phys.Chem.B. 113: 9901-9908.

Garcia-Alonso, F. J., Bravo, S., Casas, J., Perez-Conesa, D., Jacob, K., & Periago, M. J. (2009) Changes in antioxidant compounds during the shelf life of commercial tomato juices in different packaging materials. J.Agric.Food Chem. 57: 6815-6822.

Geens, A., Dauwe, T., & Eens, M. (2009) Does anthropogenic metal pollution affect carotenoid colouration, antioxidative capacity and physiological condition of great tits (*Parus major*)? Comp Biochem.Physiol C.Toxicol.Pharmacol. 150: 155-163.

Georgieva, K., Roding, A., & Buchel, C. (2009) Changes in some thylakoid membrane proteins and pigments upon desiccation of the resurrection plant *Haberlea rhodopensis*. J.Plant Physiol. 166: 1520-1528.

Gill, J. K., Franke, A. A., Steven, M. J., Cooney, R. V., Wilkens, L. R., Le Marchand, L., Goodman, M. T., Henderson, B. E., & Kolonel, L. N. (2009) Association of selenium, tocopherols, carotenoids, retinol, and 15-isoprostane F(2t) in serum or urine with prostate cancer risk: the multiethnic cohort. Cancer Causes Control. 20: 1161-1171.

Gouranton, E., Yazidi, C. E., Cardinault, N., Amiot, M. J., Borel, P., & Landrier, J. F. (2008) Purified low-density lipoprotein and bovine serum albumin efficiency to internalise lycopene into adipocytes. Food Chem Toxicol. 46: 3832-3836.

Gruszecki, W. I., Gospodarek, M., Grudzinski, W., Mazur, R., Gieczewska, K., & Garstka, M. (2009) Light-induced change of configuration of the LHCII-bound xanthophyll (tentatively assigned to violaxanthin): a resonance Raman study. J.Phys.Chem B. 113: 2506-2512.

Hammady, T., El Gindy, A., Lejmi, E., Dhanikula, R. S., Moreau, P., & Hildgen, P. (2009) Characteristics and properties of nanospheres co-loaded with lipophilic and hydrophilic drug models. Int.J.Pharm. 369: 185-195.

Hammond, B. R., Jr. (2008) Possible role for dietary lutein and zeaxanthin in visual development. Nutr.Rev. 66: 695-702.

Heldmaier, M., Beyer-Koschitzke, J., & Stahl-Biskup, E. (2009) Oil extracts of herbal drugs--optimisation of the extraction parameters. Pharmazie. 64: 403-406.

Helmersson, J., Arnlov, J., Larsson, A., & Basu, S. (2009) Low dietary intake of beta-carotene, alpha-tocopherol and ascorbic acid is associated with increased inflammatory and oxidative stress status in a Swedish cohort. Br.J.Nutr. 101: 1775-1782.

Hidalgo, A., Brandolini, A., & Ratti, S. (2009) Influence of genetic and environmental factors on selected nutritional traits of *Triticum monococcum*. J.Agric.Food Chem. 57: 6342-6348.

Ho, C. C., de Moura, F. F., Kim, S. H., Burri, B. J., & Clifford, A. J. (2009) A minute dose of 14C-{beta}-carotene is absorbed and converted to retinoids in humans. J.Nutr. 139: 1480-1486.

Howitt, C. A., Cavanagh, C. R., Bowerman, A. F., Cazzonelli, C., Rampling, L., Mimica, J. L., & Pogson, B. J. (2009) Alternative splicing, activation of cryptic exons and amino acid substitutions in carotenoid biosynthetic genes are associated with lutein accumulation in wheat endosperm. Funct.Integr.Genomics. 9: 363-376.

Huang, F. C., Molnar, P., & Schwab, W. (2009) Cloning and functional characterization of carotenoid cleavage dioxygenase 4 genes. J.Exp.Bot. 60: 3011-3022.

Huang, Z. R., Lin, Y. K., & Fang, J. Y. (2009) Biological and pharmacological activities of squalene and related compounds: potential uses in cosmetic dermatology. Molecules. 14: 540-554.

Iqbal, J. & Hussain, M. M. (2009) Intestinal lipid absorption. Am.J.Physiol Endocrinol.Metab. 296: E1183-E1194.

Iriyama, A., Inoue, Y., Takahashi, H., Tamaki, Y., Jang, W. D., & Yanagi, Y. (2009) A2E, a component of lipofuscin, is pro-angiogenic in vivo. J.Cell Physiol. 220: 469-475.

Isayama, T., McCabe England, S. L., Crouch, R. K., Zimmerman, A. L., & Makino, C. L. (2009) Beta-ionone activates and bleaches visual pigment in salamander photoreceptors. Vis.Neurosci. 26: 267-274.

Ishida, T., Enomoto, H., & Nishida, R. (2008) New attractants for males of the solanaceous fruit fly *Bactrocera latifrons*. J.Chem Ecol. 34: 1532-1535.

Itsiopoulos, C., Hodge, A., & Kaimakamis, M. (2009) Can the Mediterranean diet prevent prostate cancer? Mol.Nutr.Food Res. 53: 227-239.

Jang, S. H., Lim, J. W., & Kim, H. (2009) Mechanism of beta-carotene-induced apoptosis of gastric cancer cells: involvement of ataxia-telangiectasia-mutated. Ann.N.Y.Acad.Sci. 1171:156-62.: 156-162.

Jiang, H. B., Tian, X. L., Dong, S. L., & Bao, J. (2009) [Effects of temperature and light

intensity on the growth and biochemical composition of *Sargassum thunbergii*]. Ying.Yong.Sheng Tai Xue.Bao. 20: 185-189.

Jones, P. J. & Abumweis, S. S. (2009) Phytosterols as functional food ingredients: linkages to cardiovascular disease and cancer. Curr.Opin.Clin.Nutr.Metab Care. 12: 147-151.

Kabat, G. C., Kim, M., Adams-Campbell, L. L., Caan, B. J., Chlebowski, R. T., Neuhouser, M. L., Shikany, J. M., & Rohan, T. E. (2009) Longitudinal study of serum carotenoid, retinol, and tocopherol concentrations in relation to breast cancer risk among postmenopausal women. Am.J.Clin.Nutr. 90: 162-169.

Kajikawa, T., Aoki, K., Singh, R. S., Iwashita, T., Kusumoto, T., Frank, H. A., Hashimoto, H., & Katsumura, S. (2009) Syntheses of allene-modified derivatives of peridinin toward elucidation of the effective role of the allene function in high energy transfer efficiencies in photosynthesis. Org.Biomol.Chem. 7: 3723-3733.

Kalariya, N. M., Ramana, K. V., Srivastava, S. K., & van Kuijk, F. J. (2009) Genotoxic effects of carotenoid breakdown products in human retinal pigment epithelial cells. Curr.Eye Res. 34: 737-747.

Kanakis, C. D., Tarantilis, P. A., Pappas, C., Bariyanga, J., Tajmir-Riahi, H. A., & Polissiou, M. G. (2009) An overview of structural features of DNA and RNA complexes with saffron compounds: Models and antioxidant activity. J.Photochem.Photobiol.B. 95: 204-212.

Karppi, J., Kurl, S., Nurmi, T., Rissanen, T. H., Pukkala, E., & Nyyssonen, K. (2009) Serum lycopene and the risk of cancer: the Kuopio Ischaemic Heart Disease Risk Factor (KIHD) study. Ann.Epidemiol. 19: 512-518.

Kato, Y., Ikehara, S., Maruyama, K., Inagawa, M., Oshima, M., Yokota, K., Yamazaki, T., Kishi, M., Murai, S., Umesawa, M., Ma, E., Yamagishi, K., Tanigawa, T., Kurokawa, M., Sato, S., Shimamoto, T., & Iso, H. (2009) Trends in dietary intakes of vitamins A, C and E among Japanese men and women from 1974 to 2001. Public Health Nutr. 12: 1343-1350.

Kavalenka, A. A., Spruijt, R. B., Wolfs, C. J., Strancar, J., Croce, R., Hemminga, M. A., & van Amerongen, H. (2009) Site-directed spin-labeling study of the light-harvesting complex CP29. Biophys.J. 96: 3620-3628.

Kawashima, C., Kida, K., Schweigert, F. J., & Miyamoto, A. (2009) Relationship between plasma beta-carotene concentrations during the peripartum period and ovulation in the first follicular wave postpartum in dairy cows. Anim Reprod.Sci. 111: 105-111.

Kazi, H. A. & Qian, Z. (2009) Crocetin reduces TNBS-induced experimental colitis in mice by downregulation of NFkB. Saudi.J.Gastroenterol. 15: 181-187.

Kiser, P. D., Golczak, M., Lodowski, D. T., Chance, M. R., & Palczewski, K. (2009) Crystal structure of native RPE65, the retinoid isomerase of the visual cycle. Proc.Natl.Acad.Sci.U.S.A. 106: 17325-17330.

Kleinschmidt, M., Marian, C. M., Waletzke, M., & Grimme, S. (2009) Parallel multireference configuration interaction calculations on mini-beta-carotenes and beta-carotene. J.Chem Phys. 130: 044708.

Kobori, C. N. & Amaya, D. B. (2008) Uncultivated Brazilian green leaves are richer sources of carotenoids than are commercially produced leafy vegetables. Food Nutr.Bull. 29: 320-328.

Kopsell, D. A., Armel, G. R., Mueller, T. C., Sams, C. E., Deyton, D. E., McElroy, J. S., & Kopsell, D. E. (2009) Increase in nutritionally important sweet corn kernel carotenoids following Mesotrione and atrazine applications. J.Agric.Food Chem. 57: 6362-6368.

Kosumi, D., Fujiwara, M., Fujii, R., Cogdell, R. J., Hashimoto, H., & Yoshizawa, M. (2009) The dependence of the ultrafast relaxation kinetics of the S(2) and S(1) states in beta-carotene homologs and lycopene on conjugation length studied by femtosecond time-resolved absorption and Kerr-gate fluorescence spectroscopies. J.Chem Phys. 130: 214506.

Krawinkel, M. B. (2009) beta-Carotene from rice for human nutrition? Am.J.Clin.Nutr. 90: 695-696.

Kumar, P., Kalonia, H., & Kumar, A. (2009) Lycopene modulates nitric oxide pathways against 3-nitropropionic acid-induced neurotoxicity. Life Sci. 85: 711-718.

Kusaba, M., Maoka, T., Morita, R., & Takaichi, S. (2009) A novel carotenoid derivative, lutein 3-acetate, accumulates in senescent leaves of rice. Plant Cell Physiol. 50: 1573-1577.

Laitinen, K., Isolauri, E., Kaipiainen, L., Gylling, H., & Miettinen, T. A. (2009) Plant stanol ester spreads as components of a balanced diet for pregnant and breast-feeding women: evaluation of clinical safety. Br.J.Nutr. 101: 1797-1804.

Lakshminarayana, R., Raju, M., Keshava Prakash, M. N., & Baskaran, V. (2009) Phospholipid, oleic acid micelles and dietary olive oil influence the lutein absorption and activity of antioxidant enzymes in rats. Lipids. 44: 799-806.

Lampert, J. M., Holzschuh, J., Hessel, S., Driever, W., Vogt, K., & Von Lintig, J. (2003) Provitamin A conversion to retinal via the beta,beta-carotene-15,15'-oxygenase (bcox) is essential for pattern formation and differentiation during zebrafish embryogenesis. Development. 130: 2173-2186.

Lee, C. Y., Isaac, H. B., Huang, S. H., Long, L. H., Wang, H., Gruber, J., Ong, C. N., Kelly, R. P., & Halliwell, B. (2009) Limited antioxidant effect after consumption of a single dose of tomato sauce by young males, despite a rise in plasma lycopene. Free Radic.Res. 43: 622-628.

Lemaux, P. G. (2009) Genetically engineered plants and foods: a scientist's analysis of the issues (part II). Annu.Rev.Plant Biol. 60:511-59.: 511-559.

Li, Z., Ahn, T. K., Avenson, T. J., Ballottari, M., Cruz, J. A., Kramer, D. M., Bassi, R., Fleming,

G. R., Keasling, J. D., & Niyogi, K. K. (2009) Lutein accumulation in the absence of zeaxanthin restores nonphotochemical quenching in the *Arabidopsis thaliana* npq1 mutant. Plant Cell. 21: 1798-1812.

Liang, R., Han, R. M., Fu, L. M., Ai, X. C., Zhang, J. P., & Skibsted, L. H. (2009) Baicalin in radical scavenging and its synergistic effect with beta-carotene in antilipoxidation. J.Agric.Food Chem. 57: 7118-7124.

Lin, W. T., Huang, C. C., Lin, T. J., Chen, J. R., Shieh, M. J., Peng, H. C., Yang, S. C., & Huang, C. Y. (2009) Effects of beta-carotene on antioxidant status in rats with chronic alcohol consumption. Cell Biochem.Funct. 27: 344-350.

Liu, C. L., Huang, Y. S., Hosokawa, M., Miyashita, K., & Hu, M. L. (2009) Inhibition of proliferation of a hepatoma cell line by fucoxanthin in relation to cell cycle arrest and enhanced gap junctional intercellular communication. Chem.Biol.Interact. 182: 165-172.

Liu, C. L., Huang, Y. S., Hosokawa, M., Miyashita, K., & Hu, M. L. (2009) Inhibition of proliferation of a hepatoma cell line by fucoxanthin in relation to cell cycle arrest and enhanced gap junctional intercellular communication. Chem Biol.Interact. 182: 165-172.

Liu, G. N., Zhu, Y. H., & Jiang, J. G. (2009) The metabolomics of carotenoids in engineered cell factory. Appl.Microbiol.Biotechnol. 83: 989-999.

Liu, X. & Osawa, T. (2009) Astaxanthin protects neuronal cells against oxidative damage and is a potent candidate for brain food. Forum Nutr. 61:129-35. Epub@2009 Apr 7.: 129-135.

Loo-Bouwman, C. A., West, C. E., van Breemen, R. B., Zhu, D., Siebelink, E., Versloot, P., Hulshof, P. J., van Lieshout, M., Russel, F. G., Schaafsma, G., & Naber, T. H. (2009) Vitamin A equivalency of beta-carotene in healthy adults: limitation of the extrinsic dual-isotope dilution technique to measure matrix effect. Br.J.Nutr. 101: 1837-1845.

Ma, L., Lin, X. M., Zou, Z. Y., Xu, X. R., Li, Y., & Xu, R. (2009) A 12-week lutein supplementation improves visual function in Chinese people with long-term computer display light exposure. Br.J.Nutr. 102: 186-190.

Maass, D., Arango, J., Wust, F., Beyer, P., & Welsch, R. (2009) Carotenoid crystal formation in *Arabidopsis* and carrot roots caused by increased phytoene synthase protein levels. PLoS.ONE. 4: e6373.

Maeda, T., Maeda, A., Matosky, M., Okano, K., Roos, S., Tang, J., & Palczewski, K. (2009) Evaluation of potential therapies for a mouse model of human age-related macular degeneration caused by delayed all-*trans*-retinal clearance. Invest Ophthalmol.Vis.Sci. 50: 4917-4925.

Maoka, T. (2009) Sterically hindered carotenoids with 3Z, 5Z configuration from the seeds of oriental bitter sweet, *Celastrus orbiculatus*. Phytochemistry. 70: 920-923.

Markovitch, D., Tyrrell, R. M., Tauler, P., Frystyk, J., Stokes, K., & Thompson, D. (2009) Lycopene supplementation (passata sauce) reduces apoptosis but does not affect oxidant-responsive heme oxygenase-1 in human lymphocytes. Nutrition. 25: 668-675.

Martinez, A. & Barbosa, A. (2008) Antiradical power of carotenoids and vitamin E: testing the hydrogen atom transfer mechanism. J.Phys.Chem B. 112: 16945-16951.

Martinez, A., Vargas, R., & Galano, A. (2009) What is important to prevent oxidative stress? A theoretical study on electron-transfer reactions between carotenoids and free radicals. J.Phys.Chem.B. 113: 12113-12120.

McGraw, K. J. (2009) Identifying anatomical sites of carotenoid metabolism in birds. Naturwissenschaften. 96: 987-988.

Mein, J. R., Lian, F., & Wang, X. D. (2008) Biological activity of lycopene metabolites: implications for cancer prevention. Nutr.Rev. 66: 667-683.

Mertz, C., Gancel, A. L., Gunata, Z., Alter, P., Dhuique-Mayer, C., Vaillant, F., Perez, A. M., Ruales, J., & Brat, P. (2009) Phenolic compounds, carotenoids and antioxidant activity of three tropical fruits. J.Food Composition and Analysis 22: 381-387.

Miao, F., Lu, d. Y., Zhang, C., Zuo, J., Geng, Y., Hu, H., & Li, Y. (2008) The synthesis of astaxanthin esters, independent of the formation of cysts, highly correlates with the synthesis of fatty acids in *Haematococcus pluvialis*. Sci.China C.Life Sci. 51: 1094-1100.

Michikawa, T., Nishiwaki, Y., Kikuchi, Y., Hosoda, K., Mizutari, K., Saito, H., Asakura, K., Milojevic, A., Iwasawa, S., Nakano, M., & Takebayashi, T. (2009) Serum levels of retinol and other antioxidants for hearing impairment among Japanese older adults. J.Gerontol.A Biol.Sci.Med.Sci. 64: 910-915.

Mier-Cabrera, J., Aburto-Soto, T., Burrola-Mendez, S., Jimenez-Zamudio, L., Tolentino, M. C., Casanueva, E., & Hernandez-Guerrero, C. (2009) Women with endometriosis improved their peripheral antioxidant markers after the application of a high antioxidant diet. Reprod.Biol.Endocrinol. 7:54.: 54.

Mizuma, H., Tanaka, M., Nozaki, S., Mizuno, K., Tahara, T., Ataka, S., Sugino, T., Shirai, T., Kajimoto, Y., Kuratsune, H., Kajimoto, O., & Watanabe, Y. (2009) Daily oral administration of crocetin attenuates physical fatigue in human subjects. Nutr.Res. 29: 145-150.

Moeller, S. M., Voland, R., Sarto, G. E., Gobel, V. L., Streicher, S. L., & Mares, J. A. (2009) Women's Health Initiative diet intervention did not increase macular pigment optical density in an ancillary study of a subsample of the Women's Health Initiative. J.Nutr. 139: 1692-1699.

Mogedas, B., Casal, C., Forjan, E., & Vilchez, C. (2009) beta-Carotene production enhancement by UV-A radiation in *Dunaliella bardawil* cultivated in laboratory reactors. J.Biosci.Bioeng. 108: 47-51.

Murdaugh, L. S., Dillon, J., & Gaillard, E. R. (2009) Modifications to the basement membrane protein laminin using glycolaldehyde and A2E: a model for aging in Bruch's membrane. Exp.Eye Res. 89: 187-192.

Murr, C., Winklhofer-Roob, B. M., Schroecksnadel, K., Maritschnegg, M., Mangge, H., Bohm, B. O., Winkelmann, B. R., Marz, W., & Fuchs, D. (2009) Inverse association between serum concentrations of neopterin and antioxidants in patients with and without angiographic coronary artery disease. Atherosclerosis. 202: 543-549.

Musa-Veloso, K., Card, J. W., Wong, A. W., & Cooper, D. A. (2009) Influence of observational study design on the interpretation of cancer risk reduction by carotenoids. Nutr.Rev. 67: 527-545.

Mutungi, G., Waters, D., Ratliff, J., Puglisi, M., Clark, R. M., Volek, J. S., & Fernandez, M. L. (2009) Eggs distinctly modulate plasma carotenoid and lipoprotein subclasses in adult men following a carbohydrate-restricted diet. J.Nutr.Biochem.

Nassar, N. M., Fernandes, P. C., Melani, R. D., & Pires, O. R., Jr. (2009) Amarelinha do Amapa: a carotenoid-rich cassava cultivar. Genet.Mol.Res. 8: 1051-1055.

Neuhouser, M. L., Barnett, M. J., Kristal, A. R., Ambrosone, C. B., King, I. B., Thornquist, M., & Goodman, G. G. (2009) Dietary supplement use and prostate cancer risk in the Carotene and Retinol Efficacy Trial. Cancer Epidemiol.Biomarkers Prev. 18: 2202-2206.

Nikolaeva, O., Takahashi, Y., Moiseyev, G., & Ma, J. X. (2009) Purified RPE65 shows isomerohydrolase activity after reassociation with a phospholipid membrane. FEBS J. 276: 3020-3030.

Nolan, J. M., O'Reilly, P., Loughman, J., Stack, J., Loane, E., Connolly, E., & Beatty, S. (2009) Augmentation of macular pigment following implantation of blue light-filtering intraocular lenses at the time of cataract surgery. Invest Ophthalmol.Vis.Sci. 50: 4777-4785.

Novoselova, E. G., Lunin, S. M., Novoselova, T. V., Khrenov, M. O., Glushkova, O. V., Avkhacheva, N. V., Safronova, V. G., & Fesenko, E. E. (2009) Naturally occurring antioxidant nutrients reduce inflammatory response in mice. Eur.J.Pharmacol. 615: 234-240.

Odriozola-Serrano, I., Oms-Oliu, G., Soliva-Fortuny, R., & Martin-Belloso, O. (2009) Effect of high-oxygen atmospheres on the antioxidant potential of fresh-cut tomatoes. J.Agric.Food Chem. 57: 6603-6610.

Ohmura, C., Watada, H., Azuma, K., Shimizu, T., Kanazawa, A., Ikeda, F., Yoshihara, T., Fujitani, Y., Hirose, T., Tanaka, Y., & Kawamori, R. (2009) Aldose reductase inhibitor, epalrestat, reduces lipid hydroperoxides in type 2 diabetes. Endocr.J. 56: 149-156.

Okuda, M., Sasaki, S., Bando, N., Hashimoto, M., Kunitsugu, I., Sugiyama, S., Terao, J., & Hobara, T. (2009) Carotenoid, tocopherol, and fatty acid biomarkers and dietary intake estimated by using a brief self-administered diet history questionnaire for older Japanese

children and adolescents. J.Nutr.Sci.Vitaminol.(Tokyo). 55: 231-241.

Ordoudi, S. A., Befani, C. D., Nenadis, N., Koliakos, G. G., & Tsimidou, M. Z. (2009) Further examination of antiradical properties of *Crocus sativus* stigmas extract rich in crocins. J.Agric.Food Chem. 57: 3080-3086.

Ostroumov, E., Muller, M. G., Marian, C. M., Kleinschmidt, M., & Holzwarth, A. R. (2009) Electronic coherence provides a direct proof for energy-level crossing in photoexcited lutein and beta-carotene. Phys.Rev.Lett. 103: 108302.

Ota, M., Watanabe, H., Kato, Y., Watanabe, M., Sato, Y., Smith, R. L., Jr., & Inomata, H. (2009) Carotenoid production from *Chlorococcum littorale* in photoautotrophic cultures with downstream supercritical fluid processing. J.Sep.Sci. 32: 2327-2335.

Palozza, P., Torelli, C., Boninsegna, A., Simone, R., Catalano, A., Mele, M. C., & Picci, N. (2009) Growth-inhibitory effects of the astaxanthin-rich alga *Haematococcus pluvialis* in human colon cancer cells. Cancer Lett. 283: 108-117.

Palozza, P., Bellovino, D., Simone, R., Boninsegna, A., Cellini, F., Monastra, G., & Gaetani, S. (2009) Effect of beta-carotene-rich tomato lycopene beta-cyclase (tlcy-b) on cell growth inhibition in HT-29 colon adenocarcinoma cells. Br.J.Nutr. 102: 207-214.

Parekh, N., Voland, R. P., Moeller, S. M., Blodi, B. A., Ritenbaugh, C., Chappell, R. J., Wallace, R. B., & Mares, J. A. (2009) Association between dietary fat intake and age-related macular degeneration in the Carotenoids in Age-Related Eye Disease Study (CAREDS): an ancillary study of the Women's Health Initiative. Arch.Ophthalmol. 127: 1483-1493.

Park, S., Kim, A. J., & Lee, M. (2009) Synergic effects of alpha-tocopherol and beta-carotene on tert-butylhydroperoxide-induced HepG2 cell injury. Toxicol.Ind.Health. 25: 311-320.

Peng, J., Xiang, W., Tang, Q., Sun, N., Chen, F., & Yuan, J. (2008) Comparative analysis of astaxanthin and its esters in the mutant E1 of *Haematococcus pluvialis* and other green algae by HPLC with a C30 column. Sci.China C.Life Sci. 51: 1108-1115.

Pennisi, E. (2009) Genetic engineering. Two steps forward for synthetic biology. Science. 325: 928-929.

Phillips, K. M., Wolf, W. R., Patterson, K. Y., Sharpless, K. E., Amanna, K. R., & Holden, J. M. (2007) Summary of reference materials for the determination of the nutrient composition of foods. Accred.Qual.Assur. 12: 126-133.

Pialoux, V., Mounier, R., Rock, E., Mazur, A., Schmitt, L., Richalet, J. P., Robach, P., Brugniaux, J., Coudert, J., & Fellmann, N. (2009) Effects of the 'live high-train low' method on prooxidant/antioxidant balance on elite athletes. Eur.J.Clin.Nutr. 63: 756-762.

Polidori, M. C., Carrillo, J. C., Verde, P. E., Sies, H., Siegrist, J., & Stahl, W. (2009) Plasma micronutrient status is improved after a 3-month dietary intervention with 5 daily portions of

fruits and vegetables: implications for optimal antioxidant levels. Nutr.J. 8:10.: 10.

Polyakov, N. E., Leshina, T. V., Meteleva, E. S., Dushkin, A. V., Konovalova, T. A., & Kispert, L. D. (2009) Water soluble complexes of carotenoids with arabinogalactan. J.Phys.Chem B. 113: 275-282.

Porrini, M. (2008) Functional foods: from theory to practice. Int.J.Vitam.Nutr.Res. 78: 261-268.

Porrini, M. & Riso, P. (2008) Factors influencing the bioavailability of antioxidants in foods: a critical appraisal. Nutr.Metab Cardiovasc.Dis. 18: 647-650.

Prado-Cabrero, A., Schaub, P., Diaz-Sanchez, V., Estrada, A. F., Al Babili, S., & Avalos, J. (2009) Deviation of the neurosporaxanthin pathway towards beta-carotene biosynthesis in *Fusarium fujikuroi* by a point mutation in the phytoene desaturase gene. FEBS J. 276: 4582-4597.

Riccioni, G., D'Orazio, N., Palumbo, N., Bucciarelli, V., Ilio, E., Bazzano, L. A., & Bucciarelli, T. (2009) Relationship between plasma antioxidant concentrations and carotid intima-media thickness: the Asymptomatic Carotid Atherosclerotic Disease In Manfredonia Study. Eur.J.Cardiovasc.Prev.Rehabil. 16: 351-357.

Ried, K., Frank, O. R., & Stocks, N. P. (2009) Dark chocolate or tomato extract for prehypertension: a randomised controlled trial. BMC.Complement Altern.Med. 9:22.: 22.

Rodriguez-Bustamante, E., Maldonado-Robledo, G., Arreguin-Espinosa, R., Mendoza-Hernandez, G., Rodriguez-Sanoja, R., & Sanchez, S. (2009) Glucose exerts a negative effect over a peroxidase from *Trichosporon asahii*, with carotenoid cleaving activity. Appl.Microbiol.Biotechnol. 84: 499-510.

Saedisomeolia, A., Wood, L. G., Garg, M. L., Gibson, P. G., & Wark, P. A. (2009) Lycopene enrichment of cultured airway epithelial cells decreases the inflammation induced by rhinovirus infection and lipopolysaccharide. J.Nutr.Biochem. 20: 577-585.

Sakai, S., Sugawara, T., Matsubara, K., & Hirata, T. (2009) Inhibitory effect of carotenoids on the degranulation of mast cells via suppression of antigen-induced aggregation of high affinity IgE receptors. J.Biol.Chem. 284: 28172-28179.

Sakudoh, T. & Tsuchida, K. (2009) [How is cocoon colored?]. Seikagaku. 81: 27-31.

Sander, L. C., Sharpless, K. E., & Wise, S. A. (2006) Dietary supplement Standard Reference Materials. Life Sci. 78: 2044-2048.

Sarkar, F. H., Li, Y., Wang, Z., & Kong, D. (2009) Cellular signaling perturbation by natural products. Cell Signal. 21: 1541-1547.

Satomi, Y. & Nishino, H. (2009) Implication of mitogen-activated protein kinase in the

induction of G1 cell cycle arrest and gadd45 expression by the carotenoid fucoxanthin in human cancer cells. Biochim.Biophys.Acta. 1790: 260-266.

Seo, J. Y., Masamune, A., Shimosegawa, T., & Kim, H. (2009) Protective effect of lycopene on oxidative stress-induced cell death of pancreatic acinar cells. Ann.N.Y.Acad.Sci. 1171:570-5.: 570-575.

Sharpless, K. E., Thomas, J. B., Christopher, S. J., Greenberg, R. R., Sander, L. C., Schantz, M. M., Welch, M. J., & Wise, S. A. (2007) Standard reference materials for foods and dietary supplements. Anal.Bioanal.Chem. 389: 171-178.

Sharpless, K. E. & Duewer, D. L. (2008) Standard reference materials for analysis of dietary supplements. J.AOAC Int. 91: 1298-1302.

Sheehan, J., Sherman, J., Cifarelli, C., Jagannathan, J., Dassoulas, K., Olson, C., Rainey, J., & Han, S. (2009) Effect of *trans* sodium crocetinate on brain tumor oxygenation. Laboratory investigation. J.Neurosurg. 111: 226-229.

Shen, Y., Hu, Y., Huang, K., Yin, S., Chen, B., & Yao, S. (2009) Solid-phase extraction of carotenoids. J.Chromatogr.A. 1216: 5763-5768.

Smolensky, E. & Sheves, M. (2009) Retinal-salinixanthin interactions in xanthorhodopsin: [corrected] a circular dichroism (CD) spectroscopy study with artificial pigments. Biochemistry. 48: 8179-8188.

Song, Y., Cook, N. R., Albert, C. M., Van Denburgh, M., & Manson, J. E. (2009) Effects of vitamins C and E and beta-carotene on the risk of type 2 diabetes in women at high risk of cardiovascular disease: a randomized controlled trial. Am.J.Clin.Nutr. 90: 429-437.

Song, Y., Liu, C. I., Lin, F. Y., No, J. H., Hensler, M., Liu, Y. L., Jeng, W. Y., Low, J., Liu, G. Y., Nizet, V., Wang, A. H., & Oldfield, E. (2009) Inhibition of staphyloxanthin virulence factor biosynthesis in *Staphylococcus aureus*: in vitro, in vivo, and crystallographic results. J.Med.Chem. 52: 3869-3880.

Spallanzani, N., Rozzi, C. A., Varsano, D., Baruah, T., Pederson, M. R., Manghi, F., & Rubio, A. (2009) Photoexcitation of a light-harvesting supramolecular triad: a time-dependent DFT study. J.Phys.Chem B. 113: 5345-5349.

Spano, F. C. (2009) Analysis of the UV/Vis and CD spectral line shapes of carotenoid assemblies: spectral signatures of chiral H-aggregates. J.Am.Chem Soc. 131: 4267-4278.

Srinivasan, M., Devipriya, N., Kalpana, K. B., & Menon, V. P. (2009) Lycopene: An antioxidant and radioprotector against gamma-radiation-induced cellular damages in cultured human lymphocytes. Toxicology. 262: 43-49.

Strambi, A. & Durbeej, B. (2009) Excited-state modeling of the astaxanthin dimer predicts a minor contribution from exciton coupling to the bathochromic shift in crustacyanin.

J.Phys.Chem B. 113: 5311-5317.

Sujak, A. (2009) Interactions between canthaxanthin and lipid membranes--possible mechanisms of canthaxanthin toxicity. Cell Mol.Biol.Lett. 14: 395-410.

Sun, Z., Shen, S., Wang, C., Wang, H., Hu, Y., Jiao, J., Ma, T., Tian, B., & Hua, Y. (2009) A novel carotenoid 1,2-hydratase (CruF) from two species of the non-photosynthetic bacterium *Deinococcus*. Microbiology. 155: 2775-2783.

Svennevig, K. (2009) Re: "Long-term use of beta-carotene, retinol, lycopene, and lutein supplements and lung cancer risk: results from the VITamins and Lifestyle (VITAL) Study". Am.J.Epidemiol. 170: 401-402.

Tachaprutinun, A., Udomsup, T., Luadthong, C., & Wanichwecharungruang, S. (2009) Preventing the thermal degradation of astaxanthin through nanoencapsulation. Int.J.Pharm. 374: 119-124.

Takaichi, S., Maoka, T., & Mochimaru, M. (2009) Unique carotenoids in the terrestrial cyanobacterium *Nostoc commune* NIES-24: 2-hydroxymyxol 2'-fucoside, nostoxanthin and canthaxanthin. Curr.Microbiol. 59: 413-419.

Tang, F. Y., Cho, H. J., Pai, M. H., & Chen, Y. H. (2009) Concomitant supplementation of lycopene and eicosapentaenoic acid inhibits the proliferation of human colon cancer cells. J.Nutr.Biochem. 20: 426-434.

Tanumihardjo, S. A., Horvitz, M. A., Dosti, M. P., & Simon, P. W. (2009) Serum alpha- and beta-carotene concentrations qualitatively respond to sustained carrot feeding. Exp.Biol.Med.(Maywood.). 234: 1280-1286.

Teodoro, A. J., Perrone, D., Martucci, R. B., & Borojevic, R. (2009) Lycopene isomerisation and storage in an in vitro model of murine hepatic stellate cells. Eur.J.Nutr. 48: 261-268.

Thibeault, D., Su, H., MacNamara, E., & Schipper, H. M. (2009) Isocratic rapid liquid chromatographic method for simultaneous determination of carotenoids, retinol, and tocopherols in human serum. J.Chromatogr.B Analyt.Technol Biomed.Life Sci. 877: 1077-1083.

Thurnham, D. I., Tremel, A., & Howard, A. N. (2008) A supplementation study in human subjects with a combination of meso-zeaxanthin, (3R,3'R)-zeaxanthin and (3R,3'R,6'R)-lutein. Br.J.Nutr. 100: 1307-1314.

Tong, S. Y., Lee, J. M., Song, E. S., Lee, K. B., Kim, M. K., Lee, J. K., Son, S. K., Lee, J. P., Kim, J. H., & Kwon, Y. I. (2009) Functional polymorphism in manganese superoxide dismutase and antioxidant status: their interactions on the risk of cervical intraepithelial neoplasia and cervical cancer. Gynecol.Oncol. 115: 272-276.

Touvier, M., Niravong, M., Volatier, J. L., Lafay, L., Lioret, S., Clavel-Chapelon, F., & Boutron-

Ruault, M. C. (2009) Dietary patterns associated with vitamin/mineral supplement use and smoking among women of the E3N-EPIC cohort. Eur.J.Clin.Nutr. 63: 39-47.

Tripathi, D. N. & Jena, G. B. (2009) Intervention of astaxanthin against cyclophosphamide-induced oxidative stress and DNA damage: a study in mice. Chem Biol.Interact. 180: 398-406.

Trombino, S., Cassano, R., Muzzalupo, R., Pingitore, A., Cione, E., & Picci, N. (2009) Stearyl ferulate-based solid lipid nanoparticles for the encapsulation and stabilization of beta-carotene and alpha-tocopherol. Colloids Surf.B Biointerfaces. 72: 181-187.

Valacchi, G., Pecorelli, A., Mencarelli, M., Maioli, E., & Davis, P. A. (2009) Beta-carotene prevents ozone-induced proinflammatory markers in murine skin. Toxicol.Ind.Health. 25: 241-247.

van de Poll, W. H. & Buma, A. G. (2009) Does ultraviolet radiation affect the xanthophyll cycle in marine phytoplankton? Photochem.Photobiol.Sci. 8: 1295-1301.

van de, K. J., Kanis, M. J., Genders, S. W., & van Norren, D. (2008) Lutein and zeaxanthin measured separately in the living human retina with fundus reflectometry. Invest Ophthalmol.Vis.Sci. 49: 5568-5573.

van der Veen, R. L., Ostendorf, S., Hendrikse, F., & Berendschot, T. T. (2009) Macular pigment optical density relates to foveal thickness. Eur.J.Ophthalmol. 19: 836-841.

Wade, N. M., Tollenaere, A., Hall, M. R., & Degnan, B. M. (2009) Evolution of a novel carotenoid-binding protein responsible for crustacean shell color. Mol.Biol.Evol. 26: 1851-1864.

Wang, Y., Qiu, C., Zhang, F., Guo, B., Miao, Z., Sun, X., & Tang, K. (2009) Molecular cloning, expression profiling and functional analyses of a cDNA encoding isopentenyl diphosphate isomerase from *Gossypium barbadense*. Biosci.Rep. 29: 111-119.

Watzl, B. (2008) Anti-inflammatory effects of plant-based foods and of their constituents. Int.J.Vitam.Nutr.Res. 78: 293-298.

Wawrzyniak, A. & Hamulka, J. (2009) [Comparative assessment of carotenoids intake by food frequency questionnaire and 4-day dietary food records method]. Rocz.Panstw.Zakl.Hig. 60: 25-29.

Wei, D., Chen, F., Chen, G., Zhang, X., Liu, L., & Zhang, H. (2008) Enhanced production of lutein in heterotrophic *Chlorella protothecoides* by oxidative stress. Sci.China C.Life Sci. 51: 1088-1093.

Weinert, N., Meincke, R., Gottwald, C., Heuer, H., Gomes, N. C., Schloter, M., Berg, G., & Smalla, K. (2009) Rhizosphere communities of genetically modified zeaxanthin-accumulating potato plants and their parent cultivar differ less than those of different potato cultivars.

Appl.Environ.Microbiol. 75: 3859-3865.

WHO. Global prevalence of vitamin A deficiency in populations at risk 1995–2005. 1-68. 2009. Geneva, World Health Organization.
Ref Type: Generic

Willibald, J., Rennebaum, S., Breukers, S., Abdel Hafez, S. H., Patel, A., Opstad, C. L., Schmid, R., Naess, S. N., Sliwka, H. R., & Partali, V. (2009) Hydrophilic carotenoids: facile syntheses of carotenoid oxime hydrochlorides as long-chain, highly unsaturated cationic (bola)amphiphiles. Chem.Phys.Lipids. 161: 32-37.

Wu, Y., Fishkin, N. E., Pande, A., Pande, J., & Sparrow, J. R. (2009) Novel lipofuscin bisretinoids prominent in human retina and in a model of recessive Stargardt disease. J.Biol.Chem. 284: 20155-20166.

Xu, H. & Jia, L. (2009) Capillary liquid chromatographic analysis of fat-soluble vitamins and beta-carotene in combination with in-tube solid-phase microextraction. J.Chromatogr.B Analyt.Technol Biomed.Life Sci. 877: 13-16.

Yeh, S. L., Wang, H. M., Chen, P. Y., & Wu, T. C. (2009) Interactions of beta-carotene and flavonoids on the secretion of pro-inflammatory mediators in an in vitro system. Chem Biol.Interact. 179: 386-393.

Yeum, K. J., Beretta, G., Krinsky, N. I., Russell, R. M., & Aldini, G. (2009) Synergistic interactions of antioxidant nutrients in a biological model system. Nutrition. 25: 839-846.

Yuan, G. F., Sun, B., Yuan, J., & Wang, Q. M. (2009) Effects of different cooking methods on health-promoting compounds of broccoli. J.Zhejiang.Univ Sci.B. 10: 580-588.

Yue, H., Huang, X., Zhao, C., Yang, S., & Qu, Y. (2009) [Regulation mechanism of photopigments biosynthesis via light and oxygen in *Rhodobacter azotoformans* 134K20]. Wei Sheng Wu Xue.Bao. 49: 331-336.

Zak, P. P., Bukhtiiarov, I. V., Prokof'ev, A. B., Larichev, A. V., Bol'shakova, V. A., Izmerov, N. F., & Ushakov, I. B. (2009) [Specification of reflectometric measurement complex to evaluate optic density of macular pigments and concentration of phototoxic chemicals in retina]. Med.Tr.Prom Ekol. 31-36.

Zeimer, M., Hense, H. W., Heimes, B., Austermann, U., Fobker, M., & Pauleikhoff, D. (2009) [The macular pigment: short- and intermediate-term changes of macular pigment optical density following supplementation with lutein and zeaxanthin and co-antioxidants. The LUNA Study]. Ophthalmologe. 106: 29-36.

Zhang, M., Leng, P., Zhang, G., & Li, X. (2009) Cloning and functional analysis of 9-cis-epoxycarotenoid dioxygenase (NCED) genes encoding a key enzyme during abscisic acid biosynthesis from peach and grape fruits. J.Plant Physiol. 166: 1241-1252.